





EXXARO TILES PRIVATE LIMITED

CIN: U26914GJ2008PTC052518

Corporate Office :

1st Floor, 9th Avenue, B/h. Rajpath Club, S G Highway, Ahmedabad - 380054, Gujarat, India. Ph.: +91 79 30555500

Regd. Office & Unit-2:

Survey No. 169 & 170, Vavdi Harsol Road, At & Po.: Mahelav, Taluka: Talod, Sabarkantha - 383 305, Gujarat, India.

Block No. 204/205, Opp. Hanuman Temple, Nr. Mahuvad Turning, At & Po. Dabhasa, Tal. Padara, Dist. Vadodara - 391440, Gujarat, India.





A bigger picture of success!

Exxaro Tiles is poised to go on a remarkable and never ending journey of excellence in the Tiles Industry. To add energy and vigor to this journey, it is equipped with state of the art infrastructure comprising best of machinery, resources and manpower. At a huge plant established at the most advantageous location of Gujarat. Exxaro Tiles brings you the convenience of comprehensive tiling solutions under one roof. With its meticulously crafted innovative tiling solutions, Exxaro Tiles is wining accolades and trust of clients across the world.







Add sheen, glamour and style to the space with High Gloss Collection. A fresh bouquet of mesmerizing designs shining with more than 95% glossiness; leaves everyone dazed with its enthralling beauty. High Gloss Collection is a scintillating example of how technology and creativity can create wonders in our lives.

Feel smoothness. The buttery smoothness of Butter Finish touches your senses soothingly and creates an indulgent aura around you.

Call it little precious pearls or fresh dew drops...but the Sugar Finish Collection with grainy effect is indeed a revelation as to how a tile can change the outlook of a surround. A collection filled with beautiful designs it enhance the appeal of the space.

Just like the name suggest, the designs of Rustic Collection will reminds you of those sandy, earthy shades of brown which are never out of fashion. An evergreen collection it is indeed.



	Page No.		Page No.
800x1200mm	04	1000x1000mm	14
600x600mm	09	600x1200mm	18
800x800mm	16		



FULL COLOUR BODY VITRIFIED TILES

Here is a collection that stay to its style statement from top to bottom. Full Colour Body Tiles exhibits same precision and finesse from surface to the core creating a same pattern look throughout.

For the interiors; you wish to adorn with an edgy styling, here is a solution. Tiles that resembles the shine and strength of steel sets indeed a cool style statement just like the cold touch of steel.



	Page No.		Page No.
800x800mm	28	600x600mm	29
600x1200mm	29		


BOOK-MATCH









NOVANO BEIGE A/B



MARCOPOLO A/B NEW



GREY FANTASY A/B NEW











800x1200mm









Tiles Shown : Sicilia Beige











VIENNA BROWN



NEW





TOBACCO BROWN







800x1200mm



ROYAL STATUARIO





DONA BEIGE






VERTICO BIANCO



BOOK-MATCH Tiles Shown: Turkish Beige

Enjoy the freedom and joy of treading new paths of creativity and imagination with collection that compliments your inner instincts the way you wish to portray them...

EMPERADOR



STARK WHITE

BOOK-MATCH



TURKISH BEIGE

NEW



NEW























GLAMOUR MARBLE







TRAVERTINO CREAMA



NEW





BOOK-MATCH



PACIFIC MARBLE NEW



NEW GLITTER GREY















600x600mm





SUPERIMO WHITE



BRECIA CREAM



CRYSTAL ONYX WHITE



BIANCO WHITE



TRAVERTINO BEIGE



TRAVERTINO BROWN



ARMANI GREY



VIENNA BEIGE



SKIFFER WHITE



SKIFFER VERDE



CRYSTAL ONYX BEIGE



ARMANI BROWN



EUREKA CAFE



FUSION CREAM



FUSION UMBER



VIENNA BROWN



















ONYX BEIGE



FLORENCE BEIGE



FLORENCE WHITE



FLORENCE BROWN



FLORENCE GREY



TRAVERTINO BEIGE



TRAVERTINO BROWN




MARBO STATUARIO



VOLCANO BEIGE



SOFTEK BLANCO



HIMALAY WHITE



EVEREST DARK



EVEREST OCHER



VENATO BEIGE



EVEREST LIGHT





AUTUM WHITE



AUTUM NATURAL



AUTUM GOLD



AUTUM BEIGE











1000x1000mm










ANTIQUE BEIGE

BRECCIA WHITE

BRECCIA BEIGE

BRECCIA NATURAL







Colors and patterns in perfect harmony to make your world a beautiful song.

ANTIQUE NATURAL

GLACIAR WHITE







ATHENA DARK





www.exxarotiles.com

















AGATHA MUSTARD A/B



WILLIAM AMBRE A/B



RIVER STATUARIO A/B



WILLIAM NATURAL A/B



ARROSA BEIGE



ARROSA MUSTARD



MAXIM BROWN



MAXIM DARK



600x600mm (MATT)




600x600mm (MATT)



600x600mm (MATT)



MAXIM BEIGE



BIANCO WHITE



ALASKA WHITE



www.exxarotiles.com














ONICE WHITE ONICE BEIGE



600x600mm (MATT)











NEONEX DARK

KARNIS MARFIL

FLAMINGO GRIS









600x600mm (MATT)
























MONACO BEIGE

FLORIDA BEIGE










ROYAL ONYX



FLAMINGO VERDE





VIBRATO CLOUD DECOR







600x1200mm









VIBRATO CLOUD










ADONIS NATURAL






VIBRATO BLACK DECOR



FANTASY GOLD














AMBIANCE BEIGE



AMBIANCE BROWN

MISRA GOLD

MISRA NATURAL

FANTASY NATURAL

ADONIS BLUE









MISRA BEIGE





STONIC BROWN DECOR



600x600mm

MISRA VERDE

22



PINEWOOD CLOUD

PINEWOOD BROWN









GARNET BEIGE DECOR



GARNET BEIGE

GARNET CAMEL



600x600mm



600x600mm



600x600mm

GARNET CLOUD





600x600mm

600x600mm

600x600mm



WOODERFULL BROWN

WOODERFULL BEIGE

PINEWOOD VERDE



GARNET NERO DECOR






600x600mm



STONIC BLACK DECOR A





600x600mm



STONIC BLACK DECOR B

The entire galaxy full with twinkling stars is beneath your feet. Indeed, the 600x1200mm collection has a radiant appeal to add grandeur and glamor to your project in a very subtle and stylish way.





Designs that bring alive the nature in its enchanting form...





600x600mm



600x600mm














LOGAN BEIGE
















PULPIS BEIGE















BOLZANO BEIGE







600x1200mm full colour body



HIGH GLOSS










ETHOS CREAMA

ROBSON GRIS
























Heleriser with a containment of the Contract o







ROBSON BIANCO

ROBSON BEIGE









ROBSON BROWN













Colors and patterns in perfect harmony to make your world a beautiful song.



CEMENTO BEIGE

CEMENTO BROWN

CEMENTO GRIS











CONCRETE NERO DECOR CONCRETE NERO

600x600mm

CEMENTO BEIGE DECOR



600x600mm

600x600mm



CONCRETE BEIGE

600x600mm

CEMENTO BROWN DECOR











CEMENTO TAN DECOR A



CEMENTO TAN









CEMENTO TAN DECOR B



CEMENTO NERO



CONCRETE BEIGE DECOR B

CONCRETE BEIGE DECOR A 1/4

CONCRETE BROWN DECOR

Shades and textures that invites natural elegance ""

CEMENTO NERO DECOR











RIVERSAND TAN DECOR



RIVERSAND TAN



600x600mm





ZURI GREY



600x600mm



RIVERSAND BROWN DECOR



RIVERSAND BROWN



600x600mm



ZURI DARK



600x600mm



RIVERSAND GREY DECOR



RIVERSAND GREY



600x600mm



ZURI BEIGE



600x600mm




RIVERSAND NEO DECOR



RIVERSAND NEO

DENIM GRIGIO



600x600mm



ZURI CAMEL DECOR



ZURI CAMEL



600x600mm



DENIM CAMEL



DENIM GRIGIO DECOR





600x600mm



EXXARO FGVT & FULL COLOUR BODY VITRIFIED TILES TECHNICAL SPECIFICATIONS

Sr. No	Characteristics	Method of Testing	Vitrified Tiles ISO 13006 / EN 176 Group Bla	Exxaro Values
Α	Dimension & Surface Quality			
1	Deviation in Length & Width	ISO 10545-2	+ / - 0.5%	+ / - 0.1%
2	Deviation in Thickness	ISO 10545-2	+ / - 5.0%	+ / -2.0%
3	Straightness of Sides	ISO 10545-2	+ / - 0.5%	+ / - 0.1%
4	Rectangularity	ISO 10545-2	+ / - 0.5 %	+ / - 0.1%
5	Surface Flatness	ISO 10545-2	+ / - 0.5%	+ / - 0.2%
6	Color Differences	ISO 10545-16	Unaltered	No Change
7	Surface Coating	Nano Machine	As Per Manfacturer Norms	Nano Polished
В	Physical Properties			
1	Water Absorption	ISO 10545-3	< 0.5%	0.08%
2	Flexural Strength (MOR)	ISO 10545-4	> 27 N / mm2	> 30 N / mm2
3	Mohs Hardness	EN 101	Min 6	6 Mohs
4	Flexural Breaking Strength	ISO 10545-4	> 1113 N	2350 N
5	Bulk Density (Gm / cc)	DIN 51082	>2 gm/cc	2.35 gm/cc
6	Glossiness	Glossometer	As Per Manfacturer Norms	Min 85 % reflection
7	Slip Resistance Coefficient of Friction	ISO 10545-17	> 0.4	> 0.6
8	Crazing Resistance	ISO 10545-11	Min 4 Cycle @ 7.5 Bar	Passes 4 Cycle
9	Resistance Of Surface Abrasion	ISO 10545-6	As Per Manfacturer Norms	> PEI I V
С	Chemical Properties			
1	Staining Resistance	ISO 10545-14	Resistant	Resistant
2	Household Chemicals	ISO 10545-13	No Damage	No Damage
D	Thermal Properties			
1	Thermal Shock Resistance	ISO 10545-9	No Damage	No Damage
2	Thermal Expansion	ISO 10545-10	9 x 10 - 6 max	6 x 10 -6
3	Moisture Expansion	ISO 10545 - 10	Nil	Nil

Note: Color shown are as accurate as the limitation of the printing process will allow. Prospective customers are advice to inspect a sample of the tile before ordering. Every efforts has been made to ensure the accuracy of the information given. However, the company reserve the right to change the specifications without prior notice. Sometime variations in shade or size being inherent to ceramic industry may occur. Before fixing, we advise you to follow the fixing instructions on the cartons of the tiles as no responsibility can be accepted by the company once the tiles have been fixed.

LAYING INSTRUCTION

Please read the following Instructions before Laying the Tiles

- 1) Variation in shade, color & pattern is natural features of ceramics, therefore we are advised you to purchase sufficient tiles at one time to complete the job.
- First of all, before opening the boxes of tiles, please check manufacturing date, design name, color tone and batch. We advise to use the material having same batch and same date in a single date in a single room.
- Please check the level of the prepared bed.
- Slope should be given on the surface on which tiles are to be fixed for water preparing flow at the time of mortar bed. The mortar bed or surface on which tiles are to be fixed should be fine, smooth, dirt free & dust to avoid
- 5) Ceramic / Vitrified tiles have inherent property of color variation. So before laying please follow the instruction as
- a) First of all, lay the tiles in room without applying cement mortar and observe the tiles for color tone & if some tiles does not match with others for color or size, please remove this and use for skirting purpose.
- b) Please lay all tiles in such a way that "arrow behind the tiles" of "symbol of tiles" should remain in one direction in
- c) To add beauty on the laid surface, gap of 3 to 4 mm spacers can be kept between to tiles.
- d) Please fillup the joints between 2 tiles after 24 hours of lying.
- e) After finishing the joint filling wipe out of excess grout with a damp sponge and polish the tiles with a soft and dry cloth for a clean surface. The tiles can also be clean by mild acid.
- 6) Allow 3 to 4 days for bed drying.
- 7) Before doing cement or furniture work on laid tiles, we advise to plain plastic (without printed) with POP coating on it.
- We appreciate your suggestions & views regarding the design, shade & color of tiles
- 9) Good suggestion & customer satisfaction will helpful to us making your home flooring a thing of beauty & pride.
- 10) Company cannot entertain any complain after laying the tiles.

PACKING DETAILS

PRODUCT	SIZE	PCS/BOX	COVERAGE AREA		
SURFACE FGVT TILES & EARTHSTONE FULL COLOUR BODY VITRIFIED TILES	1000 x 1000mm	2	2.00 SQ. MTR.	21.53 SQ. FT.	
	800 x 1200mm	2	1.92 SQ. MTR.	20.67 SQ. FT.	
	800 x 800mm	3	1.92 SQ. MTR.	20.67 SQ. FT.	
	600 x 1200mm	2	1.44 SQ. MTR.	15.50 SQ. FT.	
	600 x 600mm	4	1.44 SQ. MTR.	15.50 SQ. FT.	

LOCATE US

BRANCH OFFICE & COMPANY DISPLAY CENTER

AHMEDABAD OFFICE & CDC:

Shop No.102, Sarthik Square, Nr. Pakwan Circle, S G Highway, Ahmedabad, Gujarat Mo.: +91 75730 87574 | E-mail: cdc.ahm@exxarotiles.com

MUMBAI OFFICE & CDC:

K / 21, Ground Floor, Laxmi Industrial Estate, New Link Road, Andheri (West), Mumbai - 53. Ph: +91 22 42645555 | E-mail: cdc.mumbai@exxarotiles.com

BANGALORE OFFICE & CDC:

Oswal's. Site No.1034, 1st Floor, 1st Main Road, 4th Block, Dr. Rajkumar Road, Opp. Planet Honda Service Station, Rajajinagar, Bangalore - 560010 Mo: +91 80 23150555 | E-mail: cdc.bangalore@exxarotiles.com

CHENNAL OFFICE & CDC:

New No.23, Old No.35, 10th Avenue, Ashoknagar, Chennai - 600 083. Tamilnadu Ph.: +91 44 4203 8555 | E-mail: cdc.chennai@exxarotiles.com

COCHIN OFFICE & CDC:

1st Floor, Door No.34, Mamanglam, N.H. 47, Edappally South, Ernakulam, Kerala Ph.: +91 48 4401 9555 | E-mail: cdc.cochin@exxarotiles.com

HYDERABAD OFFICE & CDC:

8-2-293/K/311 & 312, Kamalaputi Colony, Jubilee Hills, Phase-III, Hyderabad - 500073,

Mo.: +91 40-48527509 | E-mail: cdc.hyderabad@exxarotiles.com

DELHI OFFICE:

B-230, NorthEx Mall, Sector-9, Rohini, Delhi - 110085 Mo.: +91 93104 01101 | Email: delhi@exxarotiles.com

KOLKATA OFFICE:

Flat 2A, Second Floor, 423 Laskarhat, E.M.Bypass, Behind Hotel Sheldon, Tagore Park, Kolkata - 700 039, West Bengal.

Mo.: +91 99248 55514 | Email: kolkata@exxarotiles.com

BHUBANESHWAR OFFICE:

Gomati Devi Residency, Flat No 002, N.H-5, Near H.P. Petrol Pump,Rasulgarh, Bhubaneswar -751010 (Odisha)
Mo.: +91 73810 55075

COMPANY DEPOT

BANGALORE DEPOT:

Ricasil Ceramic Industries Pvt. Ltd. No. 26, Ground Floor, 2nd Cross, SSI Area, 5th Block, Rajajinagar, Bangalore - 560010 (Karnataka) Ph.: +91 80-23150555 E-mail: bangalore@exxarotiles.com

CHENNAI DEPOT:

Ricasil Ceramic Industries Pvt. Ltd. #77, Earrikarai Kamrajar Nagar, Nr.200 ft Flyover Bridge, Maduravoyail, Chennai - 600 095 (Tamilnadu) Ph.: +91 95850 19900 F-mail: chennai@exxarotiles.com

COCHIN DEPOT:

Ricasil Ceramic Industries Pvt. Ltd. Build. No.56/c (XXIII/159B), Vadakkumana, Devi Vilas, Manjummel PO, ELOOR- 683501 Frnakulam (KERALA) Ph.: +91 93499 12120 E-mail: cochin@exxarotiles.com

GUWAHATI DEPOT:

Ricasil Ceramic Industries Pvt. Ltd. C/o. Kamrup Warehousing Pvt. Ltd. N.H. 37, Krishna Weigh Bridge, Sarusajal, Nr. Lokhra Chariali, Beltola, Guwahati - 34. Ph.: +91 99540 88540 E-mail: guwahati@exxarotiles.com

HYDERABAD DEPOT:

Ricasil Ceramic Industries Pvt. Ltd. 1-6-40/155, Survey No 46, Muthyam Reddy Estate, Kanajiguda, Tirumalgiri, Secunderabad, Hyderabad, Telangana - 500 015 E-mail: hvderabad@exxarotiles.com Mo.: +91 99851 45522

MAINTENANCE GUIDELINES

STAINS (Created by)	SOLVENTS (Turpentine, Acetone, Trichloroethylene, etc.)	SODIUM HYPO CHLORATE (NOC)	ACIDS (Hyderochloric Acid*)	ALKALI (sodium Hydrocide Potassium Hydrocide)
BEVERAGE BEER				Ø
JUICE		Ø		
COLA				Ø
COFFEE				Ø
TEA	Ø	⊘		
INK BALLPEN				
LIQUID INK	⊘		⊘	
MARKER INK	⊘			
MISCELLANEOUS CEMENT			⊘	
TAR	Ø			
COLCAR			⊘	
EDIBLE OIL	⊘			
CIGARETTE			⊘	
GLUE	Ø			Ø
ICE CREAM				Ø
PAINTS	Ø		Ø	
RESINS	Ø			
RUST			Ø	
BLOOD				Ø