



HYDRAULIC REVERSIBLE DISC PLOUGH Model No.: URDP H 70



Specification

Model	URDP H 70
Overall length	2815mm
Overall Width	1275mm
Overall Height	1315mm
Frame	200mm X 100mm Square Pipe
Main Shaft	Ø100mm Round Bar
Tyne	Ø70mm Round Bar
Number of Disc	4 Disc
Disc Dia & Thickness	Ø660 X 6mm Thickness
Working Width	1118mm
Total Weight	650 Kg.
Power of Required	65 HP to 90 HP

Manufacture:

Patel Agro Industries

Kotecha Ind. Area, Survey No. 223, Plot No. 12, Opp. Shreeji PVC, Panchasar Road, Wankaner - 363621 (Gujarat)

www.patelagroindustries.com

Manufacture:

Patel Sales Agency

Kotecha Ind. Area, Survey No. 223, Plot No. 11, Opp. Shreeji PVC, Panchasar Road, Wankaner - 363621 (Gujarat) patelagroindustries@gmail.com

www.patelagroindustries.com





HYDRAULIC REVERSIBLE DISC PLOUGH Model No.: URDP H 40



Specification

50.4 CO. 4 C	
Model	URDP H 40
Overall length	2500mm
Overall Width	1220mm
Overall Height	1285mm
Frame	200mm X 100mm Square Pipe
Main Shaft	Ø100mm Round Bar
Tyne	Ø70mm Round Bar
Number of Disc	3 Disc
Disc Dia & Thickness	Ø660 X 6mm Thickness
Working Width	762mm
Total Weight	525 Kg.
Power of Required	50 HP to 75 HP

Manufacture:

Patel Agro Industries

www.patelagroindustries.com

Manufacture:

Patel Sales Agency

\mathbb{S} www.patelagroindustries.com





HYDRAULIC REVERSIBLE DISC PLOUGH Model No.: URDP H 35



Specification

Model	URDP H 35
Overall length	1864mm
Overall Width	1095mm
Overall Height	1295mm
Frame	200mm X 100mm Square Pipe
Main Shaft	Ø100mm Round Bar
Tyne	Ø70mm Round Bar
Number of Disc	2 Disc
Disc Dia & Thickness	Ø660 X 6mm Thickness
Working Width	508mm
Total Weight	380 Kg.
Power of Required	35 HP to 45 HP

Manufacture:

Patel Agro Industries

• www.patelagroindustries.com

Manufacture:

Patel Sales Agency

Kotecha Ind. Area, Survey No. 223, Plot No. 11, Opp. Shreeji PVC, Panchasar Road, Wankaner - 363621 (Gujarat) patelagroindustries@gmail.com

www.patelagroindustries.com





AUTOMATIC REVERSIBLE DISC PLOUGH Model No.: URDP M 40



Specification

Model	URDP M 40
Overall length	2250mm
Overall Width	1400mm
Overall Height	1020mm
Frame	Ø114mm Round Pipe
Main Shaft	Ø70mm Round Bar
Tyne	Ø114mm Round Bar
Number of Disc	3 Disc
Disc Dia & Thickness	Ø660 X 6mm Thickness
Working Width	762mm
Total Weight	350 Kg.
Power of Required	45 HP to 55 HP

Manufacture:

Patel Agro Industries

Kotecha Ind. Area, Survey No. 223,
Plot No. 12, Opp. Shreeji PVC,
Panchasar Road, Wankaner - 363621 (Gujarat)

info@patelagroindustries.com
www.patelagroindustries.com

Manufacture:

Patel Sales Agency

Kotecha Ind. Area, Survey No. 223,
Plot No. 11, Opp. Shreeji PVC,
Panchasar Road, Wankaner - 363621 (Gujarat)

patelagroindustries@gmail.com
www.patelagroindustries.com





HYDRAULIC REVERSIBLE DISC PLOUGH Model No.: URDP M 35



Specification

Model	URDP M 35
Overall length	1890mm
Overall Width	1180mm
Overall Height	1250mm
Frame	Ø114mm Round Pipe
Main Shaft	Ø70mm Round Bar
Tyne	Ø114mm Round Pipe
Number of Disc	2 Disc
Disc Dia & Thickness	Ø660 X 6mm Thickness
Working Width	508mm
Total Weight	290 Kg.
Power of Required	35 HP to 45 HP

Manufacture:

Patel Agro Industries

Kotecha Ind. Area, Survey No. 223,
Plot No. 12, Opp. Shreeji PVC,
Panchasar Road, Wankaner - 363621 (Gujarat)

info@patelagroindustries.com
www.patelagroindustries.com

Manufacture:

Patel Sales Agency

Kotecha Ind. Area, Survey No. 223, Plot No. 11, Opp. Shreeji PVC, Panchasar Road, Wankaner - 363621 (Gujarat) patelagroindustries@gmail.com

\mathbb{S} www.patelagroindustries.com





HYDRAULIC REVERSIBLE M.B. PLOUGH



Specification: MAKE IN INDIA SERIES

Model	URP SC - 111	URP SC - 175
Size	2 Furrow	3 Furrow
Frame	90 mm x 90 mm Square Pipe	90 mm x 90 mm Square Pipe
Main Shaft	70 mm Round	70 mm Round
Tyne	80x25 mm	80x25 mm
Working Width	20 to 28 Inch	30 to 42 Inch
Height	58 Inch	58 Inch
Blade	10 mm	10 mm
Mould Board	8 mm	8 mm
Adjustment	Hydraulic	Hydraulic
Weight (Aprox)	425 Kg.	540 Kg.
Power Required (HP)	50 HP & Above	65 HP & Above

Manufacture:

Patel Agro Industries

Kotecha Ind. Area, Survey No. 223, Plot No. 12, Opp. Shreeji PVC, Panchasar Road, Wankaner - 363621 (Gujarat) info@patelagroindustries.com

info@patelagroindustries.comwww.patelagroindustries.com

Manufacture:

Patel Sales Agency

Kotecha Ind. Area, Survey No. 223,
Plot No. 11, Opp. Shreeji PVC,
Panchasar Road, Wankaner - 363621 (Gujarat)

patelagroindustries@gmail.com
www.patelagroindustries.com





HYDRAULIC REVERSIBLE M.B. PLOUGH



Specification: MAKE IN INDIA SERIES

Model	URP SC - 111	URP SC - 175
Size	2 Furrow	3 Furrow
Frame	90 mm x 90 mm Square Pipe	90 mm x 90 mm Square Pipe
Main Shaft	70 mm Round	70 mm Round
Tyne	80x25 mm	80x25 mm
Working Width	20 to 28 Inch	30 to 42 Inch
Height	58 Inch	58 Inch
Blade	10 mm	10 mm
Mould Board	8 mm	8 mm
Adjustment	Hydraulic	Hydraulic
Weight (Aprox)	425 Kg.	540 Kg.
Power Required (HP)	50 HP & Above	65 HP & Above

Manufacture:

Patel Agro Industries

Kotecha Ind. Area, Survey No. 223, Plot No. 12, Opp. Shreeji PVC, Panchasar Road, Wankaner - 363621 (Gujarat) sinfo@patelagroindustries.com

www.patelagroindustries.com

Manufacture:

Patel Sales Agency

Kotecha Ind. Area, Survey No. 223, Plot No. 11, Opp. Shreeji PVC, Panchasar Road, Wankaner - 363621 (Gujarat)

patelagroindustries@gmail.com

www.patelagroindustries.com





HYDRAULIC REVERSIBLE MODEL NO.: URP SC - 735



Model	URP SC-735
Size	2 Furrow
Frame	100mm X 100mm Square Pipe
Main Shaft	100mm
Tyne	80x25 mm
Working Width	24"
Height	58" Inch
Blade	10mm
Mould Board	8mm
Adjustment	Hydraulic
Weight (Aprox)	415 Kg.
Power Required (HP)	45 Hp And Above

Manufacture:

Patel Agro Industries

Kotecha Ind. Area, Survey No. 223, Plot No. 12, Opp. Shreeji PVC, Panchasar Road, Wankaner - 363621 (Gujarat) info@patelagroindustries.com www.patelagroindustries.com Manufacture:

Patel Sales Agency

Kotecha Ind. Area, Survey No. 223,
Plot No. 11, Opp. Shreeji PVC,
Panchasar Road, Wankaner - 363621 (Gujarat)

patelagroindustries@gmail.com
www.patelagroindustries.com





REVERSIBLE PLOUGH (DOUBLE CYLINDER - 2 FURROW) MODEL NO.: URP DC - 40 / 45 / 50 / 55 / 75



Specification:

Model	URP DC - 40	URP DC - 45	URP DC - 50	URP DC - 55	URP DC - 75
Size	2 Furrow				
Frame	100 mm x 25 mm Box 100 mm Round	100 mm x 25 mm Box 100 mm Round	100 mm x 25 mm Box 100 mm Round	100 mm x 32 mm Box 100 mm Round	100 mm x 32 mm Box 100 mm Round
Tyne	28 mm (C-Type)	30 mm (C-Type)	32 mm (C-Type)	40 mm (C-Type)	40 mm (C-Type)
Width	47 Inch	47 Inch	48 Inch	49 Inch	49 Inch
Height	48 / 51 Inch				
Blade	14 mm				
Mould Board	8 mm (14" Tyre)	8 mm (14" Tyre)	10 mm (16" Tyre)	10 mm (16" Tyre)	12 mm (18" Tyre)
Shovel (Point)	32 mm x 25 mm	32 mm x 25 mm	40 mm x 25 mm	40 mm x 25 mm	40 mm x 25 mm
Bearing	33019 (2 Nos.)				
Adjustment	Hydraulic	Hydraulic	Hydraulic	Hydraulic	Hydraulic
Distance Between Tyne	9.5 Inch	10 Inch	11 Inch	12 Inch	12 Inch
Depth of Cut	18 Inch				
Weight (Aprox)	450 Kg.	465 Kg.	500 Kg.	550 Kg.	600 Kg.
Power Required (HP)	40 - 45 HP	45 - 50 HP	50 - 55 HP	55 - 60 HP	60 - 75 HP

Manufacture:

Patel Agro Industries

Kotecha Ind. Area, Survey No. 223,
Plot No. 12, Opp. Shreeji PVC,
Panchasar Road, Wankaner - 363621 (Gujarat)
info@patelagroindustries.com
www.patelagroindustries.com

Manufacture:

Patel Sales Agency

Kotecha Ind. Area, Survey No. 223,
Plot No. 11, Opp. Shreeji PVC,
Panchasar Road, Wankaner - 363621 (Gujarat)

patelagroindustries@gmail.com
www.patelagroindustries.com



Largest Manufacturer of REVERSIBLE PLOUGH in Gujarat

agriculture implements

REVERSIBLE PLOUGH (Mechanical - 2 FURROW) MODEL NO.: URP ME - 40 / 45 / 50



Specification:

Model	URP ME - 40	URP ME - 45	URP ME - 50
Size	2 Furrow	2 Furrow	2 Furrow
Frame	100 mm x 25 mm Box	100 mm x 25 mm Box	100 mm x 25 mm Box
	100 mm Round	100 mm Round	100 mm Round
Tyne	25 mm (C-Type)	28 mm (C-Type)	38 mm (C-Type)
Width	43 Inch	44 Inch	46 Inch
Height	55 Inch	55 Inch	55 Inch
Blade	14 mm	14 mm	14 mm
Mould Board	8 mm (14" Tyre)	8 mm (14" Tyre)	10 mm (16 Tyre)
Shovel (Point)	32 mm x 25 mm	32 mm x 25 mm	40 mm x 25 mm
Bearing	33019 (2 Nos.)	33019 (2 Nos.)	33019 (2 Nos.)
Adjustment	Mechanical	Mechanical	Mechanical
Distance Between Tyne	9.5 Inch	10 Inch	12 Inch
Depth of Cut	18 Inch	18 Inch	18 Inch
Weight (Aprox)	435 Kg.	450 Kg.	500 Kg.
Power Required (HP)	35 - 40 HP	40 - 45 HP	50 - 60 HP

Manufacture:

Patel Agro Industries

Kotecha Ind. Area, Survey No. 223,
Plot No. 12, Opp. Shreeji PVC,
Panchasar Road, Wankaner - 363621 (Gujarat)
info@patelagroindustries.com
www.patelagroindustries.com

Manufacture:

Patel Sales Agency

Kotecha Ind. Area, Survey No. 223,
Plot No. 11, Opp. Shreeji PVC,
Panchasar Road, Wankaner - 363621 (Gujarat)


patelagroindustries@gmail.com
www.patelagroindustries.com




Largest Manufacturer of REVERSIBLE PLOUGH in Gujarat

agriculture implements

REVERSIBLE PLOUGH (MECHANICAL)
MODEL NO.: URP ME - 210 (3 FURROW)
MODEL NO.: URP ME - 230 / 235 / 290 (2 FURROW)





Specification:

Model	URP ME - 210	URP ME - 230	URP ME - 235	URP ME - 290
Size	3 Furrow	2 Furrow	2 Furrow	2 Furrow
Frame	100 mm x 25 mm Box 80 mm Round	100 mm x 25 mm Box 80 mm Round	100 mm x 25 mm Box 80 mm Round	100 mm x 19 mm Box 80 mm Round
Tyne	25 mm (3-Type)	32 mm (3-Type)	32 mm (C-Type)	25 mm (C-Type)
Width	39 Inch	39 Inch	44 Inch	42 Inch
Height	48 Inch	45 Inch	55 Inch	55 Inch
Blade	14 mm	14 mm	14 mm	14 mm
Mould Board	6 mm (14" Tyre)	8 mm (13" Tyre)	8 mm (14" Tyre)	8 mm (14" Tyre)
Shovel (Point)	32 mm x 25 mm			
Bearing	4917 & 3055	4917 & 3055	4917 & 3055	4917 & 3055
Adjustment	Mechanical	Mechanical	Mechanical	Mechanical
Distance Between Tyne	10 Inch	10 Inch	12 Inch	10 Inch
Depth of Cut	10 to 12 Inch	12 Inch	12 Inch	12 Inch
Weight (Aprox)	410 Kg.	330 Kgs.	435 Kg.	390 Kg.
Power Required (HP)	40 - 50 HP	30 - 40 hp	40 - 50 HP	40 - 50 HP

Manufacture:

Patel Agro Industries

Kotecha Ind. Area, Survey No. 223,
Plot No. 12, Opp. Shreeji PVC,
Panchasar Road, Wankaner - 363621 (Gujarat)
info@patelagroindustries.com
www.patelagroindustries.com

Manufacture:

Patel Sales Agency

Kotecha Ind. Area, Survey No. 223,
Plot No. 11, Opp. Shreeji PVC,
Panchasar Road, Wankaner - 363621 (Gujarat)

patelagroindustries@gmail.com
www.patelagroindustries.com




Largest Manufacturer of REVERSIBLE PLOUGH in Gujarat

agriculture implements

REVERSIBLE PLOUGH (Mechanical - 2 FURROW) MODEL NO.: URP ME - 215 / 30 / 35





Specification:

Model	URP ME - 215	URP ME - 30	URP ME - 35
Size	2 Furrow	2 Furrow	2 Furrow
Frame	100 mm x 16 mm Box 60 mm Round	100 mm x 19 mm Box 80 mm Round	100 mm x 25 mm Box 100 mm Round
Tyne	18 mm (3-Type)	25 mm (3-Type)	32 mm (3-Type)
Width	26 Inch	38 Inch	38 Inch
Height	31 Inch	45 Inch	45 Inch
Blade	8 mm	8 mm	8 mm
Mould Board	6 mm	6 mm (13" Tyre)	8 mm (13" Tyre)
Shovel (Point)	25 mm x 25 mm	32 mm x 25 mm	32 mm x 25 mm
Bearing	32211 (2 Nos.)	32214 (2 Nos.)	33019 (2 Nos.)
Adjustment	Mechanical	Mechanical	Mechanical
Distance Between Tyne	9 Inch	9 Inch	10 Inch
Depth of Cut	9 Inch	12 Inch	12 Inch
Weight (Aprox)	150 Kg.	280 Kg.	350 Kg.
Power Required (HP)	15 - 20 HP	25 - 30 HP	30 - 35 HP

Manufacture:

Patel Agro Industries

Kotecha Ind. Area, Survey No. 223,
Plot No. 12, Opp. Shreeji PVC,
Panchasar Road, Wankaner - 363621 (Gujarat)
info@patelagroindustries.com
www.patelagroindustries.com

Manufacture:

Patel Sales Agency

Kotecha Ind. Area, Survey No. 223,
Plot No. 11, Opp. Shreeji PVC,
Panchasar Road, Wankaner - 363621 (Gujarat)

patelagroindustries@gmail.com
www.patelagroindustries.com





REVERSIBLE PLOUGH (SINGLE CYLINDER - 2 FURROW) MODEL NO.: URP SC - 35 / 45 / 50 / 55 / 60



Specification:

Model	URP SC - 35	URP SC - 45	URP SC - 50	URP SC - 55	URP SC - 60
Size	2 Furrow				
Frame	100 mm x 25 mm Box				
	100 mm Round				
Tyne	32 mm (3 -Type)	25 mm (C-Type)	28 mm (C-Type)	32 mm (C-Type)	38 mm (C-Type)
Width	38 Inch	41 Inch	42 Inch	43 Inch	44 Inch
Height	45 Inch	48 Inch	48 Inch	48 Inch	48 Inch
Blade	14 mm				
Mould Board	8 mm (13" Tyre)	8 mm (14" Tyre)	8 mm (14" (Tyre)	10 mm (16" Tyre)	10 mm (16" Tyre)
Shovel (Point)	32 mm x 25 mm	32 mm x 25 mm	32 mm x 25 mm	40 mm x 25 mm	40 mm x 25 mm
Bearing	33019 (2 Nos.)				
Adjustment	Hydraulic	Hydraulic	Hydraulic	Hydraulic	Hydraulic
Distance Between Tyne	9.5 Inch	9.5 Inch	10 Inch	11 Inch	12 Inch
Depth of Cut	12 Inch	18 Inch	18 Inch	18 Inch	18 Inch
Weight (Aprox)	350 Kg.	435 Kg.	450 Kg.	500 Kg.	520 Kg.
Power Required (HP)	35 - 40 HP	40 - 45 HP	45 - 50 HP	50 - 55 HP	55 - 60 HP

Manufacture:

Patel Agro Industries

Kotecha Ind. Area, Survey No. 223,
Plot No. 12, Opp. Shreeji PVC,
Panchasar Road, Wankaner - 363621 (Gujarat)
info@patelagroindustries.com
www.patelagroindustries.com

Manufacture:

Patel Sales Agency

Kotecha Ind. Area, Survey No. 223,
Plot No. 11, Opp. Shreeji PVC,
Panchasar Road, Wankaner - 363621 (Gujarat)

patelagroindustries@gmail.com
www.patelagroindustries.com





REVERSIBLE PLOUGH (SINGLE CYLINDER - 3 FURROW) MODEL NO.: URP SC - 303 / 345 / 350



Specification:

Model	URP SC - 303	URP SC - 345	URP SC - 350
Size	3 Furrow	3 Furrow	3 Furrow
Frame	100 mm x 25 mm Box 100 mm Round	100 mm x 25 mm Box 100 mm Round	100 mm x 25 mm Box 100 mm Round
Tyne	25 mm (3-Type)	32 mm (3-Type)	35 mm (3-Type)
Width	39 Inch	39 Inch	41 Inch
Height	48 Inch	48 Inch	48 Inch
Blade	14 mm	14 mm	14 mm
Mould Board	6 mm (14" Tyre)	6 mm (14" Tyre)	8 mm (16" Tyre)
Shovel (Point)	32 mm x 25 mm	32 mm x 25 mm	32 mm x 25 mm
Bearing	33019 (2 Nos.)	33019 (2 Nos.)	33019 (2 Nos.)
Adjustment	Hydraulic	Hydraulic	Hydraulic
Distance Between Tyne	10 Inch	10 Inch	10 Inch
Depth of Cut	18 Inch	18 Inch	18 Inch
Weight (Aprox)	425 Kg.	465 Kg.	500 Kg.
Power Required (HP)	35 - 45 HP	45 - 55 HP	50 - 60 HP

Manufacture:

Patel Agro Industries

Kotecha Ind. Area, Survey No. 223,
Plot No. 12, Opp. Shreeji PVC,
Panchasar Road, Wankaner - 363621 (Gujarat)
info@patelagroindustries.com
www.patelagroindustries.com

Manufacture:

Patel Sales Agency


Kotecha Ind. Area, Survey No. 223,
Plot No. 11, Opp. Shreeji PVC,
Panchasar Road, Wankaner - 363621 (Gujarat)

patelagroindustries@gmail.com
www.patelagroindustries.com





REVERSIBLE PLOUGH (SINGLE CYLINDER - 4 FURROW) MODEL NO.: URP SC - 355 / URP SC - 30/1



Specification:

Model	URP SC - 355	URP SC - 30/1
Size	4 Furrow	1 Furrow
Frame	100 mm x 25 mm Box	100 mm x 32 mm Box
	100 mm Round	100 mm Round
Tyne	32 mm	32 mm
Width	49 Inch	43 Inch
Height	48 Inch	48 Inch
Blade	14 mm	14 mm
Mould Board	8 mm (16" Tyre)	8 mm (14" Tyre)
Shovel (Point)	32 mm x 25 mm	32 mm x 25 mm
Bearing	33019 (2 Nos.)	33019 (2 Nos.)
Adjustment	Hydraulic	Hydraulic
Distance Between Tyne	10 Inch	
Depth of Cut	18 Inch	18 Inch
Weight (Aprox)	620 Kg.	300 Kg.
Power Required (HP)	50 - 60 HP	30 - 35 HP

Manufacture:

Patel Agro Industries

Kotecha Ind. Area, Survey No. 223,
Plot No. 12, Opp. Shreeji PVC,
Panchasar Road, Wankaner - 363621 (Gujarat)
info@patelagroindustries.com
www.patelagroindustries.com

Manufacture:

Patel Sales Agency

Kotecha Ind. Area, Survey No. 223,
Plot No. 11, Opp. Shreeji PVC,
Panchasar Road, Wankaner - 363621 (Gujarat)

patelagroindustries@gmail.com
www.patelagroindustries.com





REVERSIBLE PLOUGH (SINGLE CYLINDER - 3 FURROW) MODEL NO.: URP SC - 375 / 365



Specification:

Model	URP SC - 375	URP SC - 365
Size	3 Furrow	3 Furrow
Frame	100 mm x 32 mm Box	100 mm x 32 mm Box
	100 mm Round	100 mm Round
Tyne	38 mm	30 mm
Width	50 Inch	50 Inch
Height	51 Inch	51 Inch
Blade	14 mm	14 mm
Mould Board	10 mm (18" Tyre)	10 mm (16" Tyre)
Shovel (Point)	40 mm x 25 mm	40 mm x 25 mm
Bearing	33019 (2 Nos.)	33019 (2 Nos.)
Adjustment	Hydraulic	Hydraulic
Distance Between Tyne	10 Inch	10 Inch
Depth of Cut	24 Inch	24 Inch
Weight (Aprox)	750 Kg.	650 Kg.
Power Required (HP)	75 - 90 HP	55 - 65 HP

Manufacture:

Patel Agro Industries

Kotecha Ind. Area, Survey No. 223,
Plot No. 12, Opp. Shreeji PVC,
Panchasar Road, Wankaner - 363621 (Gujarat)
info@patelagroindustries.com
www.patelagroindustries.com

Manufacture:

Patel Sales Agency

Kotecha Ind. Area, Survey No. 223,
Plot No. 11, Opp. Shreeji PVC,
Panchasar Road, Wankaner - 363621 (Gujarat)

patelagroindustries@gmail.com
www.patelagroindustries.com





HYDRAULIC REVERSIBLE MODEL NO.: URP SC-555 / URP SC-545



Model	URP SC-555	URP SC-545
Size	2 furrow	2 furrow
Frame	100mm X 100mm square pipe	100mm X 100mm square pipe
Main Shaft	100mm	100mm
Tyne	28mm	28mm
Working Width	24"	20"
Height	58" inch	55" inch
Blade	12mm	12mm
Mould Board	10mm	8mm
Adjustment	Hydraulic	Hydraulic
Weight (Aprox)	500 kg.	465 kg.
Power Required (HP)	50 HP and above	45 HP and above

Manufacture:

Patel Agro Industries

Kotecha Ind. Area, Survey No. 223, Plot No. 12, Opp. Shreeji PVC, Panchasar Road, Wankaner - 363621 (Gujarat) ⊚ info@patelagroindustries.com

www.patelagroindustries.com

Manufacture:

Patel Sales Agency

Kotecha Ind. Area, Survey No. 223, Plot No. 11, Opp. Shreeji PVC, Panchasar Road, Wankaner - 363621 (Gujarat) patelagroindustries@gmail.com www.patelagroindustries.com





HYDRAULIC REVERSIBLE MODEL NO.: URP SC-555 / URP SC-545



Model	URP SC-555	URP SC-545
Size	2 furrow	2 furrow
Frame	100mm X 100mm square pipe	100mm X 100mm square pipe
Main Shaft	100mm	100mm
Tyne	28mm	28mm
Working Width	24"	20"
Height	58" inch	55" inch
Blade	12mm	12mm
Mould Board	10mm	8mm
Adjustment	Hydraulic	Hydraulic
Weight (Aprox)	500 kg.	465 kg.
Power Required (HP)	50 HP and above	45 HP and above

Manufacture:

Patel Agro Industries

Kotecha Ind. Area, Survey No. 223, Plot No. 12, Opp. Shreeji PVC, Panchasar Road, Wankaner - 363621 (Gujarat) info@patelagroindustries.com www.patelagroindustries.com

Manufacture:

Patel Sales Agency

Kotecha Ind. Area, Survey No. 223, Plot No. 11, Opp. Shreeji PVC, Panchasar Road, Wankaner - 363621 (Gujarat) patelagroindustries@gmail.com www.patelagroindustries.com





HYDRAULIC REVERSIBLE MODEL NO.: URP SC - 735



Model	URP SC-735
Size	2 Furrow
Frame	100mm X 100mm Square Pipe
Main Shaft	100mm
Tyne	80x25 mm
Working Width	24"
Height	58" Inch
Blade	10mm
Mould Board	8mm
Adjustment	Hydraulic
Weight (Aprox)	415 Kg.
Power Required (HP)	45 Hp And Above

Manufacture:

Patel Agro Industries

Kotecha Ind. Area, Survey No. 223, Plot No. 12, Opp. Shreeji PVC, Panchasar Road, Wankaner - 363621 (Gujarat) info@patelagroindustries.com www.patelagroindustries.com Manufacture:

Patel Sales Agency

Kotecha Ind. Area, Survey No. 223,
Plot No. 11, Opp. Shreeji PVC,
Panchasar Road, Wankaner - 363621 (Gujarat)

patelagroindustries@gmail.com
www.patelagroindustries.com