



YOU ARE SAFE UNDER



DURASAFE



SAFE AND DURABLE



About Us

With 24 years of experience, We have built a Reputation for delivering Quality products & services

A beautiful roof is a reflection of your style.
Our Comprehensive range of roofing products and accessories allows you to choose a product that insures safety, Comfort & Peace of mind.

Mission

Our Mission is to deliver high end quality, Valued added product at an affordable price. All services are provided in an efficient, simple and honest manner.



ROOF SHINGLES



Transform your roof with our high-performance shingles—where durability meets style.



Toughness

Durasafe Roofing Shingles..shields your home from drastic weather conditions with its wind limited guarantee.



Durability

Our sheets are estimated to hold for a life time.



Everlasting Shine

There is no life for black streaks from algae in Durasafe Roofing Shingles. The shingles containing algae resistant safeguards the roofs shining surface, and gives your house a dreamy outlook!

Specification

Lentgh : 1000+33mm

Weight : 28kg/bundle

Square Meters/bundle : 2.32 m2/bundle

Packing : 16pcs/bundle, Bag with Pallet

Width : 335+3mm

Thikness : 5.4+0.2mm

Wind Resistance : 120 Kph




BLUE HEMP



SPANISH RED




DESERT GOLDEN




COOL GREY



ASIA GREEN



CHARCOAL BLACK



AUTUMN BROWN



NOTE : Actual product colors may vary slightly from the colors shown in the catalogue.
If color is critical for you, please request full-size samples before making your final choice.

STONE COATED METAL ROOF SHEET



Multi-Layers protection,Super durability

With high-strength galvanized steel sheet as the basic material and Multi-Layers protection,it has excellent durability. Therefore, it is rated as the best roofing material.

CONSTRUCTION OF STONE COATED METAL ROOF TILE

Acrylic glazing layer:improve the luminosity and adhesion of the colored stone and prevent rainwater from penetrating into it

Colorful stone layer:block ultraviolet rays,reduce rain noise,and improve decoration function.

Acrylic adhesive bonding layer:bonding the upper and lower layers to provide protection for the bottom layer.


Protective layer:Protect the aluminum-zinc layer to enhance corrosion resistance and paintability

Aluminum-zinc-plated layer:strong corrosion resistance,high heat reflectivity, prolong product life and energy saving.

Steel base layer:Cold rolled high-strength steel plate.

Aluminum-zinc-plated layer:strong corrosion resistance,high heat reflectivity, prolonging product life and energy saving.

Protective layer:Protect the aluminum-zinc layer to enhance corrosion resistance



BRICK RED



DARK GREY



TERRACOTA



JADE



COFFEE BROWN



CHARCOL



CAPRI BLUE



Characteristics of stone coated metal roof tile

1.Earthquake resistance

when earthquake occurs,it won't fall like general tile,thus reduces injury case

2.Lightweight

1/8 of the weight of normal ceramic or cement tile which makes it much cheaper to transport and easier to install.

3.Convenient construction

Light weight,large area,simple accessories,flexible and easy to cut,greatly reduce the construction strength,shorten construction time,construction at low temperatures also allowed.

4.Economical cost

it can be applied directly to the roof of the old building,without any original roofing material removed,so that minimize waste disposal costs.

5.Energy saving and Environmental protection

Heat reflectivity is 1.4-7 times the normal roofing material which is much better for energy conservation;Usage of environmentally friendly material will do no harm for people and environment

6.Elegant appearance




A variety of colors and styles enriches building decoration and makes it more beautiful than common tiles.

7.Long lifetime

25-year limited warranty with features of Water resistance,Thermal insulation,Sound insulation,Cold tolerance,Pressure resistance,Fireproof and Windproof

Product parameters

Name	Stone coated metal roof tile
Design	Bond
Specifications	1340mm×420mm
Installed Exposure	1290mm×370mm
Coverage Area	0.477m ²
Weight	2.2-3.5kg/piece



NOTE : Actual product colors may vary slightly from the colors shown in the catalogue. If color is critical for you, please request full-size samples before making your final choice.

SYNTHETIC ARTIFICIAL THATCH



Sunburnt Black



Sundried Brown

blends the timeless charm of natural thatch with modern durability. Known for innovation and reliability, Delivers tailored, high-quality roofing solutions, specializing in the hospitality sector and residential projects.

High-Density Polymer (HDPE) thatch tiles, made from synthetic resin with fibers and anti-aging agents, offering a durable, low-maintenance alternative to natural thatch. Brings a retro, pastoral charm ideal for resorts, villas and hotels. Resistant to UV rays, pests and corrosion, HDP thatch maintains a fresh and natural appearance, adding serene beauty and lasting performance to any thatched roof.

	TRADITIONAL THATCH	DURASAFE
 Lifespan	5 - 10 years	20 - 30 years
 Minimal maintenance	✗	✓
 Weather resistance	✗	✓
 Fire resistance	✗	✓
 Cost-effective	✗	✓
 Easy installation	✗	✓

CERAMIC ROOF TILES



ELBANO series



Ink blue



Terracota



Gray glossy



Coffee brown



Antic red



Steel gray



Double shade color



PRODUCT DESCRIPTION	
PRODUCT NAME	ELBANO
SIZE	39.2 CM LENGTH * 29.5 WIDTH
COLOUR & SURFACE	DOUBLE COLOUR,GREY GLOSSY,COFFEE BROWN,STEEL GREY,TERRACOTA ,INK BLUE, ANTIQUE BROWN
WEIGHT	2.3 KG
THICKNESS	10MM
BOX PACKING	9 PCS PER BOX
MATERIAL	NATURAL CLAY FIRED IN 1200 DEGREE TEMPERATURE
COMPRESSION STRENGTH	MORE THAN 250KG
WATER ABSORPTION	BELOW 7%
WORKING LIFE	MORE THAN 70 YEARS
ACCESSORY	RIDGE,RIDGE END, HIP END, 2/3/4 WAY ETC
FEATURES	WATER RESISTANCE,COLD RESISTANCE,PRESSURE RESISTANCE,NEVER FADE,CORROSION RESISTANCE

NOTE : Actual product colors may vary slightly from the colors shown in the catalogue. If color is critical for you, please request full-size samples before making your final choice.

EUROPA LUXURY ROOFING SHEETS



Dimension

Width : 3.5 ft.
Length : 8 ft. / 10 ft.
 12 ft. / 14 ft.
 16 ft.
Thickness : 0.50 mm




ASA-UPVC ROOFING SYSTEM




Applications of ASA TILE SHEET :

- ❖ Warehouses ❖ Schools and Universities ❖ Club Houses & Community centers ❖ Hotels & Resort
- ❖ Cattle Farm ❖ Commercial and residential spaces



Accessories List






Fascia Board		1040mm 960mm	Main Roof
Main Ridge Cap		300*90*230mm	Endcap of Main Ridge
Main Ridge Tile		1040mm 960mm	Titled Roof
Side Ridge Cap		230mm	Endcap of Side Ridge
3-Way Ridge		180x160x160mm	Tee (3-Way)
4-Way Ridge		150x150x150x150mm	Tee (4-Way)
Side Ridge		1040mm 960mm	Diagonal Ridge
Waterproof Accessories		12x25 12x35 12x55 12x65	Cap, Washer & Screw
Wall Flashing Board		1040mm 960mm	Wall Side
Plain Ridge		1060mm 190mm x 190mm	Plain Ridge
Side Cover Left, Right		1120mm	Side Cover

Dimension

Width : 3.5 ft.
 Length : 6.5 ft. / 8 ft.
 10 ft. / 12 ft.
 14 ft. / 16 ft.
 18 ft.
 Thickness : 2.3 mm

NOTE : Actual product colors may vary slightly from the colors shown in the catalogue. If color is critical for you, please request full-size samples before making your final choice.

SOFFIT CEILING



BEST CHOICE LONG - LASTING SATISFACTION

Wood Texture a soffit ceiling finished with a texture and wood-like veneer perfectly imitates natural characteristics of timber

Cohesion of Colours an extensive range of colours matching the gutter system colours gives an effective finishing touch to all roofs

Maintenance-free the soffit element material is so durable that no care or maintenance activities are required

Low Weight low weight of our systems facilitates installation on delicate structures without any loads imposed on roof structures

Fast Installation precision of soffit elements guarantees easy and fast installation

10-year warranty*





NOTE : Actual product colors may vary slightly from the colors shown in the catalogue. If color is critical for you, please request full-size samples before making your final choice.

HEAT OUT PANELS



INSTALLATION



NOTE : Actual product colors may vary slightly from the colors shown in the catalogue.
If color is critical for you, please request full-size samples before making your final choice.

ADVANTAGES



Heat Preservation



Water Tight



Heat Insulation



Sound Proof



Environmental Protection



Shortcut



Solid



Durable



AIR BUBBLE INSULATION

Air Bubble insulation provides excellent thermal insulation to Pre-Engineered Buildings with extra benefits of water proofing and good insulation properties.

To maintain comfort, the heat lost in the winter must be replaced by your heating system and the heat gained in the summer must be removed by your cooling system. Properly insulating your home will decrease this heat flow by providing an effective resistance to the flow of heat.

The products are highly admired by the customers for their long service life, easy to use, high quality and excellent finishing standards.

AIR BUBBLE INSULATION is regularly used in many green buildings across the country.

It is a new generation material that has the ability to handle numerous insulation issues that can arise, such as heat, cold, noise and condensation.



Benefits

- Length to suit your requirement.
- 97% Radiant heat reflection
- 3% low emissivity
- Simple & quick installation
- 100% recyclable
- Light weight
- Non toxic non itchy
- Environment friendly
- Cost effective

Dimension

Length of Roll : 40 mtr.
Width of Roll : 1.2 mtr.
Thickness : 8mm

XLPE INSULATION

Benefits

- Length to suit your requirement.
- 97% Radiant heat reflection
- 6% low emissivity
- Simple & quick installation
- 100% recyclable
- Light weight
- Non toxic non itchy
- Environment friendly
- Cost effective

Dimension

Length of Roll : 30 / 45 mtr.
Width of Roll : 1.25 mtr.
Thickness : 13 / 9 mm



YOU ARE SAFE UNDER



DURASAFE®

SAFE AND DURABLE



CONTACT

MARATHA ROOFING PRODUCTS



+91 982 223 4522
+91 798 764 7474



maratha.roofing@rediffmail.com
www.maratharoofting.in



412, Beside Khemka Bajaj, Chikhli Chowk, Kalamana Road, Nagpur 440035