



CABLE TIES



**BROAD
SOLUTIONS
FOR
EFFECTIVE
FASTENING**

**CABLE TIES
AND
BASES**

CABLE TIES

Our comprehensive range of high quality nylon cable ties with best in class tensile strength and endurance for safety and a hassle free solution for industries like Electricals, Electronics, Aviation , Marine, Solar Power, Gas and Oil etc





CABLE TIES

Available Types of Nylon Cable Ties

- Non Releasable Cable Ties
- UV Resistance Cable Ties
- Heat Stabilised Cable Ties
- Fire Retardant Cable Ties
- Coloured Cable Ties

**All above cable ties are available in various sizes, tensile strength and colour*


Available Sizes and tensile strength as requirement of industries :

100x1.8 , 100x2.2 , 100x2.5 , 150x2.5 , 150x3.6 , 200x3.6 , 250x3.6 , 300x3.6 , 200x4.8 , 300x4.8 , 350x4.8 , 400x4.8 , 450x4.8 , 500x4.8 , 300x7.6 , 450x7.6 , 550x7.6

Tensile 18 LBS, 40 LBS, 50 LBS, 120 LBS

Standard Nylon Cable Ties

High quality cable ties and accessories manufactured as per UL, CE, RoHS Standards, Using high quality material of grade nylon 66 in order to ensure best strength and hassle solution for binding and features like Self-locking head.



High Performance Cable Ties



CABLE TIES

CABLE TIE CODE	BUNDLE DIA MIN mm	BUNDLE DIA MAX mm	STRENGTH TENSILE LBS	Opt Temp Max Deg C	Opt Temp Min Deg C	PKG PER BAG Nos.
CT100x1.8	2	35	(80)18	85	-10	100
CT100x2.2	2	35	(80)18	85	-10	100
CT100x2.5	2	35	(80)18	85	-10	100
CT150x2.5	2	35	(80)18	85	-10	100
CT150x3.6	2	35	(178)40	85	-10	100
CT200x3.6	4	98	(178)40	85	-10	100
CT200x4.8	4	98	(220)50	85	-10	100
CT250x3.6	4	98	(178)40	85	-10	100
CT300x3.6	4	98	(178)40	85	-10	100
CT300x4.8	4	98	(220)50	85	-10	100
CT300x7.6	4	98	(530)120	85	-10	100
CT350x4.8	4	98	(220)50	85	-10	100
CT400x4.8	4	98	(220)50	85	-10	100
CT450x4.8	4	98	(220)50	85	-10	100
CT450x7.6	4	110	(530)120	85	-10	100
CT500x4.8	4	98	(220)50	85	-10	100
CT550x7.6	4	140	(530)120	85	-10	100

AKCELPOR INDUSTRIES
13, Shah Industrial Estate,
Deonar, Chembur,
Mumbai 400 088
India

Manufacturer & Supplier of Cable Tie