

LEADERS IN QUALITY LEADERS IN DEPENDABILITY



RESIDENTIAL & COMMERCIAL:

- Flame Retardant (FR) PVC Insulated Industrial Cables
- Flamegard - Flame Retardant Low Smoke (FR-LSH) Industrial Cables
- Halogard - Halogen Free Flame Retardant (HFFR) Industrial Cables
- Flexible Cables Single Core

COMMUNICATION CABLES:

- Co-Axial Cables
- Telephone Cables
- CCTV Cables
- Speaker Cables
- Lan Cables
- Optic Fiber Cables (HSN-9001)

AGRICULTURE:

- 3 Core Flat Cables
- PVC Insulated Winding Wires

AUTOMOBILE / SOLAR POWER:

- Auto Cables
- Solar Cables

List Price w.e.f. 1st May 2021

RESIDENTIAL & COMMERCIAL



High grade 99.97% pure
bare copper conductor

Abrasion resistant
grade sheath material

Long life & highly
durable cables

List Price

wef. 1st May 2021



FINOLEX FLAME RETARDANT (FR) PVC INSULATED INDUSTRIAL CABLES

FINOLEX PVC INSULATED SINGLE CORE UNSHEATHED INDUSTRIAL CABLES WITH FLAME RETARDANT PROPERTIES & MULTISTRAND BARE COPPER CONDUCTOR FOR VOLTAGE GRADE UPTO 1100V AS PER IS: 694

GOLD PACK

Product Code	Conductor Area (sq.mm)	LP Per 90M Coil (Rs.)	No. of Coils packed in a Master Carton
10302	0.75	1,045	20
10303	1.00	1,440	20
10304	1.50	2,080	12
10305	2.50	3,325	12
10306	4.00	4,820	8
10307	6.00	7,210	4

FINOLEX FLAME RETARDANT (FR) PVC INSULATED INDUSTRIAL CABLES - PROJECT PACKING

Product Code	Conductor Area (sq.mm)	LP Per 180M Coil (Rs.)	No. of Coils packed in a Master Carton
10313	1.00	2,651	8
10314	1.50	3,837	6
10315	2.50	6,169	4
10306016	4.00	9,481	4
10307016	6.00	14,183	4

FINOLEX FLAME RETARDANT (FR) PVC INSULATED INDUSTRIAL CABLES - 45 PACKING

Product Code	Conductor Area (sq.mm)	LP Per 45M Coil (Rs.)	No. of Coils packed in a Master Carton
10313	1.00	663	30
10314	1.50	959	24
10315	2.50	1,542	24
10316	4.00	2,370	12
10317	6.00	3,546	8

FINOLEX FLAME RETARDANT (FR) PVC INSULATED INDUSTRIAL CABLES - SILVER PACK

Product Code	Conductor Area (sq.mm)	LP Per 90M Coil (Rs.)	No. of Coils packed in a Master Carton
10312	0.75	1,040	20
10313	1.00	1,359	20
10314	1.50	1,957	12
10315	2.50	3,127	12
10316	4.00	4,796	8
10317	6.00	7,174	4

PACKING : Finolex PVC Insulated industrial cables are supplied in 90M,180M coils which are packed in master cartons as specified above
COLOURS : Finolex cables are available in five common colours: Red,Yellow, Blue, Black & Green.

FLAMEGARD FLAME RETARDANT LOW SMOKE (FR-LSH) INDUSTRIAL CABLES



List Price wef. 1st May 2021

FLAMEGARD - FLAME RETARDANT LOW SMOKE (FR-LSH) INDUSTRIAL CABLES

FINOLEX PVC INSULATED SINGLE CORE UNSHEATHED INDUSTRIAL CABLES WITH FLAME RETARDANT PROPERTIES & MULTISTRAND BARE COPPER CONDUCTOR FOR VOLTAGE GRADE UPTO 1100V AS PER IS:694

Product Code	Conductor Area (sq.mm)	LP Per 90M Coil (Rs.)	No. of Coils packed in a Master Carton
10113	1.00	1,368	20
10114	1.50	1,976	12
10115	2.50	3,158	12
10106	4.00	4,843	8
10107	6.00	7,245	4

FLAMEGARD - FLAME RETARDANT LOW SMOKE (FR-LSH) INDUSTRIAL CABLES - PROJECT PACKING

Product Code	Conductor Area (sq.mm)	LP Per 180M Coil (Rs.)	No. of Coils packed in a Master Carton
10113016	1.00	2,677	8
10114016	1.50	3,875	6
10115016	2.50	6,230	4
10106016	4.00	9,575	4
10107016	6.00	14,324	4

Product Code	Conductor Area (sq.mm)	LP Per 45M Coil (Rs.)	No. of Coils packed in a Master Carton
10113	1.00	669	30
10114	1.50	969	24
10115	2.50	1,558	24
10106	4.00	2,394	12
10107	6.00	3,581	8

PACKING : Finolex PVC Insulated industrial cables are supplied in 90 M, 180 M coils which are packed in master cartons as specified above.
COLOURS : Finolex cables are available in five common colours: Red, Yellow, Blue, Black & Green.

HALOGEN FREE FLAME RETARDANT (HFFR) INDUSTRIAL CABLES



List Price wef. 1st May 2021

HALOGEN FREE FLAME RETARDANT (HFFR) INDUSTRIAL CABLES

FINOLEX MAKE HALOGARD SINGLE CORE UNSHEATHED HALOGEN FREE FLAME RETARDANT INSULATED CABLES IN VOLTAGE GRADE UPTO 1100V

HALOGEN FREE FLAME RETARDANT (HFFR) INDUSTRIAL CABLES

Product Code	Conductor Area (sq.mm)	LP Per 90M Coil (Rs.)	No. of Coils packed in a Master Carton
10403	1.00	1,485	20
10404	1.50	2,140	12
10405	2.50	3,480	12

Product Code	Conductor Area (sq.mm)	LP Per 90M Coil (Rs.)	No. of Coils packed in a Master Carton
10406	4.00	5,090	8
10407	6.00	7,370	4

HALOGEN FREE FLAME RETARDANT (HFFR) INDUSTRIAL CABLES - PROJECT PACKING

Product Code	Conductor Area (sq.mm)	LP. per coil (Rs.)	Length per coil	No. of Coils packed in a Master Carton
10403010	1.00	3,977	270	8
10404010	1.50	5,706	270	6
10405010	2.50	9,348	270	4
10406016	4.00	9,091	180	4
10407016	6.00	13,566	180	4

PACKING : Finolex HFFR Insulated industrial cables are supplied in 90 M coils in mono cartons which are packed in master cartons as specified above.
COLOURS : Finolex Cables are available in five common colours: Red, Yellow, Blue, Black & Green.

FLEXIBLE CABLES



FLEXIBLE CABLES - SINGLE CORE

FINOLEX FR PVC INSULATED UNSHEATHED SINGLE CORE BRIGHT ANNEALED BARE COPPER CONDUCTOR FLEXIBLE CABLES FOR VOLTAGE GRADE UPTO 1100 V CONFORMING TO IS:694/1990 UPTO 50 SQMM AND GENERALLY CONFORMING TO IS:694/1990 FROM 70 SQMM AND ABOVE.

SINGLE CORE (Unsheathed): Colours Red, Black, Blue, Yellow, Grey & Green.

Product Code	Conductor Area (sq.mm)	LP Per 100M Coil (Rs.)
14001	0.50	770
14002	0.75	1,114
14003	1.00	1,460

Product Code	Conductor Area (sq.mm)	LP Per 100M Coil (Rs.)
14104	1.50	2,118
14105	2.50	3,410
14206	4.00	5,245

SINGLE CORE Heavy Duty (Unsheathed): Colours Red, Black, Blue, Yellow, Grey & Green.

List Price wef. 1st May 2021

Product Code	Conductor Area (sq.mm)	LP Per 100M Coil (Rs.)
14207	6	7,847
14208	10	13,599
14209	16	21,170
14210	25	33,095
14211	35	46,155
14212	50	65,435

Product Code	Conductor Area (sq.mm)	LP Per 100M Coil (Rs.)
14513	70	95,000
14514	95*	1,25,720
14515	120*	1,61,316
14516	150*	1,99,835
14517	185*	2,46,790
14518	240*	3,24,410

The items marked * are non stock items. Please refer to marketing department for delivery confirmation indicating quantity, packing length, colour etc.

FLEXIBLE CABLES - MULTICORE

FINOLEX FR PVC INSULATED & PVC ROUND SHEATHED MULTICORE BRIGHT ANNEALED BARE COPPER CONDUCTOR FLEXIBLE CABLES FOR VOLTAGE GRADE UPTO 1100 V AS PER IS:694/1990

TWO CORE: Two single cores Red & Black laid up & overall sheathed with PVC. Standard colour-Black

Product Code	Conductor Area (sq.mm)	LP Per 100M Coil (Rs.)
17002	0.50	2,265
17002	0.75	3,035
17002	1.00	3,715

Product Code	Conductor Area (sq.mm)	LP Per 100M Coil (Rs.)
17102	1.50	4,900
17102	2.50	7,850
17202	4.00	12,195

THREE CORE: The single cores laid up & overall round sheathed with PVC. Colour of cores are Red, Black & Yellow/Green is for earthing. Sheath colour is Black.

Product Code	Conductor Area (sq.mm)	LP Per 100M Coil (Rs.)
17003	0.50	2,960
17003	0.75	4,025
17003	1.00	5,005

Product Code	Conductor Area (sq.mm)	LP Per 100M Coil (Rs.)
17103	1.50	6,830
17103	2.50	10,870
17203	4.00	17,100

FOUR CORE: Four single cores laid up & overall round sheathed with PVC. Colour of cores are Red, Blue, Yellow & Yellow/Green for earthing. Sheath colour is Black.

Product Code	Conductor Area (sq.mm)	LP Per 100M Coil (Rs.)
17004	0.50	3,715
17004	0.75	5,065
17004	1.00	6,400

Product Code	Conductor Area (sq.mm)	LP Per 100M Coil (Rs.)
17104	1.50	8,930
17104	2.50	14,320
17204	4.00	22,425

Packging : Cables shall be supplied in Standard length of 100 M

SIX TO NINETEEN CORES*: The Inner cores Red, Black, Yellow, Blue, Green, White, distinguishable strip/spiral on base colour and Ylw/Green is for earthing. Colour of sheath - Black.

SIX CORE* [There will be one dummy core in the centre]

Product Code	Conductor Area (sq.mm)	LP Per 100M Coil (Rs.)
17006	0.50	5,460
17006	0.75	7,705
17006	1.00	9,620

Product Code	Conductor Area (sq.mm)	LP Per 100M Coil (Rs.)
17106	1.50	13,405
17106	2.50	21,520
17206	4.00	33,960

SEVEN CORES (1 + 6) *

Product Code	Conductor Area (sq.mm)	LP Per 100M Coil (Rs.)
17007	0.50	6,350
17007	0.75	8,765
17007	1.00	11,100

Product Code	Conductor Area (sq.mm)	LP Per 100M Coil (Rs.)
17107	1.50	15,545
17107	2.50	24,950
17207	4.00	39,160

EIGHT CORES *

Product Code	Conductor Area (sq.mm)	LP Per 100M Coil (Rs.)
17008	0.50	7,120
17008	0.75	9,890
17008	1.00	12,475

Product Code	Conductor Area (sq.mm)	LP Per 100M Coil (Rs.)
17108	1.50	17,650
17108	2.50	28,445
17208	4.00	44,535

TEN CORES: (2+8)*

Product Code	Conductor Area (sq.mm)	LP Per 100M Coil (Rs.)
17010	0.50	8,580
17010	0.75	12,170
17010	1.00	15,400

Product Code	Conductor Area (sq.mm)	LP Per 100M Coil (Rs.)
17110	1.50	21,640
17110	2.50	34,960
17210	4.00	55,095

TWELVE CORES: (3+9)*

Product Code	Conductor Area (sq.mm)	LP Per 100M Coil (Rs.)
17012	0.50	10,100
17012	0.75	14,390
17012	1.00	18,245

Product Code	Conductor Area (sq.mm)	LP Per 100M Coil (Rs.)
17112	1.50	25,660
17112	2.50	41,860
17212	4.00	65,695

FOURTEEN TO NINETEEN CORES : Inner cores: One core Yellow, one core Blue and rest cores in Grey. Colour of sheath is Black.

FOURTEEN CORES: (4+10)*

Product Code	Conductor Area (sq.mm)	LP Per 100M Coil (Rs.)
17014	0.50	11,800
17014	0.75	16,620
17014	1.00	21,120

Product Code	Conductor Area (sq.mm)	LP Per 100M Coil (Rs.)
17114	1.50	30,010
17114	2.50	48,755
17214	4.00	76,165

SIXTEEN CORES (5 + 11) *

Product Code	Conductor Area (sq.mm)	LP Per 100M Coil (Rs.)
17016	0.50	13,340
17016	0.75	19,025
17016	1.00	24,170

Product Code	Conductor Area (sq.mm)	LP Per 100M Coil (Rs.)
17116	1.50	34,095
17116	2.50	55,490
17216	4.00	87,160

NINETEEN CORES (1 + 6 + 12) *

Product Code	Conductor Area (sq.mm)	LP Per 100M Coil (Rs.)
17019	0.50	15,565
17019	0.75	22,250
17019	1.00	28,555

Product Code	Conductor Area (sq.mm)	LP Per 100M Coil (Rs.)
17119	1.50	40,260
17119	2.50	65,055
17219	4.00	1,02,735

The items marked * are non stock items. Please refer to marketing department for delivery confirmation indicating quantity, packing length, colour etc.

Packing : Cables shall be supplied in Standard length of 100 M

FLEXIBLE CABLES - MULTICORE HEAVY DUTY

FINOLEX FR PVC INSULATED & PVC ROUND SHEATHED MULTICORE BRIGHT ANNEALED BARE COPPER CONDUCTOR FLEXIBLE CABLES FOR VOLTAGE GRADE UPTO 1100 V GENERALLY CONFORMING TO IS:694/1990.

3 CORE ROUND SHEATHED (MULTICORE HEAVY DUTY)

Product Code	Conductor Area (sq.mm)	LP Per 100M Coil (Rs.)
17203074	6	25,215
17203084	10	43,090
17203094	16*	66,480
17203104	25*	1,02,420
17203114	35*	1,43,455

Product Code	Conductor Area (sq.mm)	LP Per 100M Coil (Rs.)
17203124	50*	2,05,910
17503134	70*	2,89,400
17503144	95*	3,82,015
17503154	120*	5,10,550

4 CORE ROUND SHEATHED (MULTICORE HEAVY DUTY)

Product Code	Conductor Area (sq.mm)	LP Per 100M Coil (Rs.)
17204074	6	32,970
17204084	10	56,090
17204094	16*	86,250
17204104	25*	1,35,285
17204114	35*	1,88,740

Product Code	Conductor Area (sq.mm)	LP Per 100M Coil (Rs.)
17204124	50*	2,68,835
17504134	70*	3,81,815
17504144	95*	5,05,200
17504154	120*	6,59,675

The items marked * are non stock items. Please refer to marketing department for delivery confirmation indicating quantity, packing length, colour etc.

Packing : Cables shall be supplied in Standard length of 100 M

COMMUNICATION CABLES




High grade 99.97% pure
bare copper conductor

Abrasion Resistant
grade sheath material

Long life & highly
durable cables

List Price
wef. 1st May 2021

COAXIAL CABLES - JELLY



List Price wef. 1st May 2021

COAXIAL CABLES - JELLY

Type	100 m coil	305 m drum
	List Price (Rs.)	List Price (Rs.)
RG 59 CU	1,580	4,819
RG 6 CU	2,185	6,664
RG 11 CU	4,860	14,823

Finolex Coaxial Cables With Electrolytic Grade Solid Bare Copper Conductor, Gas Injected Physical Polyethelene Foam Insulation, With Laminated aluminium Tape And Al. Wire Braid, Jelly Flooded And Pvc Jacketing In Black Colour.

Type	100 m coil	305 m drum
	List Price (Rs.)	List Price (Rs.)
RG 6 CCS	1,405	4,285
RG 11 CCS	2770	8,449

Finolex Coaxial Cables with copper clad steel conductor (CCS), gas injected physical polyethelene foam insulation, with laminated aluminium tape and Al. Wire braid, Jelly flooded and PVC Jacketing in Black colour.

Type	100 m coil	305 m drum
	List Price (Rs.)	List Price (Rs.)
RG 11 CCA	2,920	8,906

Finolex Coaxial Cables with copper clad aluminium conductor (CCA), gas injected physical polyethelene foam insulation, with laminated aluminium tape and Al. Wire braid, Jelly flooded and PVC Jacketing in Black colour.

CCTV CABLE



Product Code	Product Description	Unit	List Price (Rs.)
65913013	Rg59 JF X1+3X0.15 SQMM CCTV WHITE 90 MTR	90 Mtr	2,845
65913018	RG59 JF X1+3X0.15 SQMM CCTV WHITE 305M	305 Mtr	9,641
65914013	RG59 JF X1+4X0.15 SQMM CCTV WHITE 90 M	90 Mtr	3,162
65914018	RG59 JF X1+4X0.15 SQMM CCTV WHITE 305 M	305 Mtr	10,716
65916013	RG59 JF X1+6X0.15 SQMM CCTV WHITE 90 M	90 Mtr	3,560
65916018	RG59 JF X1+6X0.15 SQMM CCTV WHITE 305 M	305 Mtr	12,064
65913033	CCTV CABLE (3+1) 90 MTR	90 Mtr	1,905
65913036	CCTV CABLE (3+1) 180 MTR	180 Mtr	3,745
65914033	CCTV CABLE (4+1) 90 MTR	90 Mtr	2,120
65914036	CCTV CABLE (4+1) 180 MTR	180 Mtr	4,175

TELEPHONE CABLE

List Price wef. 1st May 2021

TELEPHONE CABLES

FINOLEX TELEPHONE CABLES WITH HIGH DENSITY POLYETHELENE INSULATED, SOLID ANNEALED HIGH CONDUCTIVITY BARE COPPER WITH DIA 0.5MM, PAIRED, POLYESTER TAPED AND SHEATHED WITH HIGH OXYGEN INDEX FIRE RETARDENT PVC COMPOUND, GENERALLY CONFORMING TO ITD SPECIFICATIONS G / WIR-06/02. MAY 94 AND FINOLEX SPECIFICATIONS.

Product Code	Type	LP Per 90Mtr (Rs.)
31050013	1 pair	725
31050023	2 pair	1,270
31050033	3 pair	1,865
31050043	4 pair	2,450
31050053	5 pair	3,045

Standard length of the coil is 90 Mtrs. | Standard length of the drum is 500m +/-10%

Finolex Telephone cables with high density polyethelene insulated, solid annealed high conductivity bare copper with DIA 0.4 mm, paired, polyester taped and sheathed with high oxygen index Fire Retardent PVC compound, generally conforming to ITD specifications G / WIR-06/02.May 94 and Finolex specifications.

Product Code	Type	LP Per 90Mtr (Rs.)
31040013	1 pair	510
31040023	2 pair	895
31040033	3 pair	1,310
31040043	4 pair	1,680
31040053	5 pair	2,060

Standard length of coil is 90 M trs. | Standard length of the drum is 500m +/-10%

A nylon ripcord is provided for slitting the jacket without damaging the insulated cores. The outersheath colour is Grey. For any other pairage please refer to Marketing Department.

Product Code	Type	LP Per 90Mtr (Rs.)
31050103	10 pair	5,935
31050203	20 pair	11,280
31050503	50 pair	27,570
31051001	100 pair	53,890

Product Code	Type	LP Per 90Mtr (Rs.)
31040103	10 pair	4,155
31040203	20 pair	7,795
31040503	50 pair	18,765
31041001	100 pair	36,030

LAN CABLE

Product Code	Product Description	Unit	List Price (Rs.)
32105048	UTP - 4 Pair Cat 5 Enhanced Lan Cable	305 Mtr	7,777
32255042	0.5x4P UTP CAT-6 LAN * YLW * 305M	305 Mtr	9,670
32245042	0.5x4P UTP CAT-6 LAN * GRY * 305M	305 Mtr	9,670
32275042	0.5x4P UTP CAT-6 LAN * BLU * 305M	305 Mtr	9,670
32265042	0.5x4P UTP CAT-6 LAN * GRN * 305M	305 Mtr	9,670
32925048	0.5 x4 Pair UTP Cat-5 (E) CCA LAN Cable	305 Mtr	3,735
32105028	0.5 x2 Pair UTP CAT-5 E LAN Cable 250M	250 Mtr	3,080

SPEAKER CABLE



List Price wef. 1st May 2021

Product Code	Product Description	No of coils in Master Carton	Unit	List Price (Rs.)
60324024	Speaker Cable 0.5 SQMM (Transparent)	6	100 Mtr	1,645
60325024	Speaker Cable 0.75 SQMM (Transparent)	6	100 Mtr	2,380
60326024	Speaker Cable 1 SQMM (Transparent)	6	100 Mtr	2,950
60327024	Speaker Cable 1.5 SQMM (Transparent)	6	100 Mtr	4,315
60328024	Speaker Cable 2.0 SQMM (Transperant)	6	100 Mtr	6,655
60329024	Speaker Cable 2.5 SQMM (Transperant)100M	6	100 Mtr	6,870
60324022	Speaker Cable 0.50 SQ MM (Transparent) 25 M	24	25 Mtr	411
60325022	Speaker Cable 0.75 SQ MM (Transparent) 25 M	24	25 Mtr	595
60326022	Speaker Cable 1.00 SQ MM (Transparent) 25 M	24	25 Mtr	737
60327022	Speaker Cable 1.50 SQ MM (Transparent) 25 M	24	25 Mtr	1,078

PACKING : Available in 100 M coils AND 25 M coil

OPTIC FIBRE CABLE



HSN - 9001

List Price wef. 1st May 2021

OPTIC FIBRE CABLE

FINOLEX SINGLE MODE / MULTI MODE OPTICAL FIBRE CABLES IN UNARMoured / ARMoured FOR UNITUBE OR MULTITUBE TYPE

UNARMoured

Product Code	Design Name	Product Description	Cable OD in mm	LP / Price	Packaging
8101105002	DMAX-E	2F Single Mode Uni Tube Un-Armd (2FRP) OFC	5.2 +/-0.3	9860	COIL
8101105004	DMAX-E	4F Single Mode Uni Tube Un-Armd (2FRP) OFC	5.2 +/-0.3	11,460	COIL
8101105006	DMAX-E	6F Single Mode Uni Tube Un-Armd (2FRP) OFC	5.2 +/-0.3	13,005	COIL
8101105008	DMAX-E	8F Single Mode Uni Tube Un-Armd (2FRP) OFC	5.2 +/-0.3	15,265	COIL
8101105302	DMAX-ER	2F Single Mode Uni Tube Un-Armd (2FRP) OFC	6.2 +/-0.3	11,695	COIL
8101105304	DMAX-ER	4F Single Mode Uni Tube Un-Armd (2FRP) OFC	6.2 +/-0.3	13,285	COIL
8101105306	DMAX-ER	6F Single Mode Uni Tube Un-Armd (2FRP) OFC	6.2 +/-0.3	14,860	COIL
8101105308	DMAX-ER	8F Single Mode Uni Tube Un-Armd (2FRP) OFC	6.2 +/-0.3	17,290	COIL
8101103812	DMAX	12F Single Mode Uni Tube Un-Armd (2FRP) OFC	7.2 +/-0.3	23,300	COIL
8101104124	DDBX	24F Single Mode Uni Tube Un-Armd (2FRP) OFC	9.30 +/-0.2	42,340	DRUM

ARMoured

Product Code	Design Name	Product Description	Cable OD in mm	LP / Price	Packaging
8101104002	MMAx	2F Single Mode Uni Tube (2SW) Armd OFC	7.8 +/-0.3	19,575	DRUM
8101104004	MMAx	4F Single Mode Uni Tube (2SW) Armd OFC	7.8 +/-0.3	21,160	DRUM
8101104006	MMAx	6F Single Mode Uni Tube (2SW) Armd OFC	7.8 +/-0.3	22,695	DRUM
8101104008	MMAx	8F Single Mode Uni Tube (2SW) Armd OFC	7.8 +/-0.3	24,300	DRUM
8101102412	MLM	12F Single Mode Uni Tube (2SW) Armd OFC	8.8 +/-0.3	30,340	DRUM
8101102624	MLX	24F Single Mode Uni Tube (2SW) Armd OFC	10 +/-0.5	45,855	DRUM
8108104002	MMAx OM1	2F Multi Mode Uni Tube (2SW) Armd OFC	7.8 +/-0.3	29,060	DRUM
8108104004	MMAx OM1	4F Multi Mode Uni Tube (2SW) Armd OFC	7.8 +/-0.3	37,900	DRUM
8108104006	MMAx OM1	6F Multi Mode Uni Tube (2SW) Armd OFC	7.8 +/-0.3	46,965	DRUM
8108104008	MMAx OM1	8F Multi Mode Uni Tube (2SW) Armd OFC	7.8 +/-0.3	55,830	DRUM
8108104012	MMAx OM1	12F Multi Mode Uni Tube (2SW) Armd OFC	7.8 +/-0.3	73,795	DRUM
8107104002	MMAx OM2	2F Multi Mode Uni Tube (2SW) Armd OFC	7.8 +/-0.3	24,305	DRUM
8107104004	MMAx OM2	4F Multi Mode Uni Tube (2SW) Armd OFC	7.8 +/-0.3	29,430	DRUM
8107104006	MMAx OM2	6F Multi Mode Uni Tube (2SW) Armd OFC	7.8 +/-0.3	34,690	DRUM
8107104008	MMAx OM2	8F Multi Mode Uni Tube (2SW) Armd OFC	7.8 +/-0.3	39,885	DRUM
8107104012	MMAx OM2	12F Multi Mode Uni Tube (2SW) Armd OFC	7.8 +/-0.3	50,430	DRUM
8105104002	MMAx OM3	2F Multi Mode Uni Tube (2SW) Armd OFC	7.8 +/-0.3	29,232	DRUM
8105104004	MMAx OM3	4F Multi Mode Uni Tube (2SW) Armd OFC	7.8 +/-0.3	41,380	DRUM
8105104006	MMAx OM3	6F Multi Mode Uni Tube (2SW) Armd OFC	7.8 +/-0.3	53,975	DRUM
8105104008	MMAx OM3	8F Multi Mode Uni Tube (2SW) Armd OFC	7.8 +/-0.3	66,460	DRUM
8105104012	MMAx Om3	12F Multi Mode Uni Tube (2SW) Armd OFC	7.8 +/-0.3	91,535	DRUM

MULTI TUBE UNARMoured

Product Code	Design Name	Product Description	Cable OD in mm	LP / Price	Packaging
8400200004	Multi Tube	04F Single Mode Multi Tube (Un-Armd) OFC	9.4 +/-0.3	26,240	DRUM
8400200006	Multi Tube	06F Single Mode Multi Tube (Un-Armd) OFC	9.4 +/-0.3	28,350	DRUM
8400200012	Multi Tube	12F Single Mode Multi Tube (Un-Armd) OFC	9.4 +/-0.3	32,795	DRUM
8400200024	Multi Tube	24F Single Mode Multi Tube (Un-Armd) OFC	9.4 +/-0.3	43,670	DRUM
8400200048	Multi Tube	48F Single Mode Multi Tube (Un-Armd) OFC	10.2 +/-0.3	65,350	DRUM
8400200072	Multi Tube	72F Single Mode Multi Tube (Un-Armd) OFC	10.6 +/-0.3	85,545	DRUM
8400200096	Multi Tube	96F Single Mode Multi Tube (Un-Armd) OFC	11.9 +/-0.3	111,390	DRUM

MULTI TUBE ARMoured

Product Code	Design Name	Product Description	Cable OD in mm	LP / Price	Packaging
8402200004	Multi Tube	04F Single Mode Multi Tube (Single sheath-Armd) OFC	9.8 +/-0.3	31,285	DRUM
8402200006	Multi Tube	06F Single Mode Multi Tube (Single sheath-Armd) OFC	9.8 +/-0.3	33,290	DRUM
8402200012	Multi Tube	12F Single Mode Multi Tube (Single sheath-Armd) OFC	9.8 +/-0.3	34,260	DRUM
8402200024	Multi Tube	24F Single Mode Multi Tube (Single sheath-Armd) OFC	9.8 +/-0.3	47,785	DRUM
8402200048	Multi Tube	48F Single Mode Multi Tube (Single sheath-Armd) OFC	10.6 +/-0.3	69,010	DRUM
8402200072	Multi Tube	72F Single Mode Multi Tube (Single sheath-Armd) OFC	11 +/-0.3	88,470	DRUM
8402200096	Multi Tube	96F Single Mode Multi Tube (Single sheath-Armd) OFC	12.3 +/-0.3	114,375	DRUM



FTTH CABLE

1 or 2 fibres are placed in LSZH/PVC sheath in between two ARP / FRP rods which can be taken out easily

FTTH G652D

Product Code	Design Name	Product Description	Cable OD in mm	LP / Price	Packaging
8404500001	FTTH	01ED4 - 01F G652D FTTH 2ARP PVC CABLE	3.0+/-0.3	8,067	Spool/cartoon
8404500002	FTTH	02ED4 - 02F G652D FTTH 2ARP PVC CABLE	3.0+/-0.3	8,829	Spool/cartoon
8405500001	FTTH	01ED5 - 01F G652D FTTH 2ARP LSZH CABLE	3.0+/-0.3	8,950	Spool/cartoon
8405500002	FTTH	02ED5 - 02F G652D FTTH 2ARP LSZH CABLE	3.0+/-0.3	9,711	Spool/cartoon
8403500001	FTTH	01ED3 - 01F G652D FTTH 2FRP LSZH CABLE	3.0+/-0.3	6,430	Spool/cartoon
8403500002	FTTH	02ED3 - 02F G652D FTTH 2FRP LSZH CABLE	3.0+/-0.3	7,175	Spool/cartoon
8402500001	FTTH	01ED2 - 01F G652D FTTH 2FRP PVC CABLE	3.0+/-0.3	5,770	Spool/cartoon
8402500002	FTTH	02ED2 - 02F G652D FTTH 2FRP PVC CABLE	3.0+/-0.3	6,515	Spool/cartoon

FTTH G657A1

Product Code	Design Name	Product Description	Cable OD in mm	LP / Price	Packaging
8441502001	FTTH	01ED11 - 01F G657A1 FTTH 2ARP LSZH CABLE	3.0+/-0.3	9,005	Spool/cartoon
8441502002	FTTH	02ED11 - 02F G657A1 FTTH 2ARP LSZH CABLE	3.0+/-0.3	9,770	Spool/cartoon
8440502001	FTTH	01ED10 - 01F G657A1 FTTH 2ARP PVC CABLE	3.0+/-0.3	8,125	Spool/cartoon
8440502002	FTTH	02ED10 - 02F G657A1 FTTH 2ARP PVC CABLE	3.0+/-0.3	8,890	Spool/cartoon
8449500001	FTTH	01ED9 - 01F G657A1 FTTH 2FRP LSZH CABLE	3.0+/-0.3	6,450	Spool/cartoon
8449500002	FTTH	02ED9 - 02F G657A1 FTTH 2FRP LSZH CABLE	3.0+/-0.3	7,210	Spool/cartoon
8448500001	FTTH	01ED8 - 01F G657A1 FTTH 2FRP PVC CABLE	3.0+/-0.3	5,685	Spool/cartoon
8448500002	FTTH	02ED8 - 02F G657A1 FTTH 2FRP PVC CABLE	3.0+/-0.3	6,550	Spool/cartoon

COST ECONOMICAL DESIGN

Product Code	Design Name	Product Description	Cable OD in mm	LP / Price	Packaging
8411015002	Economical	2LOC5- 2F Uni Tube 2FRP 0.8 Un-Armd BLK HDP OFC	5.8+/-0.5	8,500	COIL
8411015004	Economical	04LOC5-4F Uni Tube 2FRP 0.8 Un-Armd BLK HDP OFC	5.3+/-0.3	9,900	COIL
8411016004	Economical	4LOC6-4F Uni Tube 2FRP 0.8 Un-Armd OFC	5.8+/-0.5	10,535	COIL
8411017004	Economical	04LOC7-4F Uni Tube 2SW 0.8 Un-Armd OFC	5.8+/-0.5	10,730	COIL
8101105404	Economical	4F Unitube CE design Un-Armd UOFC	5.8+/-0.5	10,590	COIL
8411017006	Economical	06LOC7-6F Uni Tube 2FRP 0.8 Un-Armd BLK HDPOFC	5.3+/-0.3	11,300	COIL
8411018006	Economical	06LOC8-06F Uni Tube 2FRP 0.8 Un-Armd OFC	5.8+/-0.5	11,930	COIL
8411011006	Economical	06LOC10-06F Uni Tube 2SW 0.8 Un-Armd UA OFC	5.8+/-0.5	12,130	COIL
8101105406	Economical	6F CE design Un-Armd UOFC	5.8+/-0.5	12,010	COIL
8411018012	Economical	12LOC8-12F Uni Tube 2FRP08 Un-Armd OFC	5.8+/-0.5	16,250	COIL
8400101112	Economical	12CTV0 - 12F Uni Tube 2SW 0.8 Un-Armd OFC	5.8+/-0.5	16,445	COIL

AGRICULTURE

Also
available
in XLPE
insulation



High grade 99.97% pure
bare copper conductor

Abrasion resistant
grade sheath material

Long life & highly
durable cables

List Price

wef. 1st May 2021

3 CORE FLAT CABLE



List Price wef. 1st May 2021

3 CORE FLAT CABLE

FINOLEX THREE CORE FLAT CABLES WITH BARE BUNCHED COPPER CONDUCTOR INSULATED AND SHEATHED WITH PVC FOR SUBMERSIBLE PUMP MOTORS WITH VOLTAGE GRADE UP TO 1100 VOLTS CONFORMING TO AND MARKED WITH IS 694:1990

Product Code	Conductor Area	Conductor Construction No./Dia mm	LP Per 100Mtr (Rs.)
13703041	1.50	22/.3	7,325
13703051	2.50	36/.3	11,830

Product Code	Conductor Area	Conductor Construction No./Dia mm	LP Per 100Mtr (Rs.)
13703061	4.00	56/.3	17,260

FINOLEX THREE CORE FLAT CABLES WITH BARE BUNCHED COPPER CONDUCTOR INSULATED WITH PVC AND SHEATHED WITH PVC FOR SUBMERSIBLE PUMP MOTORS WITH VOLTAGE GRADE UP TO 1100 VOLTS GENERALLY CONFORMING TO IS 694:1990

Product Code	Conductor Area	Conductor Construction No./Dia mm	LP Per 100Mtr (Rs.)
13803071	6.00	84/.3	25,415
13803081	10.00	140/.3	43,010
13803091	16.00	226/.3	66,800
13803101	25.00	354/.3	1,04,585

Product Code	Conductor Area	Conductor Construction No./Dia mm	LP Per 100Mtr (Rs.)
13803111	35.00	495/.3	1,44,285
13803121*	50.00	703/.3	Prices for these sizes can be given on request.
13803131*	70.00	360/.5	
13803141*	95.00	475/.5	

FINOLEX THREE CORE FLAT CABLES WITH BARE BUNCHED COPPER CONDUCTOR XLPE INSULATED AND SHEATHED WITH PVC FOR SUBMERSIBLE PUMP MOTORS WITH VOLTAGE GRADE UP TO 1100 VOLTS

Product Code	Conductor Area	Conductor Construction No./Dia mm	LP Per 100Mtr (Rs.)
13823059	2.50	36/.3	12420

Product Code	Conductor Area	Conductor Construction No./Dia mm	LP Per 100Mtr (Rs.)
13823069	4.00	56/.3	18125

FINOLEX THREE CORE FLAT CABLES WITH BARE BUNCHED COPPER CONDUCTOR XLPE INSULATED AND SHEATHED WITH PVC FOR SUBMERSIBLE PUMP MOTORS WITH VOLTAGE GRADE UP TO 1100 VOLTS

Product Code	Conductor Area	Conductor Construction No./Dia mm	LP Per 100Mtr (Rs.)
13823079	6.00	84/.3	26685
13823089	10.00	140/.3	45160
13823099	16.00	226/.3	70140

Product Code	Conductor Area	Conductor Construction No./Dia mm	LP Per 100Mtr (Rs.)
13823109	25.00	354/.3	109815
13823119	35.00	495/.3	151500

3 CORE FLAT CCA CABLES

FINOLEX THREE CORE FLAT CABLES WITH BARE BUNCHED COPPER CLAD ALUMINIUM CONDUCTOR INSULATED AND SHEATHED WITH PVC FOR SUBMERSIBLE PUMP MOTORS WITH VOLTAGE GRADE UP TO 1100 VOLTS

Product Code	Conductor Area (sqmm)	Conductor Construction No./Dia mm	LP Per 100Mtr (Rs.)
13853079	8	84/.36	15,460
13853089	14	140/.36	25,480
13853099	23	226/.36	39,735

Product Code	Conductor Area (sqmm)	Conductor Construction No./Dia mm	LP Per 100Mtr (Rs.)
13853109	36	354/.36	58,210
13853119	50	594/.36	79,790

PACKING : Cables are supplied in drums in continuous length. Minimum order quantity is 500 mtrs. If any specific length is required, please refer to us. We reserve the right to supply non-standard lengths upto 20% of the quantity ordered.

NOTE : The items marked as * are Non-Stock items. Please refer to Marketing Department for delivery confirmation indicating quantity, packing length, colour etc.

PVC INSULATED WINDING WIRES



List Price wef. 1st May 2021


PVC INSULATED WINDING WIRES

**FINOLEX PVC INSULATED WINDING WIRES WITH BRIGHT ANNEALED SOLID BARE COPPER CONDUCTOR FOR SUBMERSIBLE PUMP MOTORS
CONFORMING TO AND MARKED AS PER IS:8783 PART-4 SECTION-1 : 1995**

Product Code	Conductor Nominal (mm)	List Price Per100Mtr (Rs.)	Std. Length Per Mono Carton (Mtrs)	No.of Mono Cartons Packed Per Master Carton
13000601	0.60	451	1000	6
13000602	0.60	451	500	6
13000701	0.70	615	1000	6
13000702	0.70	615	500	6
13000801	0.80	792	1000	6
13000802	0.80	792	500	6
13000901	0.90	991	1000	5
13000902	0.90	991	500	6
13001001	1.00	1,212	1000	5
13001002	1.00	1,212	500	6
13001101	1.10	1,458	1000	4
13001102	1.10	1,458	500	6
13001201	1.20	1,725	1000	4
13001202	1.20	1,725	500	6
13001301	1.30	2,015	1000	3
13001302	1.30	2,345	500	6
13001402	1.40	2,345	500	5
13001502	1.50	2,685	500	5
13001602	1.60	3,040	500	4
13001702	1.70	3,425	500	4
13001802	1.80	3,840	500	4
13001902	1.90	4,270	500	3
13002002	2.00	4,767	500	3
13002102	2.10	5,245	500	3
13002202	2.20	5,740	500	2
13002302	2.30	6,265	500	2
13002402	2.40	6,832	500	2
13002502	2.50	7,400	500	2
13002602	2.60	7,995	500	2
13002702	2.70	8,600	500	2
13002804	2.80*	9,275	250	3
13003004	3.00*	10,615	250	2

NOTE : The items marked as * are non stock items. These sizes may be supplied in 250m standard lengths. Sizes above 3mm can also be supplied on request. Please refer to Marketing Department regarding delivery period, indicating size, quantity and lengths required.
PACKING : Finolex Winding Wire coils are supplied in mono cartons packed in master cartons as shown above.

AUTOMOBILE / SOLAR POWER



High thermal rating to withstand extreme temperatures

Excellent resistance to heat pressure

Long life & highly durable cables

List Price

wef. 1st May 2021



AUTO (BATTERY) CABLES

List Price wef. 1st May 2021

AUTO (BATTERY) CABLES : IS 2465

FINOLEX PVC INSULATED HEAVY DUTY AUTO (BATTERY) CABLES WITH BRIGHT ANNEALED COPPER CONDUCTOR BUNCHED TOGETHER INSULATED WITH DIELECTRIC FINOLEX PVC COMPOUND (IMPERVIOUS TO OILS, GREASES, ACIDS, PETROL AND WATER) AS PER IS:2465

**Product Code	Conductor Construction	Conductor Area (sqmm)	List Price per 25 m coil Rs.	List Price per 100 m coil Rs.
22209	226/.3	16	5,290	21,170
22210	354/.3	25	8,265	33,095
22211	495/.3	35	11,540	46,155
22212	703/.3	50	16,345	65,435
22513	360/.5	70	23,735	95,000
22514	475/.5 *	95	31,455	1,25,720
22515	608/.5 *	120	40,360	1,61,316
22516	750/.5 *	150	49,970	1,99,835
22517	925/.5 *	185	61,730	2,46,790
22518	1221/.5 *	240	81,090	3,24,410

PVC INSULATED AND PVC SHEATHED HIGH TENSION IGNITION CABLE FOR AUTOMOBILES

**Product Code	Conductor Construction	Conductor Area (sqmm)	List Price per 25 m coil Rs.	List Price per 100 m coil Rs.
2253	17/.3	1.20	840	3,355

105 DEGREE CENTIGRADE TEMPERATURE RESISTANT PVC INSULATED THIN WALL PLAIN/STRIPED AUTOMOBILE CABLES CONFORMING TO DIN 72551 - PART 6

**Product Code	Conductor Construction	Conductor Area (sqmm)	List Price per 25 m coil Rs.	List Price per 100 m coil Rs.
2301	16/.21	0.50	185	730
2302	24/.21	0.75	275	1,095
2303	32/.21	1.00	365	1,450
2304	30/.26	1.50	532	2,120
2305	50/.26	2.50	880	3,500
2306	56/.31	4.00	1,455	5,810
2307	84/.31	6.00	2,155	8,595

COLOURS : Finolex Auto (Battery) Cables are generally available in Black & Red colours only. Finolex Auto Cables are generally available in eleven base colours i.e. Red, Blue, Black, Yellow, Green, White, Pink, Violet, Grey, Orange & Brown. In addition, combinations of base and striped colours are also available.

NOTE : The items marked as * are Non-Stock items. Please refer to Marketing Department for delivery confirmation indicating quantity, packing length, colour etc.

SOLAR CABLES

List Price wef. 1st May 2021

SOLAR DC CABLE

FINOLEX ANNEALED TIN COPPER CONDUCTOR, SINGLE CORE, MULTISTRAND, CROSS LINKED, ZERO HALOGEN LOW SMOKE INSULATION AND SHEATHING, HEAT RESISTANT UP TO 1200 C AND UV RESISTANT SOLAR DC CABLE AS PER TUV 2 Pfg 1169 / 08.2007

**Product Code	Conductor Area (sq mm)	List Price per 100 Mtr Rs.	Packing
16906011	4	7,358	STANDARD LENGTH OF 500 MTR
16907011	6	10,215	STANDARD LENGTH OF 300 MTR

Notes	
1. Prices	GST extra as applicable.
2. Printing	Finolex industrial cables are printed with Company Name , Logo, Size(sq.mm) & Voltage Grade.
3. Delivery	F.O.R. any station in India by road transport.
4. Product Code	The full product code is of 8 digits. For example : 22209014 = Auto Cable 0.3 conductor 16 sqmm Black 100m 22513102 = Auto Cable 0.5 conductor 70 sqmm Red 25m. a) First three digits are for type of cable i.e. 222 represents Auto Cable IS Specifications for 0.3 conductor, 225 represents Auto Cable IS specifications for 0.5 conductor. b) Next two digits represent size in Sqmm. i.e. 09=16.0 sqmm, 10=25.0, 11=35.0, 12=50.0, 13=70.0, 14=95.0, 15=120.0, 16=150.0, 17=185.0, 18=240.0 sqmm. c) Next two digits are for colour i.e. 01=Blk, 02=Blu, 04=Brn, 05=Grn, 07=Gry, 08=Orn, 09=Pnk, 10=Red, 11=Vio, 12=Wht, 13=Yel. d) Last digit is for length in meters i.e. 1=Mtrs (non-standard length), 2=25m coil, 4=100m coil.
5. Alteration	This Price List supersedes all our earlier price lists and is subject to change without notice.

 /Finolexcables |
  /Finolexcables |
  /Finolex.cables



Finolex
Cables Limited

AN IS/ISO 9001 CERTIFIED COMPANY

26-27, Mumbai-Pune Road, Pimpri, Pune - 411018, India

Tel: 020-27506200 | Fax: 020-27472239

Visit us at: www.finolex.com | Email: sales@finolex.com

CIN: L31300MH1967PLC016531

Finolex gets people together

For technical literature please contact our Branch Offices:

Ahmedabad: Tel: 079-26584637, 26575639 | **Bangalore:** Tel: 080 25320176 |
Bhubaneswar: Tel: 0674-2530053 | **Chennai:** Tel: 044-28231514, 28284142 |
Chandigarh: Tel: 0172-5076631, 2637334 | **Cochin:** Tel: 0484-2408930, 2408492 |
Coimbatore: Tel: 0422-2333939/40 | **Dharwad:** Tel: 0836-2746440 | **Goa:** Tel: 0832-2782003, 2782065 | **Gurgaon:** Tel: 0124-4382304 | **Guwahati:** Tel: 0361-2490067 |
Indore: Tel: 0731-2802646 | **Jaipur:** Tel : 0141-2332526/29 | **Kolkata:** Tel: 033-24192494, 24192495 | **Lucknow:** Tel: 0522-2439815, 4035031 | **Ludhiana:** Tel: 0161-2804005 | **Mumbai:** Tel: 022-22873252, 22820062 | **New Delhi:** Tel: 011-23324748, 23353160 | **Patna:** Tel: 0612-2589835 | **Pune:** Tel: 020-27475963, 27506200 | **Raipur:** Tel: 0771-2885595 | **Ranchi:** Tel: 0651-2284758 | **Roorkee:** Tel: 01332-224068 |
Secunderabad: Tel: 040-27721224, 27811161 | **Vadodara:** Tel: 9099775559 |
Vijayawada: Tel: 9397889670 | **Pondicherry.**

Sample card available on request



All information given herein is in good faith. Finolex shall not be liable for any damages arising out of incorrect use or interpretation. The Company reserves the right to change any of the above specifications without any prior notice.

In order to derive maximum benefit and utilisation of our products, we advise that these products are stored, installed and commissioned as per the norms prevailing in the place of installation. When decommissioned, these should be disposed using appropriate methods/process specified in respective state / location of use so as not to affect the environment adversely.