



First Tech Packaging
Your First Need for Packaging

2025
BROCHURE

**YOUR COMPLETE
PACKAGING SOLUTION**

www.firsttechpackaging.com





OUR MISSION

Our mission is to empower industries with practical, cost-effective, and durable packaging systems that enhance productivity and elevate product presentation.

OUR VISION

To become India's most trusted name in packaging machinery by delivering quality equipment, reliable service, and sustainable packaging solutions for every business size.

ABOUT US

First Tech Packaging is a leading supplier and trader of advanced packaging machinery based in Indore (M.P.), catering to clients across Pan India.

We specialize in providing end-to-end packaging solutions – from filling to sealing, labeling to conveying – ensuring superior efficiency, reliability, and performance for every packaging line.

Industries We Serve

FMCG Products | Food & Beverages | Spices & Dry-Fruits | Pharmaceuticals & Nutraceuticals | Chemicals & Cosmetics | Hardware & Fasteners | Seeds & Agro Products | Pesticides & Fertilizers

Our Product Range Includes:

Some Best Product :

- ◆ Vacuum Sealer Machines
- ◆ Automatic Pouch Packaging Machines
- ◆ Pick Fill Seal Machine
- ◆ Flow Wrap Machine
- Continuous Band Sealer Machines
- Semi-Automatic Weighing & Filling Machines
- Batch-Coding Printers & Printing Conveyors
- Induction Sealing Machines
- Capping Machines
- Labeling Machines
- L-Sealer with Shrink Tunnel
- Ultrasonic Plastic Tube Sealer with Batch Printing
- Box Strapping Machine
- Box Stretch Wrapping Machine
- Carton Sealer
- Product Feeder Systems

Why Choose Us?

Pan India Supply & Service Support

Wide Range of Machines Under One Roof

Application-Based Machine Selection

Affordable & Reliable Automation

Spare Parts & Maintenance Support

On-Site Installation, Training & After-Sales Service



First Tech Packaging

Continuous Band Sealer Machines

Pouch Sealing Machine [MS - Horizontal only]



Model: FTP-BSH-MS-MINI

TECHNICAL SPECIFICATIONS

Supply Voltage	- 220V/60 HZ
Heating Power	- 650W
Temp. Control Range	- 0-400 C
Sealing Speed	- 0-12m/min
Sealing Width	- 10mm
Bear The Weigh	- <=1 KG
Package Size	- L430xB255xH280
Machine Weight	- 9 KG



First Tech Packaging

Continuous Band Sealer Machines

Pouch Sealing Machine - [MS - Horizontal]



Model: FTP-BSH-MS-FR900 [Up to 3 Kg]

TECHNICAL SPECIFICATIONS

Voltage	- 220V/50HZ
Power	- 800 W
Sealing Speed	- 0-12m/min
Sealing Width	- 10mm
Temp. Control Range	- 0-300 C
Bear The Weigh	- 3 KG
Print Type	- Impress
Package Size	- 900 x 420 x 350 mm
Machine Weight	- 17 KG
Nitrogen Flushing System	- Optional

Suitable for Heat-Sealable Laminated Pouch Sealing of Filled Pouches of Snacks, Powder, Granules Pre made-Pouch Sealing

FTP-BSH-SS-FR900 [Up to 3 Kg]

TECHNICAL SPECIFICATIONS

Voltage	- 220V/50HZ
Power	- 800 W
Sealing Speed	- 0-12m/min
Sealing Width	- 10mm
Temp. Control Range	- 0-300 C
Bear The Weigh	- 3 KG
Print Type	- Impress
Package Size	- 900 x 420 x 350 mm
Machine Weight	- 20 KG
Nitrogen Flushing System	- Optional



SS - Horizontal



First Tech Packaging

Continuous Band Sealer Machines

Pouch Sealing Machine - [MS - Vertical]



Model: FTP-BSV-MS-FR900 [Up to 3 Kg]

TECHNICAL SPECIFICATIONS

Voltage	- 220V/50HZ
Power	- 800 W
Sealing Speed	- 0-12m/min
Sealing Width	- 10mm
Temp. Control Range	- 0-300 C
Bear The Weigh	- 3 KG
Print Type	- Impress
Package Size	- 900 x 420 x 350 mm
Machine Weight	- 18 KG
Nitrogen Flushing System	- Optional

Suitable for Heat-Sealable Laminated Pouch Sealing of Filled Pouches of Snacks, Powder, Granules Pre made-Pouch Sealing

Model: FTP-BSV-SS-FR900 [Up to 3 Kg]

TECHNICAL SPECIFICATIONS

Voltage	- 220V/50HZ
Power	- 800 W
Sealing Speed	- 0-12m/min
Sealing Width	- 10mm
Temp. Control Range	- 0-300 C
Bear The Weigh	- 3 KG
Print Type	- Impress
Package Size	- 900 x 420 x 350 mm
Machine Weight	- 21 KG
Nitrogen Flushing System	- Optional



SS - Vertical



First Tech Packaging

Continuous Band Sealer Machines

Pouch Sealing Machine - [MS - Vertical only]



Model: FTP-BSV-MS-[Up to 10 Kg]

TECHNICAL SPECIFICATIONS

Voltage	- 220V/50HZ
Power	- 500 W
Sealing Speed	- 0-12m/min
Sealing Width	- 6-12mm
Temp. Control Range	- 0-300 C
Bear The Weigh	- 10 KG
Pouch Height	- Min. 90mm-Max. 400mm
Print Type	- Impress
Package Size	- 860 x 420 x 365 mm
Machine Weight	- 50 KG

**Suitable for Heat-Sealable Laminated Pouch Sealing of Filled Pouches of
Atta, Pulses, Sugar and Similar Products Pre made-Pouch Sealing**

Model: FTP-BSV-MS-Indian [Up to 10 Kg]

TECHNICAL SPECIFICATIONS

Voltage	- 220V/50HZ
Power	- 500 W
Sealing Speed	- 0-12m/min
Sealing Width	- 6-12mm
Temp. Control Range	- 0-400 C
Bear The Weigh	- 10 KG
Pouch Height	- Min. 110mm-Max. 600mm
Print Type	- Impress
Package Size	- 1200 x 600 x 1200 mm
Machine Weight	- 50 KG



+91 9669072073



www.firsttechpackaging.com



Indore(MP)



First Tech Packaging

Vacuum Sealer Machines

Vacuum Pouch Sealing Machines



Model: FTP-VS-DZ260

TECHNICAL SPECIFICATIONS

Power Supply	- 110V/220V 50/60HZ
Power	- 1.0 KW
Workroom Size	- 280 x 390 x 60 mm
Sealing Length	- 260 x 10 mm
Sealing Speed	- 1-4 time/minute
Machine Weight	- 33 KG
External Size	- 438 x 340 x 345 mm



By Vacuum-Packing, the machine helps prevent oxidation, mildew, corrosion and moisture ingress.

The result is improved shelf-life, better product appearance & higher perceived value of packaged goods.

Model: FTP-VS-DZ400

TECHNICAL SPECIFICATIONS

Power Supply	- 220V 50/60HZ
Power	- 1.5 KW
Workroom Size	- 420 x 440 x 80 mm
Sealing Length	- 400 x 10 mm
Sealing Speed	- 1-4 time/minute
Machine Weight	- 81 KG
External Size	- 660 x 600 x 1050 mm



+91 9669072073



www.firsttechpackaging.com



Indore(MP)



First Tech Packaging

Vacuum Sealer Machines

Vacuum Pouch Sealing Machines



FTP-VS-DZ500

TECHNICAL SPECIFICATIONS

Power Supply	- 220V. 50/60 Hz
Power	- 1.6 KW
Workroom Size	- 520 x 540 x 80 mm
Sealing Length	- 500 x 10 mm
Sealing Speed	- 1-4 time/minute
Machine Weight	- 95 KG
External Size	- 760 x 700 x 1050 mm



By Vacuum-Packing, the machine helps prevent oxidation, mildew, corrosion and moisture ingress.

The result is improved shelf-life, better product appearance & higher perceived value of packaged goods.

Model: FTP-VS-Double-Chamber-DZ600

TECHNICAL SPECIFICATIONS

Power Supply	- 380V/50 Hz [3-Phase]
Power	- 1.5 KW & 3.1 KW
Workroom Size	- 670 x 540 x 110 mm
Sealing Length	- 600 x 10 mm
Cycle Time	- 10-40 Sec.
Capacity	- 40 M3/H
Machine Weight	- 320 KG
Machine Size	- 1450 x 750 x 1000 mm





First Tech Packaging

Semi-Automatic Weigh Fillers

For Granules, Powder, Liquid, Paste & Pickle



**For Granules/Powder Weighing & Filling –
Digital Fillers [1gm – 100gm/ 1gm – 200gm]**

Model: FTP-ZH-FZJ-100/200-Single Head

TECHNICAL SPECIFICATIONS

Voltage	-	220/110V50/60 HZ
Power	-	180 W
Filling Speed	-	10-20 Droppings/Min.
Filling Range	-	1gm – 100gm
Filling Accuracy	-	0.1gm
Packing Size	-	430 x 320 x 570 (mm)
Machine Weight	-	9 KG



**Suitable for Small-Scale Industries for Weighing & Filling
of Powder & Granules like Whole-Spices & Spices-Powder
with Highest Weighing Accuracy**

FTP-ZH-FZJ-100/200-Double Head

TECHNICAL SPECIFICATIONS

Voltage	-	220/110V50/60 HZ
Power	-	280 W
Filling Speed	-	10-30 Droppings / Min.
Filling Range	-	1gm – 100gm
Filling Accuracy	-	0.2gm
Packing Size	-	770 x 460 x 650 (mm)
Machine Weight	-	45 KG





First Tech Packaging

Semi-Automatic Weigh Fillers

For Granules, Powder, Liquid, Paste & Pickle



For Granules Weighing &

Filling – Digital Fillers [100gm – 1000gm]

Model: FTP-ZH-FZJ-1000-Single Head

TECHNICAL SPECIFICATIONS

Voltage	- 220/110V50/60 HZ
Power	- 180 W
Filling Speed	- 8-10 Droppings/Min.
Filling Range	- 100gm – 1000gm
Filling Accuracy	- 0.2gm
Packing Size	- 550 x 360 x 890 (mm)
Machine Weight	- 30 KG



Suitable for Small-Scale Industries for Weighing & Filling of Powder & Granules like Whole-Spices & Spices-Powder with Highest Weighing Accuracy

Model: FTP-ZH-FZJ-1000-Double Head

TECHNICAL SPECIFICATIONS

Voltage	- 220/110V50/60 HZ
Power	- 600 W
Filling Speed	- 8-20 Droppings / Min.
Filling Range	- 100gm – 1000gm
Filling Accuracy	- 0.4gm
Packing Size	- 650 x 740 x 550 (mm)
Machine Weight	- 56 KG



+91 9669072073



www.firsttechpackaging.com



Indore(MP)



First Tech Packaging

Semi-Automatic Weigh Fillers

For Granules, Powder, Liquid, Paste & Pickle



For Particle Weighing & Counting
Counter Weigher

Model: FTP-ZH-FZJ-1000-Counter Weigher

TECHNICAL SPECIFICATIONS

Model:	Single Head	Double Head
Voltage	- 220/110V50/60 HZ	- 220/110V50/60 HZ
Power	- 50 W	- 100 W
Counting Speed	- 10-20 PCs/Min.	- 20-30 PCs/Min.
Counting Range	- 1gm – 1000gm	- 1gm – 1000gm
Filling Accuracy	- 0.3gm	- 0.3gm
Packing Size	- 430 x 450 x 480 (mm)	- 770 x 460 x 650 (mm)
Machine Weight	- 18 KG	- 42 KG



First Tech Packaging

Multi-Head Weigher (10 & 14 Head)

Granules Weighing & Filling - Heavy-Duty Multi Head Weigher



Model: FTP-ZH-FZJ-1000-Counter Weigher

TECHNICAL SPECIFICATIONS

Model:	10 - Head	14 - Head
Power Requirement	- 220V/1000W/50/60HZ/10A	- 220V/1000W/50/60HZ/10A
Hopper Volume	- 1.6 L / 2.5 L	- 1.6 L / 2.5 L
Filling Range	- 10gm – 1000gm	- 10gm – 15000gm
Max. Speed	- 30 Droppings/Min.	- 60 Droppings/Min.
Filling Accuracy	- +/- 0.5%	- +/- 0.5%
Control Panel	- 7" Touch Screen	- 7" Touch Screen
Packing Size	- 1620 x 1100 x 1110 MM	- 1700 x 1100 x 1265 MM
Machine Weight	- 340/343 KG	- 420/440 KG



+91 9669072073



www.firsttechpackaging.com



Indore(MP)



First Tech Packaging

Semi-Automatic Auger Filler

For Free-Flowing Powder Weighing & Filling [10gm- 1 kg]



Model: FTP-Semi-Auger Filler – Stepper1000

TECHNICAL SPECIFICATIONS

Hopper Capacity	- 10 LTR
VoltagePower	- 220V600W
Filling Range	- 10gm – 1000gm
Filling Accuracy	- +/-1%
Filling Speed	- 20-40 Droppings/Min.
Machine Size	- 670 x 460 x 800 mm
Machine Weight	- 56 KG



First Tech Packaging

Liquid – Digital / Magnetic Pump Filler

[5ML – 3500ML]

Model: FTP-L-Digital-3500

TECHNICAL SPECIFICATIONS

Model:	Single Head	Double Head
Voltage	- 220V50HZ	- 220V50HZ
Power	- 30W	- 30W
Filling Range	- 5-3500ML	- 5-3500ML
Max. Flow / Height	- 3.5L / 2M	- 3.5L / 2M
Filling Speed	- 1-25 B/M	- 15-30 B/M
Machine Size	- 330 x 420 x 380 MM	- 490 x 320 x 210 MM
Machine Weight	- 3.75 KG	- 7.25 KG





First Tech Packaging

Liquid – Pneumatic Fillers



**Single Nozzle: 10ML-100ML,
50ML-500ML & 100ML-1000ML**

Model: FTP-PLF-Single-G1WY

TECHNICAL SPECIFICATIONS

FTP-PLF-Single- G1WY100

Voltage	- 220/100V50/60 HZ
Power	- 04-0.6 MPA
Filling Speed	- 5-20 Bottles/Min.
Filling Range	- 10ML-100ML
Filling Accuracy	- 1%
Packing Size	- 950 x 310x 310 (mm)
Machine Weight	- 15 KG

Model: FTP-PLF-Single-G1WY

TECHNICAL SPECIFICATIONS

FTP-PLF-Single- G1WY500

Voltage	- 220/100V50/60 HZ
Power	- 04-0.6 MPA
Filling Speed	- 5-20 Bottles/Min.
Filling Range	- 50ML-500ML
Filling Accuracy	- 1%
Packing Size	- 920 x340 x 330 (mm)
Machine Weight	- 17 KG

Model: FTP-PLF-Single-G1WY

TECHNICAL SPECIFICATIONS

FTP-PLF-Single- G1WY1000

Voltage	- 220/100V50/60 HZ
Power	- 04-0.6 MPA
Filling Speed	- 5-20 Bottles/Min.
Filling Range	- 100ML-1000ML
Filling Accuracy	- 1%
Packing Size	- 1120 x 340 x 340 (mm)
Machine Weight	- 18 KG



First Tech Packaging

Liquid – Pneumatic Fillers

**Double Nozzle: 10ML-100ML,
50ML-500ML & 100ML-1000ML**



Model: FTP-PLF-Double-G2WY

TECHNICAL SPECIFICATIONS

FTP-PLF-Double-G2WY100

Voltage	- 220/100V50/60 HZ
Power	- 04-0.6 MPA
Filling Speed	- 5-30 Bottles/Min.
Filling Range	- 10ML-100ML
Filling Accuracy	- 1%
Packing Size	- 950 x 450 x 320 [MM]
Machine Weight	- 26 KG

Model: FTP-PLF-Double-G2WY

TECHNICAL SPECIFICATIONS

FTP-PLF-Double- G2WY500

Voltage	- 220/100V50/60 HZ
Power	- 04-0.6 MPA
Filling Speed	- 5-30 Bottles/Min.
Filling Range	- 50ML-500ML
Filling Accuracy	- 1%
Packing Size	- 980 x 630 x 370 (mm)
Machine Weight	- 28 KG

Model: FTP-PLF-Double-G2WY

TECHNICAL SPECIFICATIONS

FTP-PLF-Double- G2WY1000

Voltage	- 220/100V50/60 HZ
Power	- 04-0.6 MPA
Filling Speed	- 5-30 Bottles/Min.
Filling Range	- 100ML-1000ML
Filling Accuracy	- 1%
Packing Size	- 1200 x550 x 380(mm)
Machine Weight	- 34 KG



First Tech Packaging

Paste – Pneumatic Fillers

**Double Nozzle: 10ML-100ML,
50ML-500ML & 100ML-1000ML**



Model: FTP-PPF-Double- G2WG

TECHNICAL SPECIFICATIONS

FTP-PPF-Double-G2WG100

Voltage	- 220/100V50/60 HZ
Power	- 04-0.6 MPA
Filling Speed	- 5-20 Bottles/Min.
Filling Range	- 10ML-100ML
Filling Accuracy	- 1%
Packing Size	- 950 X 530 x370(mm)
Machine Weight	- 39 KG

Model: FTP-PPF-Double-G2WG

TECHNICAL SPECIFICATIONS

FTP-PPF-Double-G2WG500

Voltage	- 220/100V50/60 HZ
Power	- 04-0.6 MPA
Filling Speed	- 5-20 Bottles/Min.
Filling Range	- 50ML-500ML
Filling Accuracy	- 1%
Packing Size	- 890 x 450 x 310 (mm)
Machine Weight	- 43 KG

Model: FTP-FFT-Double-G2WG

TECHNICAL SPECIFICATIONS

FTP-PPF-Double-G2WG1000

Voltage	- 220/100V50/60 HZ
Power	- 04-0.6 MPA
Filling Speed	- 5-20 Bottles/Min.
Filling Range	- 100ML-1000ML
Filling Accuracy	- 1%
Packing Size	- 1070 x450 x 310 (mm)
Machine Weight	- 47 KG



First Tech Packaging

Paste/Pickle – Pneumatic Filler with Blender Tank



Single Nozzle: 100ML-1000ML

**Model: FTP-PPF-Single-G1WG1000
with Blender Tank**

TECHNICAL SPECIFICATIONS

Voltage	- 220/100V50/60 HZ
Power	- 04-0.6 MPA
Filling Speed	- 5-20 Bottles/Min.
Filling Range	- 100ML-1000ML
Filling Accuracy	- 1%
Packing Size	- 1200 x480 x 900 (mm)
Machine Weight	- 81 KG



First Tech Packaging

Batch-Coding Machines

Model: FTP-Handy-Inkjet Printer-XD230

TECHNICAL SPECIFICATIONS

Printing Speed	- 60 M/Min.
Printing Height	- 2-12.7 MM
Ink Color	- BLACK, WHITE, RED, BLUE, YELLOW, GREEN
Print Resolution	- 600 DPI MAX
Printing Distance	- 2-5 MM
Adapter	- AC INPUT 100-240V, DC OUTPUT 16.8V/2A
Screen Display	- 4.3 INCH
System Support	- LINUX
Language	- CHINESE/ENGLISH
Print Content	- Time, Date, Counter, QR Code, LOGO Etc.
Print Media	- Boards, Cartons, Pipes, Metal, Plastic Etc.
Machine Weight	- 1 Kg
Dimension	- 135 x 128 x 200 MM



+91 9669072073



www.firsttechpackaging.com



Indore(MP)



First Tech Packaging Batch-Coding Machines



**Model: FTP-Conveyor Inbuilt
TIJ Printer-XDC-127**

TECHNICAL SPECIFICATIONS

Power Supply	- 220V/60W
Printing Height	- 12.7mm
Printing Content	- QR Codes, Text, Serial Numbers, Logo Graphics, etc.
Belt Width	- 190mm
Packing Size	- 670x390x200mm
Machine Weight	- 9 KG




First Tech Packaging Batch-Coding Machines

**Model: FTP-Stacker Conveyor Inbuilt
TIJ Printer-XDD-127**

TECHNICAL SPECIFICATIONS

Power Supply	- 220V/60W
Printing Height	- 12.7mm
Printing Content	- QR Codes, Text, Serial Numbers, Logo Graphics, etc.
Belt Width	- 190mm
Packing Size	- 630x475x325mm
Machine Weight	- 17 KG





First Tech Packaging Batch-Coding Machines

Model: FTP-TIJ Printer-XD-31/41

TECHNICAL SPECIFICATIONS



Model:	Printer-XD-31	TIJ Printer-XD-41
Printing Speed	- 2-80 M/Min.	- 2-80 M/Min.
Printing Height	- 12.7 MM	- 25.4 MM
Ink Color	- BLACK, WHITE, RED, BLUE, YELLOW, GREEN	- BLACK, WHITE, RED, BLUE, YELLOW, GREEN
Print Resolution	- 600 DPI MAX	- 300 DPI MAX
Printing Distance	- 2-5MM	- 2-5MM
Adapter	- AC INPUT 100-240V	- AC INPUT 100-240V
Screen Display	- 7 INCH	- 7 INCH
System Support	- LINUX	- LINUX
Language	- CHINESE/ENGLISH	- CHINESE/ENGLISH
Print Content	- TIME, DATE, COUNTER, QR CODE, LOGO ETC.	- TIME, DATE, COUNTER, QR CODE, LOGO ETC.
Print Media	- BOARDS, CARTONS, PIPES, METAL, PLASTIC ETC.	- BOARDS, CARTONS, PIPES, METAL, PLASTIC ETC.
Weight	- 3.2 KG	- 3.2 KG
Dimension	- 210X110X40 MM	- 210X110X40 MM



First Tech Packaging Batch-Coding Conveyor

Model: FTP-Coding Conveyor-DX-SA200/300

TECHNICAL SPECIFICATIONS

Model:	DX-SA200 [16 Inch]	DX-SA300 [18 Inch]
Power	- 80W	- 90W
Speed	- 0-35M/Min.	- 0-50M/Min.
Length of Product	- 65-500mm	- 65-500mm
Width of Product	- 50-200mm	- 50-350mm
Weight of Machine	- 20 KG	- 23 KG
Dimension	- 1520x385x215 mm	- 1550x455x220 mm



+91 9669072073



www.firsttechpackaging.com



Indore(MP)



First Tech Packaging Batch-Coding Stacker Conveyor



Model: FTP-Stacker Coding Conveyor-SD-4

TECHNICAL SPECIFICATIONS

Voltage	- 220V/50HZ
Power	- 120W
Product Size	- 80x280mm
Thickness	- 0.02-5mm
Machine Speed	- 40m/min.
Machine Size	- 1380x480x400mm
Machine Weight	- 32 KG



First Tech Packaging Carton Sealer Semi-Automatic

**Model: FTP-Semi-Auto Carton Sealer
FXJ6050**

TECHNICAL SPECIFICATIONS

Conveyor Speed	- 20 M/Min.
Max. Packing Size	- 500 x 600 MM
Min. Packing Size	- 150 x 120 MM
Width of Tape	- 36,48,50,60 MM
Voltage / Power	- 110V/220V/50-60H , 0.18KVA
Machine Size	- 1160 x 890 x 1330 MM
Machine Weight	- 165 KG





First Tech Packaging

Automatic Pouch Packaging Machines

Mechanical – FFS Machines



Model: FTP-Mechanical FFS-200/240/420mm

TECHNICAL SPECIFICATIONS

Voltage	- 220/110V50/60 HZ
Power	- 500W/1000W
Bagger Sizes	- 200mm/240mm/420mm
Packing Material	- Heat Sealable Lamination Roll
Pouch Types	- Centre Seal / Three Side Seal [Optional]
Machine Sizes	- 490 x 590 x 1020 MM / 860 x 770 x 1160 MM
Machine Weight	- 50 Kg / 65 Kg / 80 Kg



First Tech Packaging

Flow Wrap Machine

Model: FTP-Flow Wrap Machine 350/450 [Triple-Servo]

TECHNICAL SPECIFICATIONS

Model:	Flow Wrap Machine 350 [Triple-Servo]	Flow Wrap Machine 450 [Triple-Servo]
Voltage / Power	- 220V, 50/60HZ, 2.4 KW	- 220V, 50/60HZ, 2.8 KW
Film Width	- Max. 340mm	- Max. 440mm
Bag Length	- 120-280mm	- 120-450mm
Bag Width	- 50-160mm	- 80-200mm
Product Height	- Max. 45mm	- Max. 80mm
Film Roll Diameter	- Max. 320mm	- Max. 320mm
Packing Speed	- 20-200 Bags/Min.	- 40-100 Bags/Min.
Machine Size	- 3744x828x1658mm	- 4195x845x1405mm
Machine Weight	- 293 KG	- 357 KG





First Tech Packaging Pick Fill Seal Machine



Model: FTP-Pick Fill Seal Bagger-XD-50

TECHNICAL SPECIFICATIONS

Compatible Bags	- Stand-up Pouch, Zipper Bag, Side Seal Bag, or Customized Bags
Voltage	- 220/100V 50/60 HZ
Power	- 0.85 KW
Working Air Pressure	- 0.7 Mpa
Packing Speed	- 15-30 Bags/ Min.
Bag Size with Range	- 115-200mm
Max. Bag Length	- 300mm
Machine's Packing Size	- 680 X 950 X 1180 MM
Machine's Weight	- 120 KG





First Tech Packaging

Collar-Type Cup Filler Machine



Model: FTP-Collar Type Cup Filler Machine – CF01/CF02/CF03

TECHNICAL SPECIFICATIONS

Model:	FTP-CF01	FTP-CF02	FTP-CF03
Uses	- Granules Pouch Packaging	- Granules Pouch Packaging	- Granules Pouch Packaging
Filler System	- Volumetric Cup Filler	- Volumetric Cup Filler	- Volumetric Cup Filler
Filling Range	- 35gm - 500gm	- 100gm - 1 Kg	- 1 Kg - 5 Kg
Pouch Length	- 250mm	- 300mm	- 500mm
Max. Pouch Open Width	- 400mm	- 460mm	- 680mm
Pouch Type	- Pillow-Type	- Pillow-Type	- Pillow-Type
Hopper Capacity	- 25 LTR	- 40 LTR	- 50 LTR
Weighing Tolerance	- +/- [0.5 – 2%]	- +/- [0.5 – 2%]	- +/- [0.5 – 2%]
Power	- 2 KW	- 3 KW	- 5 KW
Air Compressor Required	- 3 HP	- 3 HP	- 5 HP
Structure of Machine	- M.S. Powder-Coated / S.S.	- M.S. Powder-Coated / S.S.	- M.S. Powder-Coated / S.S.
Machine's Weight Without Feeder System	- 600 KG	- 800 KG	- 1000 KG
Machine's Dimension without Feeder System [LxWxH]	- 5 X 4 X 7 FT Approx.	- 6 X 5 X 8 FT Approx.	- 7x6x10FT Approx.



First Tech Packaging

Collar-Type Linear Weigher Machine



Model: FTP-Collar Type Linear Weigher Machine-LW01/LW02

TECHNICAL SPECIFICATIONS

Model:	FTP-LW01	FTP-LW02
Uses	- Granules Pouch Packaging	- Granules Pouch Packaging
Filler System	- 4-Head Linear Weigher	- 4-Head Linear Weigher
Filling Range	- 100gm – 2 Kg	- 500gm – 5 Kg
Pouch Length	- 300mm	- 500mm
Max. Pouch Open Width	- 460mm	- 680mm
Pouch Type	- Pillow-Type	- Pillow-Type
Hopper Capacity	- 40 LTR	- 50 LTR
Weighing Tolerance	- +/- [0.5 – 1%]	- +/- [0.5 – 1%]
Power	- 3 KW	- 5 KW
Air Compressor Required	- 3 HP	- 5 HP
Structure of Machine	- M.S. Powder-Coated / S.S.	- M.S. Powder-Coated / S.S.
Machine's Weight Without Feeder System	- 800 KG	- 1000 KG
Machine's Dimension without Feeder System [LxWxH]	- 6 X 5 X 9 FT Approx.	- 7 X 6 X 11 FT Approx.



First Tech Packaging

Collar-Type Multi Head Weigher Machine **[10-Head / 14-Head]**



Model: FTP-Collar Type Multi Head Weigher Machine **MHW01/MHW02/MHW03/MHW04**

TECHNICAL SPECIFICATIONS

Model:	FTP-MHW01	FTP-MHW02	FTP-MHW03	FTP-MHW04
Uses	- Granules Pouch Packaging	- Granules Pouch Packaging	- Granules Pouch Packaging	- Granules Pouch Packaging
Filler System	- 10 / 14 – Head Weigher [Bucket Size: 0.5 LTR]	- 10 / 14 – Head Weigher [Bucket Size: 1.6 LTR]	- 10 / 14 – Head Weigher [Bucket Size: 2.5 LTR]	- 14 – Head Weigher [Bucket Size: 2.5 LTR]
Filling Range	- 2gm – 200gm	- 10gm – 2 Kg	- 500gm – 5 Kg	- 1 Kg – 10 Kg
Pouch Length	- 170mm	- 300mm	- 500mm	- 600mm
Max. Pouch Open Width	- 280mm	- 460mm	- 680mm	- 830mm
Pouch Type	- Pillow-Type	- Pillow-Type	- Pillow-Type	- Pillow-Type
Hopper Capacity	- 25 LTR	- 40 LTR	- 50 LTR	- 70 LTR
Weighing Tolerance	- +/- [0.3 – 0.5%]	- +/- [0.3 – 0.5%]	- +/- [0.3 – 0.5%]	- +/- [0.3 – 0.5%]
Power	- 5 KW	- 5 KW	- 6 KW	- 8 KW
Air Compressor Required	- 3 HP	- 3 HP	- 5 HP	- 5 HP
Structure of Machine	- M.S. Powder-Coated / S.S.	- M.S. Powder-Coated / S.S.	- M.S. Powder-Coated / S.S.	- M.S. Powder-Coated / S.S.
Machine's Weight Without Feeder System	- 800 KG	- 1000 KG	- 1200 KG	- 1500 KG
Machine's Dimension without Feeder System [LxWxH]	- 9 X 9 X 11 FT Approx.	- 10 X 10 X 12 FT Approx.	- 10 x 12 x 13 FT Approx.	- 10 x 13 x 14 FT Approx.



+91 9669072073



www.firsttechpackaging.com



Indore(MP)



First Tech Packaging

Collar-Type Servo-Auger Filler Machine



Model: FTP-Collar Type Servo Auger Filler Machine AF01/AF02/AF03/AF04

TECHNICAL SPECIFICATIONS

Model:	FTP-AF01	FTP-AF02	FTP-AF03	FTP-AF04
Uses	- Free-Flowing Powder Pouch Packaging	- Free-Flowing Powder Pouch Packaging	- Free-Flowing Powder Pouch Packaging	- Free-Flowing Powder Pouch Packaging
Filler System	- Servo-Auger Filler	- Servo-Auger Filler	- Servo-Auger Filler	- Servo-Auger Filler
Filling Range	- 10gm – 200gm	- 10gm – 1 Kg	- 500gm – 5 Kg	- 1 Kg – 10 Kg
Pouch Length	- 170mm	- 300mm	- 500mm	- 600mm
Max. Pouch Open Width	- 280mm	- 460mm	- 680mm	- 830mm
Pouch Type	- Pillow-Type	- Pillow-Type	- Pillow-Type	- Pillow-Type
Hopper Capacity	- 25 LTR	- 40 LTR	- 50 LTR	- 70 LTR
Weighing Tolerance	- +/- [0.3 – 0.5%]	- +/- [0.3 – 0.5%]	- +/- [0.3 – 0.5%]	- +/- [0.3 – 0.5%]
Power	- 3 KW	- 4 KW	- 6 KW	- 8 KW
Air Compressor Required	- 3 HP	- 3 HP	- 5 HP	- 5 HP
Structure of Machine	- M.S. Powder-Coated / S.S.	- M.S. Powder-Coated / S.S.	- M.S. Powder-Coated / S.S.	- M.S. Powder-Coated / S.S.
Machine's Weight Without Feeder System	- 600 KG	- 800 KG	- 1000 KG	- 1200 KG
Machine's Dimension without Feeder System [LxWxH]	- 5 X 4 X 7 FT Approx.	- 6 X 5 X 9 FT Approx.	- 7 X 6 X 11 FT Approx.	- 7 X 8 X 13 FT Approx.



+91 9669072073



www.firsttechpackaging.com



Indore(MP)



First Tech Packaging

Induction Sealing Machines

Manual & Continuous

Manual - Induction Sealing Machine

Model: FTP-Manual Induction Sealer

DGYF-600A/600C

TECHNICAL SPECIFICATIONS

Model:	DGYF-600A	DGYF-600C
Voltage	- 220V/50HZ	- 220V/50HZ
Power	- 500W	- 500W
Sealing Diameter	- 20mm x 100mm	- 20mm x 130mm
Cap Diameter	- 20mm x 80mm	- 20mm x 130mm
Switch Type	- Button Touch Switch	- Button Touch Switch
Machine Size	- 340 x 290 x 150 mm	- 340 x 290 x 150 mm
[LxWxH]		
Machine Weight	- 2.75 KG	- 3 KG



First Tech Packaging

Continuous - Induction Sealing Machine

Model: FTP-Continuous Induction Sealer

LGYF-2000AX-I

TECHNICAL SPECIFICATIONS

Voltage	- 220/100V50/60 Hz
Power	- 1500W
Capacity	- 0-12 M/Min.
Sealing Diameter	- 0-130 MM
Bottle Diameter	- 40-300 MM
Machine Size	- 470 x 660 x 950 MM
Machine Weight	- 54 KG



+91 9669072073



www.firsttechpackaging.com



Indore(MP)



First Tech Packaging

Capping Machines

Manual & Semi-Automatic

Manual Capping Machine



**Model: FTP-Manual Capping Machine
JGS-880**

TECHNICAL SPECIFICATIONS

Voltage	- 220V/50 HZ
Power	- 0.25 KW
Capacity	- 800 Bottles/Hour
Capper Size	- 20-35 MM
Bottle Height	- 70-330 MM
Machine Size	- 590 x 200 x 990mm
Machine Weight	- 57 KG



First Tech Packaging

Semi-Automatic Capping Machine

**Model: FTP-Semi Automatic Capping Machine
DX-450**

TECHNICAL SPECIFICATIONS

Voltage	- 220V/50 HZ
Power	- 25 KW
Capacity	- 20-40 Bottles/Min.
Capper Size	- 10-50 MM
Bottle Height	- 40-200 MM
Machine Size	- 530 x 460 x 800mm
Machine Weight	- 37 KG





First Tech Packaging

Labeling Machines

Semi-Automatic & Automatic



Semi-Automatic Round Bottle Labeling Machine

**Model: FTP-Semi-Automatic Round-Bottle
Labeling Machine - MT50**

TECHNICAL SPECIFICATIONS

Voltage/Power	- 220V/50HZ 120W
Label Accuracy	- +/- 0.5 mm
Labeling Speed	- 25-50 PCs/ Min.
Label Roll Inner Diameter	- 75mm
Max Label Roll Outer Diameter	- 250mm
Product-Size	- 10-150mm
Width of Label	- 8-100mm/15-315mm
Machine Size	- 650 x 430 x 450 mm
Machine Weight	- 25 KG



First Tech Packaging

Automatic Round-Bottle Labeling Machine

**Model: FTP-Automatic Round-Bottle Labeling
Machine-XD00**

TECHNICAL SPECIFICATIONS

Voltage / Power	- 220V/50HZ/ 1000W
Label Height	- 15-150mm
Label Length	- 25-300mm
Bottle Height	- 25-350mm
Machine Speed	- 50-200 PCs/Min.
Machine Size	- 1255 x 800 x 800mm
Machine Weight	- 92 KG



+91 9669072073



www.firsttechpackaging.com



Indore(MP)



First Tech Packaging

Automatic L-Sealer with Shrink Tunnel

Semi-Automatic & Automatic

Model: FTP-Automatic L Sealer with Shrink Tunnel

TECHNICAL SPECIFICATIONS

Automatic L-Sealer

Voltage:	220V 50/60HZ	Cutting Size:	550x450mm
Power:	1.35 KW	Application:	POF/PE Film
Air Pressure:	0.5~0.7MPA	Shrunked :	60%
Capacity:	15-20 Pack/Min.	Table Height:	780mm [Adjusted]
Max Height:	<150mm	External Size of Machine:	1650x800x1450mm
Max Width:	<400mm	Wooden Packed Size:	1850x1000x1650mm
Max Length:	<500mm	Gross Weight of Machine:	300 KG

Shrink Tunnel

Model:	BSD4520 Shrink Tunnel	Applicable Shrinkable Film:
Voltage:	380/50HZ	POF/PVC/PP
Power:	13 KW	
Delivery Speed:	0-10M/Min	
Flue Size:	1200x450x220mm	
Outline Size:	1600x660x1300mm	
Temperature Control:	0-300°C	



First Tech Packaging

Semi-Automatic Ultrasonic Plastic Tube Sealer with Batch Printing

Model: FTP-Semi-Auto Ultrasonic Tube Sealer QDFM125

TECHNICAL SPECIFICATIONS

Voltage/Power	- 220V/50HZ/ 1200W
Operating Frequency	- 20KHZ
Sealing Diameter	- 5-80mm
Sealing Speed	- 20-40 PCs/Min.
Cutter Working Stroke	- 70mm
Machine-Size	- 1100 x 650 x 550 mm
Machine Weigher	- 75 KG



+91 9669072073



www.firsttechpackaging.com



Indore(MP)



First Tech Packaging Box Strapping Machines



**Model: FTP-Box Strapping Machines –
HL-8020T/8021T**

TECHNICAL SPECIFICATIONS

Model:	HL-8020T	HL-8021T
Strapping Speed	- 1.6 SECOND/STRAP	- 1.6 SECOND/STRAP
Strapping Width	- 9-15 MM	- 9-15 MM
Power Supply	- 220V / 250V 50HZ	- 220V / 250V 50HZ
Power	- 320W	- 320W
Machine Size	- 930x590x770MM	- 930x590x560MM
Machine Weight	- 81 KG	- 76 KG



First Tech Packaging Box Stretch Wrapping Machine

**Model: FTP-Box Stretch Wrapping Machine
DBC800**

TECHNICAL SPECIFICATIONS

Voltage	- 220V / 50-60HZ
Power	- 0.12 KW
Max. Packaging Size	- 900x900x900 MM
Speed	- 30 R/Min.
Max. Loading	- < 80 KG
Machine Size	- 1150x600x1861 MM



+91 9669072073



www.firsttechpackaging.com



Indore(MP)



First Tech Packaging Product Feeder Systems



Model: FTP-Z-Type Bucket Elevator-XD9



Model: FTP-L-Type Bucket Elevator-XD5

TECHNICAL SPECIFICATIONS

Model:	FTP-Z-Type Bucket Elevator-XD9	FTP-L-Type Bucket Elevator-XD5
Voltage / Power	- 380V 750W	- 380V 750W
Bucket Volume	- 1.8 L	- 1.8 L
Production Capacity	- 4-6.5 m3/H	- 2-4.5m3/H
Outlet Height	- 3296mm	- 2800mm
Infeed Length	- 863mm	- 800mm
Machine-Size	- 2050 x 1350 x 980 MM	- 1850 x 750 x 850 MM
Machine Weight	- 350 KG	- 180 KG





**DISCOVER OUR FULL RANGE OF
MANUAL SEMI-AUTOMATIC
& FULLY AUTOMATIC
PACKAGING MACHINERY**



First Tech Packaging
Your First Need for Packaging

 Add. 89, Sunder Nagar Extension, Sukhliya, Indore (MP) 452010

 **+91-9669072073**

 **info@firsttechpackaging.com**  **www.firsttechpackaging.com**