

2576



Golden Bullet 

Silver Bullet 



Trusted by

Manu Bhaker

Professional Shooter,
Olympic Double Medalist

#ChampionsChooseTheBestTools

Introduction

It gives us great pleasure to present our 2025–2026 product catalogue, featuring our trusted brands **Golden Bullet** and **Silver Bullet**.

For many years, we have remained committed to providing artisans, professionals and enthusiasts with tools that deliver performance, reliability and value. Each of our ranges is designed with a distinct purpose:

Golden Bullet our premium line is renowned for its **superior quality, advanced performance and durability**.

Silver Bullet our eco range offers a **wide choice of dependable tools at accessible prices**, ensuring that quality is never out of reach.

As our portfolio has grown, we now have **dedicated categories in our catalogue for Hand Tools, Power Tool Accessories and Garden Tools**.

To safeguard the trust placed in us, **Bullet products carry a unique hologram code** that can be verified instantly through WhatsApp. This simple yet effective system protects our buyers from counterfeits and ensures every purchase is authentic.



We are also delighted to announce that **Ms. Manu Bhaker**, one of India's most accomplished sport shooters, has joined us as our **Brand Ambassador**. With **2 Olympic medals, 23 World Championship medals, and 10 Asian Games medals**, she personifies the very values our brands stand for - **precision, consistency and excellence**. Her association strengthens our commitment to delivering world-class products to all our customers.


We thank you for your continued trust and support, and we look forward to being a part of your journey with tools that inspire confidence, deliver results and uphold our promise of excellence.

Warm regards,

The Bullet Team

CONTENTS

Sr. No.	PRODUCTS	Page No.
1.	CORDLESS (BATTERY/DC) POWER TOOLS	02-07
2.	ELECTRIC (CORDED/AC) POWER TOOLS	08-22
3.	GASOLINE (PETROL) POWER TOOLS	23-25
4.	ABRASIVES	26-34
5.	DIAMOND BLADES	35-39
6.	TCT SAWS	40-42
7.	GARDEN TOOLS	43-44
8.	HAND TOOLS, MEASURING TOOLS, HARDWARE & SAFETY PRODUCTS	45-51
9.	POWER TOOL & MACHINE TOOL ACCESSORIES	52-63
10.	ROUTER AND TRIMMER BITS	64-70



**CORDLESS
(BATTERY/DC)
POWER TOOLS**

CHAINSAW (MINI) CMC-4A



Guide Bar : 130mm
 Cutting Depth : 100mm
 Motor : Brush Motor
 Chain Speed : 5.5mtrs/sec
 Battery : **20V, 1.5Ah**
 Charger : 0.5A
 RRB* : LBA 1520
 RRC* : TCH 500



Soft Grip handle



Dual Switch Safety Start



LED Light



6 Months Warranty

DRILL & SCREWDRIVER CSAD 1332



Capacity : 10mm
 Motor : Brush Motor
 Torque setting : 16+1
 2 speed setting : 0-350, 0-1500rpm
 Battery : 12V, 1.3Ah
 Charger : 1.0A
 RRB* : LBA 1512
 RRC* : TCH 500



Soft Grip handle



Reverse/Forward Setting



LED Light



6 Months Warranty

DRILL & SCREWDRIVER CSAD 1551



Capacity : 10mm
 Motor : Brush Motor
 Torque setting : 25+1
 2 speed setting : 0-350, 0-1500rpm
 Battery : 12V, 1.5Ah
 Charger : 0.5A
 RRB* : LBA 1512
 RRC* : TCH 1000



Soft Grip handle



Reverse/Forward Setting



6 Months Warranty



LED Indicator Light

DRILL & SCREWDRIVER CSD 1555



Capacity : 10mm
 Motor : Brush Motor
 Torque setting : 25+1
 2 speed setting : 0-250, 0-1500rpm
 Battery : 12V, 1.5Ah
 Charger : 1.0A
 RRB* : LBA 1512
 RRC* : TCH 1000



Soft Grip handle



Reverse/Forward Setting



6 Months Warranty



LED Indicator Light

Silver Bullet

DRILL & SCREWDRIVER CSD 1415



Capacity : 10mm
 Motor : Brush Motor
 Torque setting : 25+1
 Speed setting : 0-1350rpm
 (Single speed)
 Battery : **12V, 1.5Ah**
 (Single battery with the machine)
 Charger : 0.5A
 RRB* : LBA 1512
 RRC* : TCH 500



Reverse/Forward Setting

*(RRB) Recommended Replacement Battery | *(RRC) Recommended Replacement Charger

DRILL & SCREWDRIVER With Accessories

CID 1664



Capacity : 10mm
 Motor : Brush Motor
 Torque setting : 25+1
 2 speed setting : 0-400, 0-1400rpm
 Battery : 20V, 2.0Ah
 Charger : 1.0A
 RRB* : LBA 2020
 RRC* : TCH 1000

Includes 9 Sockets, 10 Screwbits,
 6 Drill Bits, Soft Connector, Extension Holder



Reverse/Forward Setting

6 Months Warranty

LED Indicator Light

DRILL, SCREWDRIVER & IMPACT

CID 1814



Capacity : 13mm
 Motor : **Brushless**
 Torque setting : 19+3
 Max Torque : 80 Nm
 2 speed setting : 0-450, 0-2000rpm
 Impact freq. : 0-30000ipm
 Battery : 20V, 2.0Ah
 Charger : 1.0A
 RRB* : MEX 2020/LBA 2020
 RRC* : TCH 1000



Combo Drill

Soft Grip handle

Reverse/Forward

Battery Strength Indicator

LED Light

6 Months Warranty

LEAF BLOWER

CLB 200



6 Months Warranty

Motor : Copper Brush Motor
 No Load Speed : 0-17000r/min
 with 6 speed control
 Air Volume : 450 CFM
 Capacity : 1.6-2.8 M2
 Accessories : 2 removal extension tubes
 Battery : 20V, 3Ah
 Charger : Fast desktop charger
 RRB* : MJX3020/LBA 3020
 RRC* : DCH 1500

IMPACT WRENCH

CIW 4291



Motor : **Brushless**
 Max Torque : 300nm
 No load Speed : 0-2800rpm
 Impact rate : 0-3200bpm
 External : 1/2"sq Drive
 Internal : 1/4"hex holder
 Battery : 21V, 3.0Ah
 Charger : 0.5A
 RRB* : MJX3020/LBA 3020
 RRC* : DCH 1500



Soft Grip handle

Battery Level Indicator

LED Indicator Light

6 Months Warranty

IMPACT WRENCH

CIW 6155



Motor : **Brushless**
 Max Torque : 580nm
 No load Speed : 0-2600rpm
 Impact rate : 0-3100bpm
 Socket Drive : 1/2"
 Battery : 20V, 5.0Ah
 Charger : 1.2A
 RRB* : MJx4020/LBA 4020
 RRC* : DCH 1500



Soft Grip handle

Battery Level Indicator

LED Indicator Light

6 Months Warranty

Includes One Socket, Socket Pin, Shoulder Strap

*(RRB) Recommended Replacement Battery | *(RRC) Recommended Replacement Charger

RIVETOR

CHR 2765



Soft Grip handle



6 Months Warranty

- Motor : **Brushless**
- Max Pulling Strength : 10,000N
- Nozzle sizes : 2.4, 3.2, 4.0 & 4.8mm
- Battery : **(No batteries with the machine)**
- Charger : 1.5A
- Recommended batteries : **20V*2 Ah**
- RRB* : MEX 2020/LBA 2020
- RRC* : DCH 1500

ROTARY HAMMER

CRH 2222



- Shank : SDS Plus
- Capacity : 22mm
- Motor : **Brushless**
- Speed : 0-1500rpm
- Impact rate : 0-4500bpm
- Impact Force : 1.7J
- Battery : **20V, 3.0Ah**
- Charger : 1.5A
- RRB* : MJX 3020/LBA 3020
- RRC* : DCH 1500



Soft Grip handle



Reverse/Forward Setting



6 Months Warranty

Compact Body, Light Weight, Low Vibration

ROTARY HAMMER

CRH 2626



- Shank : SDS Plus
- Capacity : 26mm
- Motor : **Brushless**
- Speed : 0-850rpm
- Impact rate : 0-5900bpm
- Impact Force : 2.3J
- Battery : **20V, 3.0Ah**
- Charger : 1.5A
- RRB* : MJX 3020/LBA 3020
- RRC* : DCH 1500

Overload Protector



Soft Grip handle



Reverse/Forward Setting



6 Months Warranty

TILE LAYING MACHINE

TLM 2450



- Motor : Brush Motor
- Suction Cup Dia : 135mm
- Vibration : 3000-8000/min
- Speed Levels : 12
- Load bearing : 110kgs.
- Battery : **20V, 1.5Ah**
- Charger : 2.0A
- RRB* : MEX 2020 (Vibration Insulated)

RRC* : DCH 2500
Aluminium Head / Motor Housing



Soft Grip handle



6 Months Warranty

TILE LAYING MACHINE

TLM 2425



- Motor : Brush Motor
- Suction Cup Dia : 135mm
- Vibration : 2800-5500/min
- Speed Levels : 6
- Load bearing : 60kgs.
- Battery : **12V, 1.5Ah**
- Charger : 0.8A
- RRB* : LBA 1512
- RRC* : TCH 1000



6 Months Warranty

BATTERIES FOR CORDLESS POWER TOOLS

PROFESSIONAL SERIES

MEX 2020



2.0Ah x 20V x 5 Cells

MJX 3020



3.0Ah x 20V x 10 Cells

MJX 4020



4.0Ah x 20V x 10 Cells

SEMI - PROFESSIONAL SERIES

LBA 1512



1.5Ah x 12V

LBA 1520



1.5Ah x 20V x 5 Cells

LBA 2020



2.0Ah x 20V x 5 Cells

LBA 3020



3.0Ah x 20V x 10 Cells

LBA 4020



4.0Ah x 20V x 10 Cells

CHARGERS FOR CORDLESS POWER TOOLS

TRAVEL CHARGER

TCH 500
TCH 1000



TC 500 : 0.5A for 12V Battery
TC 1000 : 1.0A for 20V Battery

DESKTOP CHARGER

DCH 1500
DCH 2500



DC 1500 : 1.5A for 20V Battery
DC 2500 : 2.5A for 20V Battery

Calculating Battery Charging Time:

To calculate how long it takes to charge a battery, use this formula:

1. Multiply the battery's Amp-hour (Ah) rating by 1.2.
2. Divide the result by the charger's Amp (A) rating.

Example:

If you have a 3.0 Ah battery and a charger that outputs 1.0A:

$$(3.0 \text{ Ah} \times 1.2) / 1.0 \text{ A} = 3.6 \text{ hours}$$

Choosing a Charger for Faster Charging:

If you want quicker charging with the same battery, use a charger with a higher Amp (A) rating.

Examples:

- With a 1.5A charger (e.g., DCH 1500 model):

$$(3.0 \text{ Ah} \times 1.2) / 1.5 \text{ A} = 2.4 \text{ hours}$$

- With a 2.5A charger (e.g., DCH 2500 model):

$$(3.0 \text{ Ah} \times 1.2) / 2.5 \text{ A} = 1.44 \text{ hours}$$


Understanding Ah Value in Batteries:

The Ah value (Amp-hour) of a battery shows how much energy it can store.

- For example, a 3.0 Ah battery can supply:
 - 3 amps for 1 hour
 - 1 amp for 3 hours

Battery Performance Considerations:

- Real-world charging times and performance may vary due to factors like battery condition, charger efficiency, and environmental conditions.
- Battery capacity can be affected by factors like current draw, internal resistance, and voltage drop under load.
- The energy storage capacity (in watt-hours, Wh) of a battery can be calculated using:
Energy (Wh) = Voltage (V) × Capacity (Ah).
- Consider practical usage and efficiency factors when evaluating the performance and runtime of power tool batteries. Understanding Ah, battery voltage, and energy storage can give you a better idea of a battery's capabilities.



**ELECTRIC
(CORDED/AC)
POWER TOOLS**

ANGLE GRINDERS

Silver Bullet 

BPT 6-1002



Capacity : 4"/100mm
Input Power : 670W
No load speed : 11,000 rpm

Silver Bullet 

BPT 801-3



Capacity : 4"/100mm
Input Power : 850W
No load speed : 11,000 rpm



AG 6-100

Capacity : 4"/100mm
Input Power : 670W
No load speed : 11,000 rpm



6 Months
Warranty



Professional
Quality



AG 801

Capacity : 4"/100mm
Input Power : 710W
No load speed : 11,000 rpm



6 Months
Warranty



Professional
Quality



AGR 1050

Capacity : 4"/110 mm
Input Power : 1050W
No load speed : 11000 rpm
Net wt : 2.20kg
Power cord : 2mtrs.

Dust and Water Resistant



6 Months
Warranty



Industrial
Quality



AG4-1100W

Capacity : 4"/110 mm
Input Power : 1.15 HP
No load speed : 11000 rpm
Net wt : 1.65kg
Power cord : 2mtrs.

Dust and Water Resistant



6 Months
Warranty



Industrial
Quality



AG5-1400W

Capacity : 5"/130mm
Input Power : 1.30 HP
No load speed : 11000 rpm
Net wt : 1.90kg
Power cord : 2mtrs.
Spindle dia : M14

Dust and Water Resistant



6 Months
Warranty



Industrial
Quality



AG5-G15-A

Capacity : 6"/150mm
Input Power : 1200W
No load speed : 9,000 rpm
Power cord : 2mtrs.



6 Months
Warranty



Professional
Quality

BLOWERS

VSB-75-A

Input Power : 750W
 No load speed : 0-14000r/min
 Air Volume : 3.2m³/min



6 Months
Warranty



Variable
Speed



Industrial
Quality



EB 40

Input Power : 550W
 No load speed : 13000r/min
 Air Volume : 2.8m³/min
 Air Pressure (Water Column) : 5.5Kpa



6 Months
Warranty



Professional
Quality



BPT 40

Input Power : 600W
 No load speed : 16000r/min
 Air Volume : 2.8m³/min
 Air Pressure (Water Column) : 5.5Kpa



6 Months
Warranty



Silver Bullet

BLW 4240

Input Power : 600W
 No load speed : 16000r/min
 Air Volume : 2.8m³/min
 Air Pressure (Water Column) : 5.5Kpa



CAR POLISHER

CP 4180

Max wheel dia : 180mm
 Input Power : 1600W
 No load speed : 800-3300rpm
 (with 6 speed control option)
 Net wt : 3kg
 Power cord : 3 mtr
 Spindle thread : M14

Constant Power



6 Months
Warranty



Variable
Speed



Industrial
Quality



CAR POLISHER

BPT 9227

Max wheel dia : 180mm
 Input Power : 1200W
 No load speed : 600-3000rpm

CHAINSAW - ELECTRIC

ECS 1948

Input Power : 1900W
 No load speed : 480m/min
 Net wt (without guide bar) : 4.40kg
 Power cord : 5mtr
 With 16" guide bar and chain

- Self-adaptive adjustment function
- Gear driven oil pump
- Magnetic circuit designed motor



6 Months
Warranty



Industrial
Quality



CHAINSAW - ELECTRIC

ECS 2280

Input Power : 2200W
 No load speed : 800m/min
 Net wt (without guide bar) : 5.00kg
 Power cord : 5mtr
 With 22" guide bar and chain

High chain speed

- Self-adaptive adjustment function
- Gear driven oil pump
- Magnetic circuit designed motor



Soft Grip
handle



6 Months
Warranty



Industrial
Quality



CONCRETE SLAB CUTTER

CSC 5000



Input Power : 4200W
 No load speed : 4700rpm
 Max wheel dia : 405mm
 Bore Size : 25.4mm
 Max cutting depth : 155mm
 Net wt : 14kg
 Power cord : 5 mtr

- PRC fitted switch
- Overload circuit light indicator
- D-Type soft grid handle
- Rotatable wheel guard
- Parallel wheel trolley guide
- Vacuum collector



Soft Grip handle



6 Months Warranty

The blade does NOT come with the machine.

CONCRETE VIBRATOR MACHINES

CVM 6635

Pistol Grip
 Input Power : 1650 W
 No load speed : 4000 rpm
 Net Wt. : 2.20 kgs.
 Power Cord : 2 mtrs.



Soft Grip handle



6 Months Warranty

CVM 6950

Pistol Grip
 Input Power : 2200 W
 No load speed : 4800 rpm
 Net Wt. : 2.60 kgs.
 Power Cord : 2 mtrs.



Soft Grip handle



6 Months Warranty

VD 5727

Pistol Grip
 Input Power : 725 W
 No load speed : 4000 rpm



VD 7590

Heavy Duty
 Input Power : 2,350 W
 No load speed : 4,000 rpm



CONCRETE VIBRATOR NEEDLE

For CVM 6635, CVM 6950 & VD 5727



CVN 3510 (VS 100): 35mm x 1.00 mtrs.
 CVN 3515 (VS 150): 35mm x 1.50 mtrs.
 CVN 3520 (VS 200): 35mm x 2.00 mtrs.
 CVN 3530 (VS 300): 35mm x 3.00 mtrs.

For VD 7590



CVN 7540 (VS 400): 50mm x 4.00 mtrs.
 CVN 7550: 50mm x 5.00 mtrs.

CHAINSAW GRINDERS

CSG 0333

Disc dia : 4"/100mm
 Input Power : 130W
 No load speed : 3200 rpm
 Suitable for : All types of Chainsaw blades



6 Months Warranty

CORE DRILL MACHINE

DCD 1001

Max drilling dia : 100mm
 Input Power : 1350W
 No load speed : 0-2000 rpm
 Net wt : 4.20kg
 Power cord : 3 mtr



6 Months Warranty



Industrial Quality

CORE DRILL MACHINE

DCD 2002

Max drilling dia : 200mm
 Input Power : 3300W
 No load speed : 500 rpm



6 Months Warranty



Professional Quality

CUT OFF MACHINE 14"

COM 3553

Max disc dia : 355mm
 Input Power : 2200W
 No load speed : 3,800 rpm



6 Months Warranty



Professional Quality

CUT OFF MACHINE 14"

COM 3554

Max disc dia : 355mm
 Input Power : 2300W
 No load speed : 3,800 rpm
 Net wt : 15.10kg
 Power cord : 2mtr
 Guard for full wheel



6 Months Warranty



Professional Quality

DEMOLITION HAMMERS

Silver Bullet

DHX 0812

5 kg Hammer

Shank : 17mm Hex
 Cylinder dia : 30mm
 Input Power : 1400W
 Impact : 3600/min
 Impact Joules : 15J
 Net Weight : 5.75 kgs.
 Power cord : 1.8 mtrs.



DHX 0815

5 kg Hammer

Shank : 17mm Hex
 Cylinder dia : 30mm
 Input Power : 1400W
 Impact : 3600/min
 Impact Joules : 15J
 Net Weight : 6.00 kgs.
 Power cord : 2.50 mtrs.



6 Months Warranty



Professional Quality

DEMOLITION HAMMERS

DH-0835A

7 kg Hammer

Shank : 17mm Hex
 Cylinder dia : 35mm
 Input Power : 1200W
 Impact : 3800/min
 Impact Joules : 15J
 Power cord : 2.00 mtrs.



6 Months Warranty



Industrial Quality

DHX 0836

7 kg Hammer

Shank : 17mm Hex
 Cylinder dia : 35mm
 Input Power : 1450W
 Impact : 3900/min
 Impact Joules : 21J
 Net Weight : 5.90 kgs.
 Power cord : 2.00 mtrs.



6 Months Warranty



Professional Quality

DHM 4580

7 kg Hammer

Shank : 18mm Max
 Cylinder dia : 35mm
 Input Power : 1700W
 Impact : 3900/min
 Impact Joules : 15J
 Net Weight : 6.50 kgs.
 Power cord : 2.00 mtrs.
 rubber cable



Soft Grip handle



6 Months Warranty



Industrial Quality

DHM 5411

11 kg Hammer

Shank : 18mm Max
 Input Power : 2200W
 Impact : 200-2100/min
 Impact Joules : 45J
 Net Weight : 11 kgs.
 Power cord : 3.00 mtrs.
 rubber cable
 Speed Options : 6



Soft Grip handle



6 Months Warranty



Industrial Quality

DH 11E

11 kg Hammer

Shank : 18mm Max
 Input Power : 1500W
 Impact : 900-1890/min
 Net Weight : 10.60 kgs.
 Power cord : 3.00 mtrs.



6 Months Warranty



Professional Quality

Silver Bullet

DH 6515

15 kg Hammer

Shank : 30mm Hex
 Input Power : 1800W
 Impact : 1400/min
 Net Weight : 12.50 kgs.
 Power cord : 3.00 mtrs.



DHH 7616

16 kg Hammer

Shank : 30mm Hex
 Cylinder dia : 56mm
 Input Power : 2300W
 Impact : 2000/min
 Impact Joules : 65J
 Net Weight : 14.70 kgs.
 Power cord : 3.00 mtrs.
 rubber cable



6 Months Warranty




Industrial Quality

Two chisels in accessories

DRILL & SCREWDRIVER MACHINE

ESAD 4323

Drilling dia : 10mm
 Input Power : 300W
 No load speed : 0-800rpm
 Impact Frequency : 0-4000ipm



6 Months Warranty



Industrial Quality

Silver Bullet

BPT 1123

Drilling Dia. : 10mm
 Input Power : 300W
 No Load Speed : 0-750rpm



DRILL MACHINES-ROTARY

DM 0623

Capacity : 6mm
 Input Power : 230W
 No load speed : 0-3500rpm
 Power cord length : 2 mtrs



Soft Grip handle



Reverse/Forward Setting



Variable Speed



6 Months Warranty



Industrial Quality

ID 0043

Capacity : 13mm
 Input Power : 760W
 No load speed : 0-2600rpm

Heavy Duty



Reverse/Forward Setting



Variable Speed



6 Months Warranty



Industrial Quality

DM 1030

Capacity : 10mm
 Input Power : 450W
 No load speed : 0-3000rpm
 Power cord : 2 mtrs
 Spirit level fitted in the machine



Soft Grip handle



Reverse/Forward Setting



Variable Speed



6 Months Warranty



Industrial Quality

ID 1350

Capacity : 13mm
 Input Power : 500W
 No load speed : 0-3000rpm
 Impact Freq. : 0-4100/min
 Power cord : 2 mtrs



Soft Grip handle



Reverse/Forward Setting



Variable Speed



6 Months Warranty



Industrial Quality

HSP 10-A

Capacity : 10mm
 Input Power : 550W
 Power : 2.4Amps
 No load speed : 2700rpm
 Power cord : 2 mtrs



High speed stone polishing drill machine used extensively in skirting stone polishing



6 Months Warranty



No Reverse/Forward Setting

Silver Bullet

ID 5013

Capacity : 13mm
 Input Power : 500W
 No load speed : 0-2800rpm



Soft Grip handle



Reverse/Forward Setting



Variable Speed

DIE GRINDER

DG-6350

Max. wheel dia. : 25mm
 Collet : 6mm
 Input power : 350W
 No load speed : 25,000rpm



6 Months
Warranty



Professional
Quality

DGR 6375

Max. wheel dia. : 25mm
 Collet : 6mm
 Input power : 550W
 No load speed : 27,000rpm
 Net Wt. : 1.70 kgs.
 Power Cord : 2 mtrs.



6 Months
Warranty



Professional
Quality

HEAT GUNS

HGV 2400

variable temperature

Input power : 2000W
 Speed setting 1 : 300 l/min
 Speed setting 2 : 500 l/min
 Temp. setting 1 : 50-400°
 Temp. setting 2 : 50-600°



6 Months
Warranty



Industrial
Quality

HG 2000

Input power : 2000W
Dual Setting
 Temperature : 190/700c
 Air mass flow : 250/550L/min
 Power Cord : 2 mtrs.



6 Months
Warranty



Industrial
Quality

HG 1800

Input power : 1800W
Dual Setting
 Temperature : 400/550c
 Air mass flow : 230/350L/min
 Power Cord : 2 mtrs.



6 Months
Warranty



Professional
Quality

IMPACT WRENCH

IW 3045

Tool-holder : 1/2" sq drive
 Input power : 450W
 No load speed : 2600rpm
 Impact Freq. : 0-4800/min
 Max torque : 300nm
 Bolt size capacity : M12 to M20
 Net wt : 2.35kg
 Power cord : 3mtr Rubber cable



Soft Grip
handle



6 Months
Warranty



Industrial
Quality

- Metal gear box
- Rocker type switch
- 4 impact sockets in accessories

JIGSAW MACHINES

JS 43042

Max. cutting depth : 65mm
 Input power : 710W
 No load speed : 0-3000rpm
 Speed Control : 6
 Net wt : 2.50kg
 Power Cord : 1.8mtr
 Bevel Cutting Angle : 0-45° L & R



Soft Grip
handle



6 Months
Warranty



Industrial
Quality

- Laser guide
- Quick chuck change

JS 2740

Max. cutting depth : 65mm
 Input power : 710W
 No load speed : 0-3000rpm
 Speed Control : 5
 Power Cord : 2mtr
 Bevel Cutting Angle : 0-45°



Soft Grip
handle



6 Months
Warranty



Industrial
Quality

Quick chuck change

- Steel base plate
- Exhaust outlet provided

MARBLE CUTTERS

Silver Bullet

BPT 42SA



Max wheel dia. : 125 mm
 Max cutting depth : 34mm
 Input power : 1050W
 No load speed : 11,000rpm

Silver Bullet

BPT 42SB



Max wheel dia. : 110 mm
 Max cutting depth : 30mm
 Input power : 1050W
 No load speed : 11,000rpm

MCBM 4SA



Max wheel dia. : 125 mm
 Max cutting depth : 34mm
 Input power : 1050W
 No load speed : 11,000rpm



6 Months
Warranty



Professional
Quality

MCF 4840



Max wheel dia. : 110 mm
 Max cutting depth : 34mm
 Input power : **1750W**
 No load speed : 13,000rpm

Dust and Water Resistant



6 Months
Warranty



Industrial
Quality

MC5-5440



Max wheel dia. : 125 mm
 Max cutting depth : 34mm
 Input power : 1450W
 No load speed : 13,000rpm
 Power cord : 2 mtrs
Bevel cutting angle : 0-45°



6 Months
Warranty



Industrial
Quality

MCB 5750



Max wheel dia. : 125 mm
 Max cutting depth : 34mm
 Input power : **2000W**
 No load speed : 14,000rpm
 Power cord : 2 mtrs
Bevel cutting angle : 0-45°

Dust and Water Resistant



6 Months
Warranty



Industrial
Quality

MITER SAW

MS 1041



Single bevel,
Compound Miter Saw
 Max Blade dia : 255mm
 Input power : 2000W
 No load speed : 4600 rpm
 Net weight : 10.9 kgs
 Power Cord : 2 mtr
 Vertical D-handle



6 Months
Warranty



Industrial
Quality

MS 1066



Single bevel, **SLIDING**
Compound Miter Saw
 Max blade dia : 255mm
 Input power : 2200W
 No load speed : 6000 rpm
 Net weight : 16.8 kgs
 Power Cord : 2 mtr
 Horizontal D-handle



6 Months
Warranty



Industrial
Quality

MITER SAW

MS 1042



**Single bevel,
Compound Miter Saw**
Max Blade dia : 255mm
Input power : 2200W
No load speed : 4600 rpm
Net weight : 11 kgs
Power Cord : 2 mtr
Vertical D-handle

Accessories includes a pair of extension support bar



6 Months
Warranty



Industrial
Quality

MS 1067



**Single bevel, *SLIDING*
Compound Miter Saw**
Max blade dia : 255mm
Input power : 2600W
No load speed : 5000 rpm
Net weight : 16.5 kgs
Power Cord : 2 mtr
Horizontal D-handle

- Aluminium + Plastic blade housing
- Aluminium cutting board
- Scaling of degrees cast on the base
- Dust protected Bevel rotating block
- Solid adjustable shaft pivot
- Sliding fence



6 Months
Warranty



Industrial
Quality

PLANER MACHINES

PLH 3366



Input Power : 650W
No load speed : 16,000rpm
Net wt. : 3.75kg
Power cord : 2.40mtrs
Planing depth : 0-2mm
Planing width : 82mm



6 Months
Warranty



Industrial
Quality



Soft Grip
handle

HP 2797



Input Power : 600W
No load speed : 16,000rpm
Planing depth : 0-2mm
Planing width : 82mm

PLM 2050



Input Power : 500W
No load speed : 16,000rpm
Net wt. : 2.60kg
Power cord : 1.80mtr
Planing depth : 0-2mm
Planing width : 82mm



6 Months
Warranty



Professional
Quality



Soft Grip
handle

PLM 1972



Input Power : 500W
No load speed : 15,000rpm
Net wt. : 2.40kg
Power cord : 1.80mtr
Planing depth : 0-2mm
Planing width : 82mm



6 Months
Warranty



Professional
Quality

PAINT SPRAY GUN (AIRLESS)



PSM 1000

Input power : 1000W
 Max pressure : 3000 PSI
 Max flow : 2.5L/min
 Nozzle : 517



6 Months
 Warranty



Professional
 Quality

- Flexible flow
- Ergonomic Handle
- Adjustable Pressure
- Easy to use and clean



PSM 4500

Input power : 1800W
 Max pressure : 3000 PSI
 Max flow : 2.5L/min
 Nozzle : 517



6 Months
 Warranty



Professional
 Quality

- Flexible flow
- Ergonomic Handle
- Adjustable Pressure
- Easy to use and clean

PAINT MIXERS

PM 160

Max mixer rod dia. : 160mm
 Input Power : 1020W
 No load speed : 800 rpm
 Power cord : 2 mtrs



6 Months
 Warranty



Professional
 Quality

Silver Bullet

PM 1602

Max mixer rod dia. : 160mm
 Input Power : 1020W
 No load speed : 780 rpm
 Power cord : 2 mtrs



PAINT MIXER RODS

SPIRAL TYPE

PM 162



FAN TYPE

PM 163



PRESSURE WASHER ACCESSORIES

Pressure Washer Hose



8m, 12m & 15m
 Eco 8m (CW9821)

Pressure Washer Gun (PWG)



PWG Extension Rod

Length: 250mm



Compatible with : PW 4172, PW 5283, PW 6394, PW 7405, CW 6393 & CW 9821

PRESSURE WASHERS



CW 6393

Input power : 1500W
 Max. pressure : 110bar
 Max. flow : 390L/H



6 Months
 Warranty

PW 6394



Input power : 1800W
 No load speed : 2,800rpm
 Net wt. : 9.60kg
 Max. pressure : 150bar
 Max. flow : 10.5 L/min
 Power cord : 5 mtrs.
 Top quality 8m hose
 & pressure gun
Full-sized Motor
100% Copper Motor



6 Months
 Warranty



Industrial
 Quality

Silver Bullet

PW 4172



Input power : 1700W
 No load speed : 2,800rpm
 Net wt. : 8.40kg
 Max. pressure : 140bar
 Max. flow : 10 L/min
 Power cord : 5 mtrs.
 Top quality 8m hose
 & pressure gun

Silver Bullet

PW 5283



Input power : 2000W
 No load speed : 2,800rpm
 Net wt. : 9.60kg
 Max. pressure : 150bar
 Max. flow : 11 L/min
 Power cord : 5 mtrs.
 Top quality 8m hose
 & pressure gun

PW 7405



Input power : 2,100W
 No load speed : 2,800rpm
 Net wt. : 11.20kg
 Max. pressure : 160bar
 Max. flow : 11.5 L/min
 Power cord : 5 mtrs.
 Top quality 8m hose
 & pressure gun
Full-sized Motor
100% Copper Motor



6 Months
 Warranty



Industrial
 Quality

RINGSAW MACHINE

RSB 6900

Blade dia : 405 mm
 Max cutting depth : 300 mm
 Motor : **Brushless**
 Input Power : 5HP
 Max load power : 5500W
 No load Speed : 3000rpm
 Net wt : 12 kgs.
 Power cord : 4.50 mtr



6 Months
 Warranty



Industrial
 Quality



**1 Blade free with
 every machine**

ROTARY HAMMERS

RH 3260

Shank : SDS plus
 Max drilling dia. : 26mm
 Input power : 1450W
 No load speed : 1150rpm
 Impact Freq. : 4200/min
 Impact Joules : 4.5J
 Net wt : 4.3kg
 Power cord : 2.20mtr



6 Months
Warranty



Industrial
Quality



Soft Grip
handle

RHY 2203

Shank : SDS PLUS
 Capacity : 20mm
 Input power : 500W
 No load Rpm : 0-1200
 Impact Freq. : 0-5000/min
 Power cord : 2 mtr.



6 Months
Warranty



Professional
Quality

RHY 2263

Shank : SDS PLUS
 Capacity : 26mm
 Input power : 800W
 No load Rpm : 0-1350
 Impact Freq. : 0-5500/min
 Power cord : 2 mtr.



6 Months
Warranty



Professional
Quality



Reverse/Forward
Setting

RHB 2202

Shank : SDS PLUS
 Capacity : 20mm
 Input power : 500W
 No load Rpm : 0-850
 Impact Freq. : 0-3900/min
 Power cord : 2 mtr.



6 Months
Warranty



Professional
Quality

RHB 2262

Shank : SDS PLUS
 Capacity : 26mm
 Input power : 800W
 No load Rpm : 0-1100
 Impact Freq. : 0-4900/min
 Power cord : 2 mtr.



6 Months
Warranty



Professional
Quality



Reverse/Forward
Setting

Silver Bullet

RHG 2201

Shank : SDS PLUS
 Capacity : 20mm
 Input power : 600W
 No load Rpm : 0-1000
 Impact Freq. : 0-4700/min
 Impact Joules : 1.5J
 Net weight : 2.50 kgs
 Power cord : 2 mtr.
 with Rev/Forward



Silver Bullet

RHG 2261

Shank : SDS PLUS
 Capacity : 26mm
 Input power : 950W
 No load Rpm : 0-1200
 Impact Freq. : 0-5100/min
 Impact Joules : 3.0J
 Net weight : 3.00 kgs
 Power cord : 2 mtr.



Reverse/Forward
Setting

ROUTER MACHINE

RVS 36124 Variable speed machine



6 Months Warranty



Industrial Quality



Cutting depth : 0-55mm
 Collet capacity : 8 & 12mm
 Input power : 2000W
 No load speed : 9000-26,000rpm
Speed options : 6
 Net wt : 5kgs
 Power cord : 2.5mtr

SANDER MACHINES

DRYWALL SANDER

DWS 7346



Grinding disc dia : 180mm
 Input power : 1000W
 No load speed : 1400-2700rpm
 Net wt. : 3.2kg
 Power cord : 4 mtrs

- LED light
- Air volume regulating knob



Soft Grip handle



6 Months Warranty



Industrial Quality

RANDOM ORBIT SANDER (ROS)

ROS 3690



Sanding pad dia : 125mm
 Input power : 350W
 Orbits per min. : 8000-12,000
 Speed options : 6
 Net wt : 1.50kg
 Power cord : 2mtr



6 Months Warranty



Professional Quality

ORBITAL FINISHING SANDER (OFS)

OFS 2100



Pad size : 106x210mm
 Motor : **Brushless**
 Input power : 350W
 Orbits : 7200/min
 Net wt : 4.25kg
 Power cord : 3mtr



Heavy Duty



6 Months Warranty



Industrial Quality

OFS 1850



Pad size : 93x185mm
 Input power : 280W
 Orbits : 10,000/min
 Net wt : 1.50kg
 Power cord : 2mtr



6 Months Warranty



Professional Quality

TRIMMER MACHINE

TM 37015



Collet dia : 1/4" (6.35mm)
 Input power : 650W
 No load speed : 30,000rpm
 Net wt : 1.60kg
 Power cord : 1.80mtr



6 Months Warranty



Industrial Quality

WALL GROOVE CUTTING MACHINE

WGM 9567



Grooving range : 4-45mm
 Input power : 2500 W
 No load speed : 7500rpm
 Net wt : 6.0kg

ARMATURES (ROTORS)

- AG6-100
- AG 801
- CM 4SA
- CM 4SB
- DH 0810
- DH 11E
- DH 65
- EC 5016
- LG 355
- LS 1040
- RH 2-20
- RH 2-26



FIELD COILS (STATORS)


- AG6-100
- AG 801
- CM 4SA
- CM 4SB
- DH 0810
- DH 11E
- EC 5016
- LG 355
- LS 1040
- RH 2-20
- RH 2-26



CARBON BRUSHES

- AG6-100
- AG 801
- COM 355
- CM 4SA (#43)
- DH 0810
- DH 11E
- DH 65
- DU 10 (#41)
- EB 40 (#21)
- ID 13 (#41)
- MT 410
- PD 100 (#21)
- PM 160
- RH 2-20
- RH 2-26





**GASOLINE
(PETROL)
POWER TOOLS**

BRUSH CUTTERS

BC-3510B

**Side Pack, Single Cylinder,
4 Stroke, Air cooled engine**

Cylinder Dia	: 39mm
Displacement Volume	: 35.8cc
Rated Output Power	: 1.2 Kw
Max Power	: 6,500 rpm
Idling Speed	: 3,000 rpm (+/-200)
Nt. Wt.	: 7.5 kgs.
Fuel Tank Capacity	: 850ml
Propeller Shaft	: 1500mm(L) x 28mm(Dia)



6 Months
Warranty



Professional
Quality

- Very High Fuel Economy
- Primer Pump Single starter
- Top quality machine parts



BC-4312H

**Side Pack, Single Cylinder,
2 Stroke, Air cooled engine**

Cylinder Dia	: 40mm
Displacement Volume	: 42.7cc
Rated Output Power	: 1.2 Kw
Max Power	: 8,000 rpm
Idling Speed	: 3,000 rpm (+/-200)
Nt. Wt.	: 7.5 kgs.
Fuel Tank Capacity	: 900ml
Propeller Shaft	: 1500mm(L) x 28mm(Dia)



6 Months
Warranty



Professional
Quality

- High Fuel Economy
- Primer Pump easy starter
- Top quality machine parts



BC-5215P

**Side Pack, Single Cylinder,
2 Stroke, Air cooled engine**

Cylinder Dia	: 44mm
Displacement Volume	: 51.7cc
Rated Output Power	: 1.5 Kw
Max Power	: 6,500 rpm
Idling Speed	: 3,000 rpm (+/-200)
Nt. Wt.	: 8.0 kgs.
Fuel Tank Capacity	: 900ml
Petrol to Oil Ratio	: 25:1
Propeller Shaft	: 1500mm(L) x 28mm(Dia)



6 Months
Warranty



Professional
Quality

- Powerful Engine
- Primer Pump Single starter
- Top quality machine parts



CHAINSAWS



- Available with 18"/22" Guide Bar
- Metal starter kit & primer pump for super easy start
- Comfortable rubber starter handle
- Top quality machine parts



6 Months Warranty

AXER MODEL CS-5845A

AXR 7418 / AXR 7422

Single Cylinder, 2 Stroke, Air cooled engine	
Cylinder Dia	: 45.2mm
Displacement Volume	: 58cc
Rated Output Power	: 2.5 Kw (3.35HP)
Max Power	: 11,000 rpm
Idling Speed	: 2800-3300 rpm
Nt. Wt.	: 5.50 kgs.
Fuel Tank Capacity	: 650ml
Oil Tank Capacity	: 260ml



- Available with 18"/22" Guide Bar
- Primer pump for easy start



6 Months Warranty

CHOPPER MODEL CS-5845C

CHP 7218 / CHP 7222

Single Cylinder, 2 Stroke, Air cooled engine	
Cylinder Dia	: 45.2mm
Displacement Volume	: 58cc
Rated Output Power	: 2.3 Kw (3.10HP)
Max Power	: 10,500 rpm
Idling Speed	: 2800-3200 rpm
Nt. Wt.	: 5 kgs.
Fuel Tank Capacity	: 550ml
Oil Tank Capacity	: 260ml

Silver Bullet

SLICER MODEL GCS-5840

SLC 6818 / SLC 6822

Single Cylinder, 2 Stroke, Air cooled engine	
Cylinder Dia	: 45.2mm
Displacement Volume	: 58cc
Rated Output Power	: 2.3 Kw (3.10HP)
Max Power	: 10,500 rpm
Idling Speed	: 2800-3200 rpm
Nt. Wt.	: 4.75 kgs.
Fuel Tank Capacity	: 550ml
Oil Tank Capacity	: 260ml



- Available with 18"/22" Guide Bar
- Primer pump for easy start



ABRASIVES

MPA-Hannover (Germany) certified

MPA-CERTIFICATE

Z-15210A/25

MPA-Hannover, accredited laboratory for the testing of grinding tools,
has tested the following abrasive tools:

flat cutting-off wheels type 41 for stainless steel
max. operating speed: 80 m/s, cut width: 1.0 mm
bore diameter: 16 mm, outside diameters: 107 mm
Test Reports: 20245378



Industrial Tools Corporation
Block E3, Unit No 3, 4&5, Parasnath Complex, Near Pipeline,
Valpada, Bhiwandi. 421302, India

All tested tools have fulfilled the tested safety requirements of
EN 12413:2019 "Safety requirements for bonded abrasive products"

Only cutting-off wheels of the tested type, produced by the mentioned manufacturer, which
satisfy the other requirements of EN 12413 are allowed to be marked with the sign:

MPA Z-15210

The implementation of a Quality-Management-System of the manufacturer is mandatory.
This certificate is only valid in connection with the above mentioned Test Report and will expire on 2027.01.27.

Regular, timely re-testing of the named tools can extend it.

The manufacturer has agreed to unannounced controls of the products during this period.



CLOTH ROLL 10 MTRS.

ALUMINIUM OXIDE (ALOX)



4" with grits
36, 50, 60, 80
100 & 120

CLOTH ROLL 50 MTRS.

ALUMINIUM OXIDE (ALOX)



4" with grits
36, 50, 60, 80
100 & 120

CLOTH HANDY SHEET

ALUMINIUM OXIDE (ALOX)



225 x 100mm
(9" x 4")
with grits
60, 80 & 120
25pcs per packet

COMBINATION STONE

SILICON CARBIDE



6 x 2 x 1
8 x 2 x 1

CUT OFF WHEELS

SUPERB (SINGLE NET)



GREEN

4" x 1 mm



BLACK

4" x 1 mm




GREEN

14" x 2.8 mm



BLACK

14" x 2.8 mm



BROWN

14" x 2.8 mm

CUT OFF WHEELS

TWIN TUFF (SINGLE NET)



DOUBLE COLOUR
GREEN & BROWN
4" x 1 mm

CLASSIC (SINGLE NET)

GREEN



4" x 1 mm



5" x 1 mm



7" x 1 mm



14" x 2.5 mm

BLACK



4" x 1 mm
4" x 1 x 20 Marbo
4" x 2 mm
4" x 3 mm



5" x 1 mm
5" x 3 mm



7" x 1 mm
7" x 3 mm



12" x 2.4 mm



14" x 2.8 mm

CUT OFF WHEELS

Silver Bullet



4" x 1 mm
Double Net

SUPER THIN RAZOR-CUT (DOUBLE NET)



GREEN
4" x 0.8 mm



BLACK
4" x 0.8 mm

EASY-CUT (DOUBLE NET)



GREEN
4" x 1 mm



BLACK
4" x 1 mm



BROWN
4" x 1 mm



GREEN
14" x 2.8 mm



BROWN
14" x 2.8 mm



BLACK
14" x 2.8 mm



BLACK
16" x 3.0 mm

DIAMOND POLISHING DC PADS



premium
4" In seven grits
numbered
from 0 to 6

DIAMOND SHARPENING STONE

DIAMOND COATED



150mm x 50 x 8



Lite
4" In seven grits
numbered
from 0 to 6

FELT - DC WHEEL

WHITE



4" x 8mm
4" x 13mm

FIBER DISC



125mm
In grits of
24, 36, 50, 60,
80, 100 & 120



PREMIUM
Individual coated
Fiber Disc



125mm
In grits of
24, 36, 50, 60,
80, 100 & 120

FLAP WHEELS



PREMIUM BROWN

4" : 36, 60, 80, 100, 120, 220 & 320
 5" : 36, 60, 80 & 120
 7" : 60, 80 & 120



METAL CAP BROWN

4" in grits of 60, 80 & 120



PROFESSIONAL BROWN

PVC Backing
 4" in grits of 60, 80 & 120

FLAP WHEELS-FLEXIBLE



FLEXIBLE - BLACK

4" in grits of 60, 80 & 120



4" in grit of 120

GC WHEEL BLACK



For Stone & Glass

4" in grits of 46, 60, 80, 120, 180 & 220

GC WHEEL SS GREEN



For Stainless Steel

4" in grits of 36, 60, 80 & 120

GRINDING DC WHEEL

Silver Bullet



BLACK

4" x 6mm



GREEN

4" x 6mm




BLACK

4" x 4mm
4" x 6mm
5" x 6mm
7" x 6mm
9" x 6.5mm



GREEN

4" x 4mm
4" x 6mm
5" x 6mm
7" x 6mm



BROWN


4" x 6mm

NON WOVEN DC WHEEL



PINK

U3/7P
4" x 13mm
4" x 15mm



BROWN

U1/5P
4" x 12mm



GREEN

U5
4" x 13mm
in Grit of 320

For Stone


NON WOVEN POLISH WHEEL

BROWN

8"X1", U1/5P



SPINDLE MOP WHEEL



25mm x 25mm : 60, 80, 120, 220, 320
40mm x 25mm : 60, 80, 120, 220, 320, 400, 600
50mm x 25mm : 60, 80, 120, 220, 320, 400, 600
60mm x 25mm : 60, 80, 120
75mm x 25mm : 60, 80, 120

VELCRO DISC



125mm (5") x 8 Holes

In grits of
36, 60, 80, 100
120, 150, 180, 220,
320, 400, 600 & 800



150mm (6") x 6 Holes

in grits of
36, 60, 80, 120,
180, 220 & 320



180mm (7") x 8 Holes

in grits of
60, 80, 120,
150, 180, 220
& 320



225mm (9") x 10 Holes

in grits of
60, 80, 120,
150, 180, 220
& 320

VELCRO DISC GOLD



125mm (5") x 8 Holes

In grits of
60, 80, 120,
220 & 320

150mm (6") x 6 Holes

in grits of
60, 80, 120,
220, 320 & 400

NON LOADING LATEX PAPER

WHITE



in grits
220 & 320

Anti-clogging

SANDER PAPER (DRY/SOOKHA PAPER)

RED




Aloxide
in grits
80, 100, 120,
150, 180 & 220

WATER PROOF PAPER



Silicon Carbide

In grits of :
60, 80, 100, 120,
150, 180, 220, 320,
400, 600, 800, 1000,
1200, 1500, 2000,
2500 & 3000



**DIAMOND
BLADES**



CERAMIC TILE BLADES ZERO CHIPPING



NICE-CUT THIN SEGMENTED

YELLOW

110mm
114mm
125mm



THIN RIM

YELLOW

110mm




THIN TURBO

YELLOW

110mm


Silver Bullet



NICE-CUT THIN SEGMENTED

BLUE


110mm



NICE-CUT THIN SEGMENTED

BLUE

105mm



THIN TURBO

BLUE

105mm

CONCRETE/WALL CUTTING BLADES

RHINO

CONCRETE YELLOW



110mm x
12mm Segment Height



125mm x
12mm Segment Height



CONCRETE BLACK

108mm &
125mm



CONCRETE RED

108mm &
125mm



CONCRETE GREEN

108mm



WALL CUTTER

110mm &
125mm

- Hot pressed
- Wet cutting
- Large segment height



WALL CHASER

114mm



WALL GROOVING

129mm



CONCRETE SLAB CUTTER BLADE

(BLACK & POLISHED)
400mm

Used in our
CSC 5000 machine



RINGSAW BLADE

405mm

Used extensively to
cut concrete slabs

GRANITE BLADES



Laserkut Yellow

110mm



SILVER

110mm



ORANGE

110mm



SUPER DRY

112mm

NANO CUTTING BLADE



GOLDEN

Segmented
110mm

MULTI FUNCTION DISC



PURPLE

110mm
Used in casting, pipe, plate,
reinforced concrete,
marble, ceramic materials,
plexiglass, refractories,
cutting processing.

GLASS & TILE CUTTING BLADE



CHROME

100mm


GENERAL PURPOSE BLADES

STONE PRO



GP WHITE

SEGMENTED



- 110mm
- 125mm
- 150 x 22.23/20
- 180 x 25.40/22/20
- 200 x 25.40/22/20
- 250 x 25.40
- 300 x 50/25.40
- 350 x 50/25.40



RIM
110mm



TURBO
110mm

GP GREEN ECO

SEGMENTED



- 110mm
- 125mm
- 150 x 22.23/20
- 180 x 25.40/22.23/20
- 200 x 25.40/22.23/20
- 250 x 22.23/20
- 300 x 25.40/22.23/20
- 350 x 50/25.40



TURBO
110mm



RIM
110mm
125mm

CONCAVE VB WHEEL (ROUND EDGE)



GOLDEN

15, 20, 25, 30, 35 & 40mm
Bore size for all the above is 20mm

TUCK POINT BLADE



C GROOVE

3, 4, 5, 6, 8,
10 & 12mm



V GROOVE

3, 4, 5, 6, 8,
10 & 12mm

DEEP CUP WHEEL / DOUBLE SEGMENTED



WHITE

125mm &
180mm



GREEN

125mm &
180mm

DEEP CUP WHEELS / 80mm



**WHITE
SEGMENTED**



**GREEN-ECO
RIM**



**GREEN-ECO
TURBO**



**GREEN-ECO
SEGMENTED**



**BLUE
RIM**

DEEP CUP WHEELS / 100mm



**BLUE
TURBO**



**GREEN-ECO
SEGMENTED**



**GREEN-ECO
TURBO**



TCT SAWS

TCT SAWS (4" & 5")

MAGNUM



4 x 30 x 2.0
4 x 40 x 2.0
5 x 30 x 2.2
5 x 40 x 2.2

PREMIUM POLISHED



4 x 30 x 2.0
4 x 40 x 2.0
5 x 30 x 2.2
5 x 40 x 2.2

SLIMPRO POLISHED



4 x 30 x 1.6
4 x 40 x 1.6
5 x 30 x 1.6
5 x 40 x 1.6

SUPERB POLISHED

(WITH PENCIL)



4 x 30 x 2.2
4 x 40 x 2.2
5 x 30 x 2.2
5 x 40 x 2.2

SUPERB BLACK

(WITH PENCIL)



4 x 30 x 2.2
4 x 40 x 2.2
5 x 30 x 2.2
5 x 40 x 2.2

SLIMPRO 12 Teeth



4"x12Tx1.6mm
5"x12Tx1.6mm

SLIMPRO MULTI CUTTER

To cut aluminium,
wood & non-fervous metals



4"x40Tx2.0mm
5"x40Tx2.0mm

TCT SAWS 6" TO 14"

PREMIUM POLISHED

For Wood Cutting

Available in
40 & 60 teeth



For Aluminium Cutting

10 x 100 x 2.8
10 x 120 x 2.8
12 x 100 x 3.2
12 x 120 x 3.2
14 x 120 x 3.2



PREMIUM BLACK

For Wood Cutting

Available in
40 & 60 teeth



For Aluminium Cutting

10 x 100 x 2.8
12 x 100 x 3.2
14 x 120 x 3.2



GRASS CUTTER

10" x 40T

Can be used with our
Gasoline Brush Cutters
BC-3510B
BC-4312H
BC-5215P



SLIMPRO POLISHED

For Wood Cutting

Available in
40 & 60 teeth





GARDEN TOOLS

SECATEUR (FLOWER CUTTER)



SFC 1
200 MM



SFC 3
200 MM

BYPASS PRUNER



SFC 5
200 MM

ANVIL PRUNER



APR 1
200 MM

BYPASS LOPPER



BLO 24

Folding Pruning Saw



FPS 7

PRUNING SAW



Curved Pruning Saw

CPS 13

Hook Pruning Saw



HPS 21

HEDGE SHEAR



Wooden Handle
HSW 21

Metal Handle



HSE 24

Telescopic Handle



HSC 30



**HAND TOOLS,
MEASURING TOOLS,
HARDWARE &
SAFETY PRODUCTS**

ALLENKEY SETS

AKS-BPL

BALL HEAD
Long & Extra long
in length, 9pc set,
from 1.5mm to 10mm



AKS-HEX

HEX HEAD
Standard Length,
9pc set, from
1.5mm to 10mm



AKS-TXL

TORX HEAD
Long & Extra long
in length, 9pc set,
from T10 To T50,
Tamper proof



Silver Bullet

BOLT CUTTERS

8", 12",
18" & 24"



BOLT CUTTERS

8"



BLOCK PLANE



CAULKING TOOLS

BCG-01 - FISHER TYPE




Heavy Duty

BCG-02 - FISHER TYPE



BCG-03 - HEAVY DUTY



Ratchet Pushing Rod,
Thrust Ratio of 18:1,
Pushing Power &
Gt: 2000N



Heavy Duty

BCG-04 - SAUSAGE TYPE



BCG-05 - MEDIUM DUTY



Ratchet Pushing Rod,
Thrust Ratio of 10:1,
Pushing Power &
Gt: 1500N

BCG-07 - LIGHT DUTY



Ratchet Pushing Rod,
Thrust Ratio of 6:1,
Pushing Power &
Gt: 1000N

BCG-08 - Caulking Tool



Ratchet Pushing Rod

BCG-09 - ECO



CHALK LINE REEL SET CLR 130



Orange
30MTR

CHISEL HANDLE WOODEN



5"

GLOVES (KNITTED, DOTTED) BLUE



55gms

GLASS CUTTERS

GC 12

Cutting Range
3-12mm
Plastic Oil Tube



GC 19

Cutting Range
05-19mm
Metal Oil Tube



PLASTIC HANDLE



GLASS SUCTION CUPS

GSC-11

Vertical Load
20Kgs
Horizontal Load
30Kgs



Spare Levers Available

GSC-22

2 pcs. in 1 inner box

Vertical Load
80Kgs
Horizontal Load
100Kgs



GSC-33

Vertical Load
125Kgs
Horizontal Load
150Kgs



HACKSAW BLADE

HSS BIMETAL,
FLEXIBLE
12x1/2x18T,
12x1/2x24T



HACKSAW FRAME

BHF 03
12" Plastic
handle



HAND WIRE BRUSHES

PLASTIC
HANDLE
6 Row



WOODEN
HANDLE
6 Row



HANDSAWS

369



Yellow & Blue Handle
0.9mm blade
in 18"

495



Orange & Black
Plastic Handle
0.9mm Blade
in 12", 18" & 24"

610



Wooden Handle
in 16"

HAMMER - CLAW




225g (1/2lbs)
340g (3/4lbs)
450g (1lbs)

JACK PLANE



#5: 355mm

LAMINATE CUTTER MICA CUTTER



Flat Body

Pen Type

LASER DISTANCE MEASURER

- Water & Dust Resistant
- Backlit LCD

RL-40A



40m
Red Light

RLA-60



60m
Red Light

RLA-80



80m
Red Light

GLA-100



100m
Green Light

LASER LEVELLER TRIPOD



LASER LEVELLER COMPACT

GL-02C



Wave length : 635Nm
Laser level : Class 2
Accuracy : $\pm 2\text{mm}/5\text{m}$
Line width : 2.5mm/5m
Power : <1MW
Laser lines : 2 (Cross line)
Work temp : -10 to 50°

GLC 16



Wave length : 635Nm
Laser level : Class 2
Accuracy : $\pm 2\text{mm}/5\text{m}$
Line width : 2.5mm/5m
Power : <1MW
Laser lines : 16 (360°)
Work temp : -10 to 50°

MEASURING TAPE



NEEDLE FILE




PLIERS-COMBINATION



PLIERS-NOSE



PINCER



PVC PIPE CUTTER

PC-42



Cutting Range 3-42mm

PCQR-42

Quick release



Cutting Range 3-42mm

PPC-03

Quick release
Heavy duty



Cutting Range 3-42mm

PPC-04

Quick release
Heavy duty



Cutting Range
3-63mm

RIVETER - HAND RIVETER

HR-03

10 1/2"



with free
spares

HR-05

10 1/2"



with free
spares

HR-09

12"
with free
extra spring
and jaw




HR-17

17"
Long handle
for ease of
operation



HR-32

With free
extra spring
and jaw



RIVETER - NUT RIVETER

NR 14

Size : 14"/345mm
Net wt : 950gm
Work stroke : 7mm

Includes
M3, M4, M5, M6, M8 size nut,
nozzles & rods.
1pc wrench



RIVETS



1/8 x 1/2 Inch
1/8 x 3/4 Inch
5/32 x 1/2 Inch
5/32 x 3/4 Inch
3/16 x 1/2 Inch
3/16 x 3/4 Inch
3/16 x 1 Inch

RUBBER SILICON MALLET



40, 50 & 60

RUBBER HAMMERS

1.5", 2", 2.5" & 3"



SPIRIT LEVELS

TRUELINE




SLM 7515 (12")



SLM 7525 (18")



SLM 7535 (24")



SLM 7555 (36")

Silver Bullet 

SLM 6512

300mm



TORPEDO LEVEL GBTL-200



SNAP OFF CUTTER

SOC-1

19MM



POCKET MINI LEVEL

SL 4



TILE CUTTER


with 5 pins



Silver Bullet 

TIN SNIP-AVIATION

10"



TIN SNIP-AVIATION

10"



TIN CUTTER

12"



WATER LEVEL HOSE

30 MTR




Available Sizes of:
1/4 x 1/32 - 700gm appx. (60 Rolls/bag)
1/4 x 3/64 - 850gm appx. (50 Rolls/bag)
1/4 x 1/16 - 1100gm appx. (40 Rolls/bag)
5/16 x 3/64 - 1100 gm appx. (50 Rolls/bag)

10 MTR



Available Sizes of:
1/4 x 1/32 - 250gm appx. (100 Rolls/ctn.)
1/4 x 3/64 - 300gm appx. (100 Rolls/ctn.)



POWER TOOL & MACHINE TOOL ACCESSORIES

ADAPTORS

Adaptor #11

Drill Chuck-AG4 Adaptor

To fit drill chuck in 4" Angle Grinder (20 Unf Male x M10 Female)



Adaptor #12

Cup Brush Adaptor

To fit M14 Cup Brush in 4" Angle Grinder (M14 Male x M10 Female)



Adaptor #13

Core Bit-AG5 Adaptor

To fit Core Bit/Cup Brush in 5" Angle Grinder (M10 Male x M14 Female)



Adaptor #14

PMR-Drill Machine Adaptor

To fit Paint Mixer rod in a Drill Machine (M12 Female x 20 Unf Female)



Adaptor #15

Core Bit-Drill Machine Adaptor

To fit Core Bits/Cup Brush in a Drill Machine (M10 Male Threaded x 10mm Male Shank)



Adaptor #16

62mm Core Drill Adaptor

To fit Golden Bullet Blue Core Drills in Dongcheng Machines (1 1/4 Unc Male x 22mm Female x 62mm Height)



Adaptor #17

105mm Core Drill Adaptor

To fit Golden Bullet Silver Core Drills in Golden Bullet, Dewalt & Bosch Machines (M22 Male x 1 1/4 Unc Female x 105mm Height)



Adaptor #18

SDS Adaptor

To fit Drill Chuck in Rotary Hammer (SDS Plus Shank Male x 20 Unf Male)



Adaptor #19

Drill Chuck Paint Mixer Adaptor

To fit a drill chuck on a paint mixer machine & use it as a drill machine (M/12 Male x 1/2" UNF Male)



Adaptor #20

Router Bit- Trimmer Machine Adaptor Set

A set to fit a router bit in a trimmer machine (Adaptor, 8mm collet and 8mm nut)



Adaptor #21

ScrewBit-Impact Wrench Adaptor

to fit a 6mm hex shank screwbit in a 1/2" SD Impact wrench



Adaptor #22

Drill Chuck-Impact Wrench Adaptor

to fit a 20 Unf drill chuck in a 1/2" SD Impact wrench



Adaptor #23

Wall Grooving Double Blade attachment



Adaptor #24

Core Drill-SDS Plus Adaptor

to fit a 1/2" Unf female SDS Plus adaptor to M22 male Core Drill



AB WASHERS

AG 6-100



AG-801



CM4SA



BACKING PADS - PLASTIC 4"

ORANGE

100mm / 4"



BACKING PADS - PLASTIC 5"

WHITE

125mm / 5"




GREEN

125mm / 5"



GOLDEN

125mm / 5"



SILVER

125mm / 5"



BACKING PADS - VELCRO

PREMIUM

M10 x 4"
M10 x 5"
M14 x 7"



SUPERB

M10 x 4"
M10 x 5"
M14 x 7"



CHAINS FOR CHAINSAW

Silver Bullet

16" Electric



PREMIUM

Black & Gold

16" Electric
18" Gasoline (36T)
22" Gasoline (43T)



PROFESSIONAL

18" Gasoline (36T)
22" Gasoline (43T)



CHISELS

**SDS PLUS SHANK
FOR ROTARY HAMMER**

- 14 x 250mm Pointed
- 14 x 250mm x 20 Flat
- 14 x 250mm x 40 Flat



**HEX SHANK
FOR 5KG. DEMOLITION HAMMER**

- 17 x 280mm Pointed
- 17 x 280mm x 25 Flat
- 17 x 280mm x 50 Flat
- 17 x 280mm x 75 Flat
- 17 x 400mm Pointed
- 17 x 400mm x 25 Flat
- 17 x 400mm x 50 Flat
- 17 x 400mm x 75 Flat
- 17 x 450mm Pointed
- 17 x 450mm x 25 Flat



**HEX SHANK
FOR 15KG. DEMOLITION HAMMER**

- 30 x 410mm Pointed
- 30 x 410mm x 35 Flat
- 30 x 410mm x 75 Flat
- 30 x 600mm Pointed
- 30 x 600mm x 35 Flat



**SDS MAX SHANK
FOR 11KG. DEMOLITION HAMMER**

- 18 x 280mm Pointed
- 18 x 280mm x 25 Flat
- 18 x 280mm x 50 Flat
- 18 x 280mm x 75 Flat
- 18 x 400mm Pointed
- 18 x 400mm x 25 Flat
- 18 x 400mm x 50 Flat
- 18 x 400mm x 75 Flat
- 18 x 600mm Pointed
- 18 x 600mm x 25 Flat



CUP BRUSHES

PREMIUM ORANGE

TWISTED



M10 x 3"

ECO YELLOW

CRIMPED



M10 x 3"

TWISTED



M10 x 3"

ECO BLUE

TWISTED



M14 x 4"

CORE BITS FOR GLASS



- 5, 6, 8, 10,
- 12, 14, 16
- & 19mm

CORE BITS FOR MARBLE



- 13, 19, 25, 32 & 38mm

CORE BITS FOR GRANITE

Silver Bullet 

FOR GRINDER MACHINES



6.5, 8.5, 10,
12, 14, 16, 19, 22,
26, 33, 37, 40,
45 & 50mm

FOR GRINDER MACHINES



6.5, 8.5, 10,
12, 14, 16, 19, 22,
26, 33, 37, 40,
50 & 63mm

FOR DRILL MACHINES



19, 26, 33
& 38mm

CORE DRILLS FOR CONCRETE

GREEN-1 1/4 UNC



450 mm length
Available in
mm sizes of :
51, 76, 102 & 127

BLUE-1 1/4 UNC



450 mm length
Available in mm sizes of :
25, 27, 32, 40, 46, 51, 63, 76, 83,
89, 102, 112, 127, 152, 180 & 200

DRY CUTTING
ORANGE-M22



M22 x 350mm x 63mm

CORE CUTTER
EXTENSION ROD



M22 x 300mm

Silver Bullet 

YELLOW-1 1/4 UNC



450 mm length
Available in mm sizes of :
25, 27, 32, 40, 46, 51, 63, 76, 83, 89, 102, 112, 127, 152, 180 & 200

Silver Bullet 

SILVER-M22



450 mm length
Available in mm sizes of :
25, 27, 32, 40, 46, 51, 63, 76, 83, 89, 102, 112, 127 & 152

DRILLS

ASSORTED DRILL BIT SET



6pcs.Set
Four Jobber Drills
3,4,5 & 6mm
Two Masonry Drills
3/16" & 1/4"

FLAT WOOD BITS



6.35(1/4"), 8, 10, 12,
13, 14, 16, 18, 19, 20, 22,
25.4(1"), 32 & 38

Available in a
6 pcs. set with sizes from
10mm to 25mm



FOUR SLOT DRILL



165 mm length

12, 14, 16, 18, 20 & 25

GLASS & CERAMIC TILE: ARROW DRILL



5, 6, 8
& 10mm

GLASS & CERAMIC TILE: DRY DRILL



6mm

BLUE

GLASS & CERAMIC TILE: QUATTRO DRILL



5, 6 &
8mm

GOLDEN

MASONRY DRILLS



Standard Length
1/8, 5/32, 3/16, 7/32,
1/4, 5/16, 3/8, 1/2
& 6.0mm

Silver Bullet

MASONRY DRILLS



Standard Length
1/8, 5/32, 3/16,
1/4, 5/16, 3/8, 1/2
& 6.0mm

Silver Bullet

HSS JOBBER DRILLS

AMBER



Available sizes in
inches & mm:
3/32, 7/64, 1/8, 5/32,
3/16, 1/4, 5/16, 3/8, 1/2,
14.0, 5/8 & 3/4

HSS COBALT DRILL FOR SS



5% Cobalt for S. S. Drilling
Available sizes in inches:
3/32, 7/64, 1/8, 5/32, 3/16,
1/4, 5/16, 3/8 & 1/2
Available sizes in mm:
2.0, 2.5, 3.0, 3.2, 3.5, 4.0,
4.2, 4.5, 5.0, 5.5, 6.0, 6.8,
7.0, 8.0, 8.5, 9.0, 9.5, 10.0, 10.2
11.0, 12.0 & 13.0

HSS JOBBER DRILLS



Available sizes in
inches & mm:
3/32, 7/64, 1/8, 9/64, 5/32,
3/16, 1/4, 5/16, 3/8, 1/2 & 13.0
Double ended 3/32"
Also in 13 pcs. set
from 1/16" to 1/4"

DRILL HAMMER DRILL



FLAT TIP -

SDS Plus
Available in sizes from
4mm to 32mm in dia &
110mm to 1000mm in length



QUATTRO TIP +

SDS Plus
Available in sizes
from 5mm to 25mm dia &
110mm to 450mm in length

DRILL CHUCKS

STANDARD

6mm x 24unf
10mm x 20unf
10mm x 24unf
13mm x 20unf
13mm x 24unf



TAPER CHUCK

040: 13mm x Jt6
041: 13mm x 5/8



EXTENSION POLE FOR CORDLESS CHAINSAW

2.90 mtrs

Chainsaw Machine
& Battery does
not come with this
extension pole



KEYLESS

10mm x 24unf
13mm x 20unf



Silver Bullet

KEYLESS

10mm x 24unf



KEYS



GUIDE BAR FOR CHAINSAW MACHINES

130mm FOR CORDLESS CHAINSAW



16" FOR ELECTRIC CHAINSAW



18" & 22" FOR GASOLINE CHAINSAW



Silver Bullet

HOLLOW MORTISE CHISEL



Silver Bullet

HOLLOW MORTISE ADAPTOR



HINGE BORING BITS

TUNGSTEN CARBIDE TIPPED



1/2", 16,18, 19, 20, 22,
25, 28, 30, 32, 35, 38,
40, 45 & 54mm

Silver Bullet

HINGE BORING BITS

LONG BITS



20, 25, 32 & 35mm

TCT (ECO)

BLUE



20, 25 & 35mm

TCT (AUTO STOP)



35mm

HOLESAW SETS (HCS)

SET OF 3 PCS



Lock Installation Kit

54mm with
2 accessories

SET OF 6 PCS



Carbon Steel,
with Holesaws
of 32, 38,
51 & 54 mm

SET OF 11 PCS



Set of 11 pcs.
with Holesaws of
19, 22, 29,
32, 38, 44, 51 &
64 mm

SET OF 12 PCS



Set of 12 pcs.
with Holesaws of
19, 22, 29,
32, 38, 44, 51 &
64 & 76mm

SET OF 16 PCS



Set of 16 pcs.
with Holesaws of
19, 22, 29, 32, 38,
44, 51, 64, 76, 84,
102 & 127 mm

HOLESAWS

Silver Bullet

HOLESAWS ONLY

BI-METAL

30mm OAL

19, 22, 25, 28, 32, 35, 38, 40, 44, 51, 54, 57, 63 & 75mm

Holesaws without arbor



HOLESAW ARBOR

1/4" & 5/8"



BI-METAL

MODEL-HBMO

50mm OAL
With Arbor for Metal

19, 22, 24, 25, 28, 32, 35, 38, 40, 44, 51, 54, 57, 63 & 75mm



HSS-JAPAN TYPE

MODEL-HHMS

15mm OAL

12, 14, 16, 19, 20, 22, 25, 28, 32, 35, 38, 44, 51, 57, 63, 70 & 75mm dia



HCS FOR WOOD

MODEL-HHWN

50mm OAL
With Arbor
for Metal

25, 32, 38, 50, 54, 57, 64 & 75mm



HCS FOR POP

MODEL-HHPN

72mm OAL

4", 5", 6", 7" & 8"



TCT FOR CONCRETE

MODEL-HTCS

72mm OAL

35, 40, 50, 60, 65, 75, 100 & 125mm



TCT FOR SS

MODEL-HTSS

30mm OAL
with Arbor-Big

14, 16, 19, 22, 25, 28, 32, 35, 38, 44, 51, 57, 63, 70, 75 & 100 mm dia



Spare Drill 6x57mm available

CONCRETE HOLESAW EXTENSION BARS

SDS PLUS SHANK

200, 300, 450 & 600mm



JIGSAW BLADE TO FIT BOS / MAK / B&D



Model
 119 BOS
 144 BOS
 144 B&D
 144 MAK
 244 D BOS

NUT RUNNER



Magnetic
 8 x 42mm
 8 x 50mm
 8 x 65mm
 10 x 65mm

PAD NUT




1016 : AG 4" x 4" Pad
 1022 : AG 4" x 5" Pad
 1422 : AG 5" x 5" Pad

PLANER BLADES

HIGH CARBON STEEL

Available in lengths from 9" to 24" and in thickness of 2.2mm and 3.0mm.
 3 pcs. packing



CHROME VANADIUM STEEL

Available in lengths from 9" to 24" and in thickness of 2.2mm and 3.0mm.
 3 pcs. packing



HIGH SPEED STEEL

Available in lengths from 9" to 24" and in thickness of 2.2mm and 3.0mm.
 3 pcs. packing



TUNGSTEN CARBIDE TIPPED

Available in lengths from 9" to 24" in thickness of 3.0mm & 5.0mm
 2 pcs. packing



TUNGSTEN CARBIDE TIPPED

Available in lengths from 9" to 24" in thickness of 3.0mm only.
 3 pcs. packing



PLANER BLADE SET 82mm

TO FIT BOSCH

TO FIT MAKITA 1900B

TO FIT HITACHI F-20



RADIAL BRUSHES

CRIMPED GOLDEN



150mm x
32mm Bore
with multiple
washers

SCREW BITS - SINGLE ENDED

CS2 - GREY



PH2 x 50mm

SCREW BITS - DOUBLE ENDED

CS2 - GREY

PH1 x PH1 x 65mm
PH2 x PH2 x 65mm
PH2 x PH2 x 100mm
PH2 x PH2 x 150mm



SL6 x PH2 x 65mm
SL6 x PH2 x 100mm

CS2 - BROWN

PH2 x PH2 x 65mm
One ring for every pc.



CRV - BLACK

PH2 x PH2 x 65mm
One ring for every 5pcs.



TS2 - CHROME

PH2 x PH2 x 65mm



TS2 - GOLD

PH2 x PH2 x 65mm



K5 - BLUE

PH2 x PH2 x 65mm



SPINDLE BRUSHES

PEN TYPE

Crimped Golden
16,19 & 25mm



ROUND TYPE

Crimped Golden
50 & 65mm



END TYPE

Crimped Golden
38, 50 & 75mm



NYLON

RED
100mm



SPANNERS FOR POWER TOOL MACHINES

ADJUSTABLE SPANNER FOR AB WASHER



FOR AG 6-100



FOR AG 801



FLAT TYPE FOR CM4SA



10mm x 19mm
Double Ended, Flat,
Hexagonal Ring Spanner

T-TYPE FOR CM4SA



10mm, Short
Hexagonal
Tee Spanner

**SPIRAL STEP DRILL
BLACK**



4-20mm
4-32mm

HSS

**STEP DRILL
GOLD**



4-20mm
4-32mm

HSS

Silver Bullet 

**STEP DRILL
GOLD**



4-20mm
4-32mm

HCS

WOOL PAD (FOR BUFFING & POLISHING)

HEAVY DUTY



5" & 7"

LIGHT DUTY



7"



ROUTER AND TRIMMER BITS

Silver Bullet

ROUTER & TRIMMER BITS
ALL BITS ARE IN YELLOW COLOUR

ROUTER BITS

OVOLO BITS

	Item Code	Cutting Dia (A)	Cutting Length (H)	Radius (R)	Cutting Area
	9032	25	12	6	8 x 8
	9033	29	14	8	10 x 10

RABBETING (SLOT) BITS

	Item Code	Cutting Dia (A)	Cutting Length (H)	Radius (R)	Cutting Area
	9092	35	6	-	6 x 12
	9093	35	8	-	8 x 12
	9094	35	9	-	9 x 12
	9095	35	10	-	10 x 12
	9096	35	12	-	12 x 12
	9097	35	15	-	15 x 12

STRAIGHT BITS

	Item Code	Cutting Dia (A)	Cutting Length (H)	Radius (R)	Cutting Area
	9501	4	13	-	13 x 4
	9502	6	20	-	20 x 6
	9503	8	20	-	20 x 8
	9504	10	25	-	25 x 10
	9505	12	20	-	20 x 12
	9506	12.7	25	-	25 x 12.7

TRIMMER BITS

1/4" (6.35mm) Shank only

FLUSH TRIM BIT BEARING

	Item Code	Cutting Dia (A)	Cutting Length (H)	Radius (R)	Cutting Area
	5002T	8	20	-	20 x 8
	5003T	10	25	-	25 x 10
	5004T	13	25	-	25 x 13

STRAIGHT BITS

	Item Code	Cutting Dia (A)	Cutting Length (H)	Radius (R)	Cutting Area
	9502 T	6	20	-	20 x 6
	9503 T	8	20	-	20 x 8
	9504 T	10	25	-	20 x 10

ROUTER BITS

STRAIGHT BITS, TIP JOINT (TJ)



Item Code	Cutting Dia (A)	Cutting Length (H)	Radius (R)	Cutting Area
9502 TJ	6	20	-	20 x 6
9503 TJ	8	20	-	20 x 8
9504 TJ	10	25	-	20 x 10
9506 TJ	12	25	-	20 x 12.7
9507 TJ	15	25	-	20 x 15
9503 TJY	8	30	-	30 x 8
9504 TJY	10	30	-	30 x 10
9506 TJY	12	30	-	30 x 12.7
9508 TJY	19	30	-	30 x 19
9503 TJM	8	40	-	40 x 8
9504 TJM	10	40	-	40 x 10
9506 TJM	12	40	-	40 x 12.7
9504 TJL	10	50	-	50 x 10
9506 TJL	12.7	50	-	50 x 12.7

RABBITING BITS (FOUR SIDE)



Item Code	Cutting Dia (A)	Cutting Length (H)	Radius (R)	Cutting Area
123	3	35	*	10 x 5
124	4	35	*	12 x 6
126	6	35	*	14 x 7
128	8	35	*	16 x 8

CORNER BITS



Item Code	Cutting Dia (A)	Cutting Length (H)	Radius (R)	Cutting Area
135	38	10	*	15 x 10
140	50	10	*	22 x 10
141	50	12	*	22 x 12
145	55	15	*	25 x 15

CENTER (CARVING) BITS



Item Code	Cutting Dia (A)	Cutting Length (H)	Radius (R)	Cutting Area
934	12.7	12.7	45°	12.7 x 12.7

FLUSH TRIM BIT WITH BEARING



Item Code	Cutting Dia (A)	Cutting Length (H)	Radius (R)	Cutting Area
5001	7	20	-	20 x 7
5002	8	20	-	20 x 8
5003	10	25	-	25 x 10
5004	13	25	-	25 x 13

FLUSH TRIM BIT WITH BEARING (50mm long)




Item Code	Cutting Dia (A)	Cutting Length (H)	Radius (R)	Cutting Area
5002L	8	50	-	50x8
5003L	10	50	-	50x10
5004L	13	50	-	50x13

HORSE NOSE BIT




Item Code	Cutting Dia (A)	Cutting Length (H)	Radius (R)	Cutting Area
9002	50	10	-	10 x 50
9003	60	13	-	13 x 65

OVOLO BITS




Item Code	Cutting Dia (A)	Cutting Length (H)	Radius (R)	Cutting Area
9031	21	10	4	6 x 6
9032	25	12	6	8 x 8
9033	29	14	8	10 x 10
9034	33	16	10	12 x 12
9035	37	18	12	15 x 15
9036	43	21	15	19 x 19
9037	53	26	20	25 x 25
9038	63	31	25	30 x 30

OGEE FILLET BITS




Item Code	Cutting Dia (A)	Cutting Length (H)	Radius (R)	Cutting Area
9071	29	14	3	10 x 10
9072	37	18	5	15 x 15
9073	33	10	4	10 x 8

COVE BEAD BITS




Item Code	Cutting Dia (A)	Cutting Length (H)	Radius (R)	Cutting Area
9041	25	8	4	6 x 6
9042	29	10	6	8 x 8
9043	33	12	8	10 x 10

ROMAN OGEE BITS




Item Code	Cutting Dia (A)	Cutting Length (H)	Radius (R)	Cutting Area
9081	29	12	3	10 x 10
9082	37	16	5	15 x 15
9083	33	10	4	10 x 8
9084	38	12	6	15 x 12

OVOLO COVE PROFILE BITS




Item Code	Cutting Dia (A)	Cutting Length (H)	Radius (R)	Cutting Area
9051	29	14	3	10 x 10
9052	37	18	5	15 x 15
9053	33	10	4	10 x 8
9054	38	12	6	15 x 12

RABBETING (SLOT) BITS




Item Code	Cutting Dia (A)	Cutting Length (H)	Radius (R)	Cutting Area
9091	35	4	*	4 x 12
9092	35	6	*	6 x 12
9093	35	8	*	8 x 12
9094	35	9	*	9 x 12
9095	35	10	*	10 x 12
9096	35	12	*	12 x 12
9097	35	15	*	15 x 12
9098	35	20	*	20 x 12
9099	35	25	*	25 x 12

COVE-OVOLO PROFILE BITS



Item Code	Cutting Dia (A)	Cutting Length (H)	Radius (R)	Cutting Area
9061	29	14	3	10 x 10
9062	37	18	5	15 x 15
9063	33	10	4	10 x 8
9064	38	12	6	15 x 12

CORE BOX ROUND BITS (ROUND NOSE)



Item Code	Cutting Dia (A)	Cutting Length (H)	Radius (R)	Cutting Area
9101	6	8	3	6 x 5
9102	8	9	4	8 x 6
9103	10	10	5	10 x 7
9104	12	11	6	12 x 8
9105	14	12	7	14 x 9
9106	16	13	8	16 x 10
9107	18	14	9	18 x 12
9108	20	15	10	20 x 14
9109	22	16	11	22 x 15

STEP & ROUND BITS



Item Code	Cutting Dia (A)	Cutting Length (H)	Radius (R)	Cutting Area
9201	10	8	3	10 x 5
9202	12	9	4	12 x 6
9203	14	10	5	14 x 7
9204	16	11	6	16 x 8
9205	18	12	7	18 x 9
9206	20	13	8	20 x 10
9207	22	14	9	22 x 12
9208	24	15	10	24 x 14

STEP BITS



Item Code	Cutting Dia (A)	Cutting Length (H)	Radius (R)	Cutting Area
9301	21	8	*	10 x 10
9302	25	12	*	15 x 15
9303	29	8	*	10 x 8
9304	33	12	*	15 x 12

CHAMFER BITS



Item Code	Cutting Dia (A)	Cutting Length (H)	Radius (R)	Cutting Area
9401	29	10	45	10 x 10
9402	37	16	45	15 x 15
9403	33	10	45	10 x 8
9404	38	12	30	15 x 12
9405	40	14	30	12 x 10
9406	48	18	30	15 x 12

STRAIGHT BITS



Item Code	Cutting Dia (A)	Cutting Length (H)	Radius (R)	Cutting Area
9501	4	13	*	13 x 4
9502	6	20	*	20 x 6
9503	8	20	*	20 x 8
9504	10	25	*	25 x 10
9505	12	20	*	20 x 12
9506	12.7	25	*	25 x 12.7
9507	15	25	*	25 x 15
9508	19	20	*	20 x 19
9509	20	20	*	20 x 20
9510	25	20	*	20 x 25

STRAIGHT BITS (38mm long)



Item Code	Cutting Dia (A)	Cutting Length (H)	Radius (R)	Cutting Area
9502M	6	38		38x6
9503M	8	38		38x8
9504M	10	38		38x10
9505M	12	38		38 x 12

STRAIGHT BITS (50mm long)



Item Code	Cutting Dia (A)	Cutting Length (H)	Radius (R)	Cutting Area
9502L	6	50		50x6
9503L	8	50		50x8
9504L	10	50		50x10
9505L	12	50		50x12
9506L	12.7	50		50x12.7

STRAIGHT BITS (75mm long)



Item Code	Cutting Dia (A)	Cutting Length (H)	Radius (R)	Cutting Area
9504XL	10	75		75 x 10
9505XL	12	75		75 x 12

CLASSICAL PLUNGE BITS




Item Code	Cutting Dia (A)	Cutting Length (H)	Radius (R)	Cutting Area
9601	16	11	3	16 x 8
9602	20	13	4	20 x 10
9603	24	15	5	24 x 12
9604	28	18	6	28 x 14
9605	32	21	7	32 x 16
9606	36	24	8	36 x 18

PLUNGE CUT BEADING BITS




Item Code	Cutting Dia (A)	Cutting Length (H)	Radius (R)	Cutting Area
9701	6	7	2	6 x 4
9702	8	8	3	8 x 5
9703	10	10	4	10 x 6
9704	12	11	5	12 x 7
9705	14	12	6	14 x 8
9706	16	13	7	16 x 9
9707	18	14	8	18 x 10
9708	20	15	9	20 x 12
9709	22	16	10	22 x 14

STEP OLOGO BITS




Item Code	Cutting Dia (A)	Cutting Length (H)	Radius (R)	Cutting Area
9801	29	14	3	10 x 10
9802	37	18	5	15 x 15
9803	33	10	4	10 x 8
9804	38	12	6	15 x 12

BOTTOM OLOGO BITS




Item Code	Cutting Dia (A)	Cutting Length (H)	Radius (R)	Cutting Area
9901	29	14	3	10 x 10
9902	37	18	5	15 x 15
9903	33	10	4	10 x 8
9904	38	12	6	15 x 12

TOP OLOGO BITS




Item Code	Cutting Dia (A)	Cutting Length (H)	Radius (R)	Cutting Area
9911	29	14	3	10 x 10
9912	37	18	5	15 x 15
9913	33	10	4	10 x 8
9914	38	12	6	15 x 12

DOUBLE OLOGO BITS




Item Code	Cutting Dia (A)	Cutting Length (H)	Radius (R)	Cutting Area
9921	29	14	3	10 x 10

CENTER OLOGO (THREAD) BITS




Item Code	Cutting Dia (A)	Cutting Length (H)	Radius (R)	Cutting Area
9931	6	5	3	6 x 5
9932	8	6	4	8 x 6
9933	10	7	5	10 x 7
9934	12	8	6	12 x 8
9935	14	9	7	14 x 9
9936	16	10	8	16 x 10
9937	18	11	9	18 x 11
9938	20	12	10	20 x 12
9939	24	13	11	24 x 13
9940	30	14	12	30 x 14

CENTER (CARVING) BITS




Item Code	Cutting Dia (A)	Cutting Length (H)	Radius (R)	Cutting Area
9941	6	5	45°	6 x 5
9942	8	6	45°	8 x 6
9943	10	7	45°	10 x 7
9944	12	8	45°	12 x 8
9945	14	9	45°	14 x 9
9946	16	10	45°	16 x 10
9947	18	11	45°	18 x 11
9948	20	12	45°	20 x 12
9949	24	13	45°	24 x 13
9950	30	14	45°	30 x 14

CLASSIC ROMAN OGEE (CENTER) BITS



Item Code	Cutting Dia (A)	Cutting Length (H)	Radius (R)	Cutting Area
9951	29	14	3	10 x 10
9952	37	18	5	15 x 15
9953	33	10	4	10 x 8
9954	38	12	6	15 x 12

THUMB MOULD BITS



Item Code	Cutting Dia (A)	Cutting Length (H)	Radius (R)	Cutting Area
9961	29	14	3	10 x 10
9962	37	18	5	15 x 15
9963	33	10	4	10 x 8
9964	38	12	6	15 x 12

TRIMMER BITS

1/4" (6.35mm) Shank only



TRIMMER BIT SET


6 pcs

TRIMMER COLLETS

1/4", 6 & 8mm




CORNER ROUND BITS / OVOLO BITS




Item Code	Cutting Diameter (D)	Cutting Length	Radius (R)
0105T (TS-2)	19	6.5	3.2
0106T (TS-3)	26	6.5	6.5

CENTER (CARVING) BITS




Item Code	Cutting Dia (A)	Cutting Length (H)	Radius (R)	Cutting Area
0934T	12.7	12.7	45	12.5 x 12.7

RABBETING BITS - 2 TIPS




Item Code	Cutting Diameter (D)	Cutting Breadth (B)	Cutting Height (H)
9092T	35	6	13
9093T	35	8	13
9095T	35	10	13

STRAIGHT BITS




Item Code	Cutting Dia (A)	Cutting Length (H)	Radius (R)	Cutting Area
9501T	4	13	-	13 x 4
9502T	6	20	-	20 x 6
9503T	8	20	-	20 x 8
9504T	10	25	-	20 x 10
9505T	12	20	-	20 x 12
9506T	12.7	25	-	25 x 12.7
9507T	15	25	-	25 x 15
9508T	19	20	-	20 x 19

CHAMFER BITS




Item Code	Cutting Diameter (D)	Cutting Breadth (B)	Cutting Angle (A)
0808T	24.25	7.92	45

FLUSH TRIM BIT BEARING




Item Code	Cutting Dia (A)	Cutting Length (H)	Radius (R)	Cutting Area
5001T	7	20	-	20 x 7
5002T	8	20	-	20 x 8
5003T	10	25	-	25 x 10
5004T	13	25	-	25 x 13

COVE BOX ROUND BITS (ROUND NOSE)



Item Code	Cutting Dia (A)	Cutting Length (H)	Radius (R)	Cutting Area
9104T	12	11	6	12 x 8
9105T	14	12	7	14 x 9
9106T	16	13	8	16 x 10

STRAIGHT BITS, TIP JOINT (TJT)



Item Code	Cutting Dia (A)	Cutting Length (H)	Radius (R)	Cutting Area
9502 TJT	6	20	-	20 x 6
9503 TJT	8	20	-	20 x 8
9504 TJT	10	25	-	20 x 10
9506 TJT	12	25	-	20 x 12.7

Scratch and Win!

Buy **Golden Bullet**  products and get a chance to win exciting prizes like motorbikes and mobile phones!

Scratch the silver coating of the hologram on your Golden Bullet product and WhatsApp the code beneath it to  +91 9223575757.

Within a short period you will get an answer with one of the following three number codes :

111. - This means the product is original and you have been registered for the contest.

222. - This means the product is not an original Golden Bullet product and that you have not been registered for the contest. In case you receive this code, reach out to the dealer you made the purchase from and ask why you have received a fake product.

666. - This indicates that number on the hologram has been registered before. If the code was not registered by you earlier then the product is surely a duplicate. In case you receive this code and have not registered the number on the hologram earlier, reach out to the dealer you made the purchase from and ask why you have received a fake product.

*For Terms & Conditions on the contest, visit our website www.goldenbullet.co.in

Samsung Phone
12 lucky winners



Bajaj Pulsar 150 Bike
2 lucky winners**



Scratch, Win & Ride – Our Bike Winners



2024

CHENNAI



2024

PUNE



2023

WYANAD



2023

VELLORE





Check original and win prizes!
WhatsApp the code on the hologram to

 +91 9223575757

Learn More About Us



www.goldenbullet.co.in

AUTHORISED DEALER :

