





A COMPANY OF QUALITY.

Double Side **PVC COATED** Polyester Fabric **STRIPES**




Coated Sales Company Private Limited
www.coatedsalesco.com






S-1 White | Orange



S-2 White | Blue




S-3 White | Green



S-4 White | Red



S-5 Yellow | Red




S-6 Cream | Brown



S-7 White | Yellow



S-8 White | Grey



S-9 White | Violet



S-10 White | Gold



S-11 Moss Green | Dark Green



S-12 Grey | Pepsi Blue



S-13 Cream | Champagne



S-14 Cream | Mustard



S-15 Cream | Moss Green



S-16 White | Black

PVC DOUBLE SIDE COATED FABRIC



TECHNICAL SPECIFICATIONS

Quality :	JD 2000
Weight :	600 gsm
Width :	152 cms
Operating Temperature :	-30° C to +70° C
Adhesion :	9daN / 5 cm
Tensile Strength :	Warp 220, Weft 220 IS : 7016 – Part II (Kgf / 5cm)
Yarn :	1100 D Tex High Tenacity Polyester
Tear Strength :	Warp 20, Weft 20, BS-3424 (Kgf / 5cm)
Light Fastness :	Class 6 / 7
Finish :	Glossy

FEATURES

Warranty



UV
Protection



Long Life



Weldable



Easy
Maintenance



Stability

Note : Technical data are average value+/-10%. | The above mentioned data is of no legal binding