



KENCOAT[®]
Expert in Water Resistant Technologies
Since 2006



INTRODUCTION

KENCOAT is a leading brand in market since 2006, manufacturing innovative products for Buildings & Construction, Residential & Commercial projects, Industrial requirements, customized solutions for rehabilitation of structures. KENCOAT is focused on challenging construction requirements and with periodic development, has provided new products, high quality and cost-effective construction chemicals, through in-house R&D, qualified technocrats. The products and services are for all applications viz. Tiling, Grouting, Water-proofing, Construction, Repairs & Maintenance, Industrial Flooring, and customized needs of critical projects. Every product and services is ready to use in simplified procedure, and is designed to make the construction practices hassle-free and accelerate the process, and over a decade has become one of the preferred brand, among Government & Private projects, Builders and Construction companies. KENCOAT brand has evaluated over a decade and is serving through retail network, dealers & distributors, stockiests & applicators. KENCOAT is expanding with multiple manufacturing locations and developing application team simultaneously, to provide prompt technically superior products and support services. At KENCOAT POLYKEM, we strive to build, maintain and grow customer friendly solutions.

KALPESH PATEL & MILIND PARIKH



**KEN-LWC (KEN-LW-702)**

Use for beam, column, slab, plaster, cement mortar, etc.

Packing. 1/5/10/20/50-kg.

**NSA White (KEN-AS-710)**

It gives excellent bond on cementitious surfaces like concrete, plaster etc, ideal product on tile, marble and granite applications.

Packing. 20-kg.

**KEN-Concreat Bond (KEN-WR-701)**

Super plasticizer, to reduce water consumption in concrete

Packing. 1/5/10/20/50-kg.

**KEN-BLOCKSET (KEN-AS-712)**

It is suitable for joining of cement / concrete blocks, etc.

Packing. 25/40-kg.

**KEN-LATEX SBR (KEN-SBR-705)**

Use for Waterproofing, Repair, Plaster, Bond Coating Etc.

Packing. 1/5/10/20/50 250-500 -kg/ml.

**KENPOXY (KEN-EP-721)**


It is suitable for joints from 2 to 15mm on floorings and walls, glass mosaic, ceramic tile, vitrified tile, marble and stone.

Packing. 1/5-kg.

**KEN-Polycrete+ (KEN-AP-703)**


Roofs, terraces and balconies as a sandwich layer, Pools and fountains, Reservoirs and channels, end walls subjected to rain

Packing. 1/5/10/20/50-kg.

**KEN-TILOCLEANER**

Suitable for ceramic, vitrified tiles, metal, concrete and masonry surface

Packing. 1/5-ltr.

**KEN Tilotuff Grout (KEN-JF-711)**

It is designed to fix tile joint on walls and floors.

Packing. 1/20/-kg.

**Rain stop (KEN-WP-713)**

For waterproofing on cementitious property use for wall & terrace.

Packing. 1/20-kg.

**KEN-NSA SILVER (KEN-AS-709)**

For fixing all types of tiles on internal, external floor & tile on tile.

Packing. 20-kg.

**KEN SEAL (KEN-WR-737)**

Transparant clear for terrace wall waterproofing.

Packing. 1/5/10/20/50-ltr.

**KEN-NSA GOLD (KEN-AS-720)**


For fixing large tiles on internal & external floor/wall tile on tile, marble & granite.

Packing. 20-kg.

**KEN-MASTER COAT (KEN-LM-735)**

Waterproofing of roof slabs, terraces, balconies, sun shades, parapet walls, Elastomeric coating etc.

Packing. 1/5/10/20/50-kg.



Master coat - B (KEN-RM-736) (black)

Waterproofing for concrete roofs, slabs, foam built up roofs, maintenance of roofs/ masonry / concrete walls / bathrooms & basements / bridges & decks / Podium areas / metal surfaces etc.

Packing.1/5/10/20/50-kg.



KEN-LIQUACOAT (KEN-734)

Roofs,terraces,pools & fountains, reservoirs and channels,externals wall colour : sky blue, grey

Packing.1/5/10/20/25-kg.



Glass Coat (Glass Coat - 511)

Used for all type of glass protective & easy cleaning - Solar panel, senetoryware, building glass etc.

Packing. 1/5-ltr.



Flexi filler (KEN-PS-740)

Crack filling / RCC joint filler (PU sealant)

Packing. 1-kg.



KENGUARD+ (KEN-724) (two component)

It is suitable for use in water tank reservoirs, swimming pools, Roofs, Lift pits, ensuring water tightness, Repair and even out undulations in concrete and masonry wall and bridges the shrinkage cracks which are static.

Packing.5+10-ltr+kg.



KEN BOND (KEN-HAS-503)

Crack filling up to 40 mm, bonding for glass to glass, wood to wood, steel to steel

Packing.1/5/10-kg.



Heat reflector (KEN-HW-704)

for Heat reduce 8-12% and waterproofing use

Packing.10/20-kg.



KENPRO+ TITE (KEN-GP-500)

Bonding for glass to glass, wood to wood, steel to steel

Packing. 0.5/1-kg.



Mastercoat-PU (KEN-PU-700)

Good adhesion and bonding - Waterproofing of roof slabs, terraces, balconies, sun shades, parapet walls, single component water based polyurethane waterproof etc.

Packing.5/10/20/50-kg.



Self leveling (KEN-SL-504)

It is ideal for everything from commercial and industrial floor applications to residential applications.


Packing.10/20/50-kg.



Instantgrout (KEN-IG-510)

Instant stop water leakage PU- injectgrout

Packing.10/20-kg.



Anticarbonation (KEN-ANTI-739)

Use for bridges, industrial building, etc.

Packing.10/20/50-kg.



Micro-concrete (KEN-Micro-CT 507)

Used for all type of structure repairing

Packing. 25-kg.



Flour-Bond (KEN-HS-502)

Special high strength product with excellent abrasion resistance, for floor repairing.

Packing.10/20/50-kg.



Injectgrout (KEN-IG-505)

Use for stop water leakage and good adhesion property (Epoxy base)

Packing. 1/5-kg.



Mortar-HI (KEN-Remoto-R-506)

Use for all type of structure repairing

Packing. 25-kg.

Esteemed Customers



Authorised Distributor

contact with us :-

Master Bond & co.

+91 9574311222 / +91 9638250411

info.kencoat@gmail.com / sales-guj@kencoat.in

www.kencoat.in

B/54, Sangita Park, Morbi Road, Rajkot (guj.) 360003.

KENCOAT is are registered trademark of KENCOART POLYKEM

The information given the leaflet for general guidance only, specific instruction Suitable to site conditions will be provided on demand.

Disclaimer: The Product Information & Application Details Given By The Company & Its Agents, Has Been Provided In Good Faith And Is Meant To Serve Only As A General Guideline During Usage. Users Are Advised To Carry Out Tests & Take Trials To Ensure On The Suitability Of The Proucts Meeting To Their Requirements, Prior To Full Scale Usage Of The Products. Since The Correct Identification Of The Problems, Quality Of Other Materials Used And On Site Workmanship Are Factors Beyond Our Control, There Are No Expressed Or Implied Guarantee / Warranty As To The Results Obtained. The Company Does Not Assume Any Liability Or Any Consequential Damage For Unsatisfactory Results, Arising From The Use Of The Products.