



PERK MERCANTILE PVT. LTD.

ADVANCE SOLUTIONS IN WEIGHING SYSTEMS



INDUSTRIES

Pharmaceutical | Packaging | Food | Medical
Chemical | Automobile and Many more

One Stop Solution for Weighing System Manufacturers

ADI LOAD CELLS

60610



Jewellery Load Cell
Capacity: 100g to 2000g

60710



Single Point Load Cell
Size: 130x30x22
Platform Size: 300 x 300mm
Capacity: 3Kg to 60Kg

60510



Single Point Load Cell
Size: 150x25x40
Platform Size: 400 x 400mm
Capacity: 1.5Kg to 120 Kg

60310



Platform Load Cell
Size: 150x40x40
Platform Size: 600 x 600mm
Capacity: 30Kg to 400Kg

60410



Platform Load Cell
Size: 200x50x40
Platform Size: 750 x 750mm
Capacity: 100Kg to 1.5 T

60810



Jumbo Load Cell
Size: 190x75x75
Platform Size: 1000 x 1000mm
Capacity: 500Kg to 3 T

20210



S Type Load Cell
Capacity: 1Kg to 7.5T

30310



Single Ended Shear Beam Load Cell
Capacity: 50Kg to 10T

90210



Compression Load Cell
Capacity: 5T to 100T

90610T



Compression Pan Cake Load Cell
Capacity: 50Kg to 450T

90610B



Compression Button Load Cell
Capacity: 50Kg to 450T

70510



Pin Type Load Cell
Capacity: 500Kg to 400T

70210



Double Ended Shear Beam Load Cell

70310



Double Ended Shear Beam Load Cell

70610



Double Ended Shear Beam Load Cell Cup Ball Type

30510



Rope Tension Load Cell

OTHER LOAD CELLS

601



LCT Load Cells

642



CZL Green Label Platform Load Cell

803



CZL Green Label Shear Beam Load Cell



Keli Load Cells

FLINTEC LOAD CELLS

PB




Planar Beam Load Cell
Capacity: 3.5Kg to 375Kg

PC22



Single Point Load Cell
Aluminium, IP67
Capacity: 5Kg to 40Kg

PC1



Single Point Load Cell
Stainless Steel, IP67
Capacity: 7.5Kg to 200Kg

PC42



Single Point Load Cell
Aluminium, IP67
Capacity: 5Kg to 200Kg

PC46



Single Point Load Cell
Aluminium, IP67
Capacity: 50Kg to 250Kg

PC60



Single Point Load Cell
Aluminium, IP67
Capacity: 30Kg to 750Kg

PC6



Single Point Load Cell
Stainless Steel, IP68/69K, HS
Capacity: 10Kg to 200Kg

PC7



Single Point Load Cell
Stainless Steel, IP68/69K, HS
Capacity: 100Kg to 500Kg

SB8



Bending Beam Load Cell
Stainless Steel, IP68
Capacity: 10Kg to 500Kg

SB14



Single Ended Shear Beam Load Cell
Stainless Steel, IP68/69K, HS
Capacity: 227Kg to 4536Kg

SLB



Single Ended Shear Beam Load Cell
Stainless Steel, IP67
Capacity: 91Kg to 2268Kg

BK2



Low Profile Shear Beam Load Cell
Capacity: 200Kg to 2000Kg

UXT



S Type Load Cell
Alloy Steel, IP67
Capacity: 50Kg to 7.5T

ULB



S Type Load Cell
Stainless Steel, IP67
Capacity: 100Kg to 5T

RC3



Compression Load Cell
Stainless Steel, IP68/69K, HS
Capacity: 7.5T to 300T

RC3D



Compression Load Cell
Stainless Steel, IP68/69K, HS
Capacity: 30T to 50T

MHT



Compression Load Cell

Y1



In-Line Threaded Load Cell

FT-107



Flintec Weight Indicator

FT-10



Flintec Weight Indicator

INDUSTRIAL WEIGHING INDICATORS



Industrial Indicator



Weighing Indicator



Set Point Controller



Flameproof Indicator

— : SPECIFICATIONS : —

Operating Voltage : 230V AC / 24VDC / 12VDC

Size : 48x96x122mm / 96x96x 150mm / 96x192x200mm /
Flameproof Enclosure / Handheld Model

A/D Convertor : 24Bit Delta Sigma Ratio Metric With Analog and Digital Filters

Loadcells : Upto 6 Load cells of 350Ω each

Functions : Taring, Zeroing, Auto Zero Tracking, Auto Zero at Power up, Piece Counting, Litre to Kg Conversion, etc.

Application : Basic Weighing, Tank weighing, Peak Hold, RS232, RS485 Modbus ASCII / RS485 Modbus RTU, DAC (4-20mA / 0-10V DC / 0-20mA) Output, Bluetooth, Filling Controller, Level Controller, Batching Controller, Overload Indicator, PLC Compatible Controller, Printer Indicator with Receipt / Label printing, Customised Applications



Intelligent Terminal
for Weighbridge



Printer Indicator



Handheld Indicator



Converters / Loadcell Amplifiers



PERK MERCANTILE PVT. LTD.

📍 D-24, Shalimar Industrial Estate, Matunga Labour Camp, Matunga, Mumbai 400 019, India.

📞 98212 85902 / 98215 42428 ✉ ajmerah@perkloadcell.com 🌐 www.perkloadcell.com