



Chamunda
Plastic Pvt. Ltd.



Har Ghar Jal
Jal Jeevan Mission



**COMMITTED
TO QUALITY**

**STRONGER
MATERIALS FOR
A BETTER RESULTS**



ASSOCIATED PARTNER
SHLOK FUSION INDUSTRIES PVT. LTD.

www.electrofusionfittings.in
www.chamundaplastics.com

HDPE ELECTROFUSION FITTINGS



Electrofusion Tee

MFG Range: 20 mm OD to 315 mm OD
Reducing Tee are also available



Electrofusion Elbow 90°

MFG Range: 20 mm OD to 315 mm OD



Electrofusion Elbow 45°

MFG Range: 20 mm OD to 315 mm OD



Electrofusion Reducer

MFG Range: 20 mm OD to 315 mm OD



Electrofusion End Cap

MFG Range: 20 mm OD to 315 mm OD



Electrofusion Coupler

MFG Range: 20 mm OD to 315 mm OD



Electrofusion Saddle

MFG Range: 63 mm OD to 160 mm OD



EF Tapping Tee

MFG Range: 20 mm OD to 315 mm OD

HDPE SPIGOT FITTINGS



Spigot End Cap

MFG Range: 20 mm OD to 315 mm OD



Spigot Bend (6kg & 10kg)

MFG Range: 20 mm OD to 315 mm OD



Spigot Tee (6kg & 10kg)

MFG Range: 20 mm OD to 315 mm OD



Spigot Reducer

MFG Range: 20 mm OD to 315 mm OD



Sandwich Flange

MFG Range: 20 mm OD to 630 mm OD



Spigot Reducing Tee

MFG Range: 20 mm OD to 315 mm OD



Spigot Elbow 45°

MFG Range: 20 mm OD to 315 mm OD



Tail Piece (180mm Long)

MFG Range: 20 mm OD to 315 mm OD
Available with flange also

COMPRESSION FITTINGS

These fittings are available with plastic thread, Brass thread and SS thread.
MFG Range: 20 mm OD to 110 mm OD



Coupler

MFG Range: 20 mm OD 110 mm OD



Compression Elbow

MFG Range: 20 mm OD 110 mm OD



FT Elbow

MFG Range: 20 mm OD 110 mm OD



MT Elbow

MFG Range: 20 mm OD 110 mm OD



FTA

MFG Range: 20 mm OD 110 mm OD



Equal Tee/Reducing Tee

MFG Range: 20 mm OD to 110 mm OD



MTA

MFG Range: 20 mm OD 110 mm OD



End Cap

MFG Range: 20 mm OD 110 mm OD


PIPES

Available with CIPET




HDPE PIPES

Manufacturing Range :
20mm OD to 400 mm OD
Grade :
PE-63, PE-80, PE-100
Standards :
IS 4984-2016, ISO-4427
PN-2.5 to PN-10



MDPE PIPES

Manufacturing Range :
20mm OD to 50 mm OD
Grade :
PE-80, SDR-9, SDR-11
Standards :
ISO-4427
PN-10 to PN-16



PPRC PIPES

Manufacturing Range :
20mm OD to 400 mm OD
Grade :
SDR-7.4 to 11
Standards :
77/78
PN-10 to PN-16

OTHER JJM PRODUCTS



PP/Brass Service Saddle

MFG Range: 40 mm OD to 200 mm OD



Brass Ferrule

MFG Range: 15 mm OD to 25 mm OD
Weight : 90 gram to 400 gram



SS Flow Control Valve

Available in various discharge ranges
(LPM)



CI/DI Sluice Valve



Water Meter Box



Water Meter



PP Ball Valve



Taper Cock



Electro Fusion Welding Machine



Butt Fusion Welding Machine



Socket Fusion Welding Machine

PPRC PIPES & FITTINGS



BUTT FUSION FITTINGS



Contact Us



PREM RAOL
08048030633

HARSH GUPTA
08048030633

RUTVA SHAH
08048030633



electrofusionfittings@gmail.com



<https://www.electrofusionfittings.in/>
www.chamundaplastics.com



Factory Address:
1051, Nr. Kothiya Patiya, Kuha Gam Road, On Kathwada-Indore Highway,
Ahmedabad-382433, Gujarat, India



Branch Offices:
Ahmedabad | Indore | Delhi

Approved Vendor For

