




RUDRA

THE FUTURE OF MOVERS



**MANUFACTURERS OF
CUSTOMIZED CONVEYOR
AUTOMATION SYSTEMS &
CONVEYOR ROLLERS**

Flat Belt Conveyors

Capacity : 1-50 kg per feet
Speed : up to 40 m/min
Material : Stainless Steel (Matte / Mirror Buffing)
Inclination : Horizontal, Inclined, Declined
Belt Width : 75mm to 1500mm
Belt Material : PU, PVC, Plain Belt,
Structure : Rigid and Stronger SS304 frame
Application : Food-grade, Pharma-grade application, Small/Medium Part Transfer/Handling

Stainless Steel Belt Conveyor



Mild Steel Belt Conveyor



Capacity : Up to 200 kg
Speed : up to 40 m/min
Material : Mild Steel + Powder Coating
Inclination : Horizontal, Inclined, Declined
Belt Width : 75mm to 1500mm
Belt Material : PU, PVC, Plain Belt,
Structure : Frame with Rigid & Robust Design
Application : Packaging, Medium/Heavy Part Transfer

Capacity : 1-20 kg per feet
Speed : up to 40 m/min
Material : Stainless Steel / Mild Steel
Inclination : Horizontal, Inclined, Declined
Belt Width : 6"(152mm), 8"(203mm), 10"(254mm), 12"(305mm), 15"(381mm)
Belt Material : PU, PVC, Plain Belt,
Structure : Standard angles of 30°, 45° and 60° are available.
Application : Small/Medium Part Transfers/Handling, Horizontal and Inclined/Declined Applications.

Inclined Belt Conveyor



Mobile Belt Conveyor



Capacity : 1-20 kg per feet
Speed : up to 40 m/min
Material : Mild Steel + Powder Coating
Inclination : Horizontal, Inclined
Belt Width : 6"(152mm), 8"(203mm), 10"(254mm), 12"(305mm), 15"(381mm)
Belt Material : PU, PVC, Plain Belt,
Structure : Standard angles of 30°, 45° and 60° are available.
Application : Truck Loading/Unloading Conveyor, Ware House

Roller Conveyors

Material : Stainless Steel / Mild Steel
Length : 200mm to 10000mm
Width : 150mm to 1500mm
Speed : 5 m/min to 15 m/min
Load Capacity : from 5 kg to 1000 kg
Application : Small/Giant Boxes, Pallets, Drums transporting them to the interconnecting areas.

Chain Driven Roller Conveyor



Gravity Roller Conveyor



Material : Stainless Steel / Mild Steel
Length : 200mm to 10000mm
Width : 150mm to 1500mm
Speed : 5 m/min to 15 m/min
Load Capacity : from 5 kg to 1000 kg
Application : Loading and unloading from Vehicles, Conveying within the picking/collection area

Material : Stainless Steel / Mild Steel
Length : From 5mtr & up
Width : 400, 600, 800 & 1000mm
Speed : 5 m/min to 15 m/min
Load Capacity : up to 90 kg/mtr
Features : Typical Expandable length is 1:3, Reliable, Flexible and uses low energy.
Application : Low and medium duty packaging, assembly and shipping functions, widely used in production line or warehouses.

Flexible Powered Roller Conveyor



Flexible Gravity Roller & Skate Wheel Conveyor



Material : Stainless Steel / Mild Steel
Length : From 5mtr & up
Width : 400, 600, 800 & 1000mm
Load Capacity : up to 90 kg/mtr
Features : Able to bend and twist as needed to go around obstacles, can even curve up to 180° curve.
Application : Low and medium duty packaging, assembly and shipping functions, widely used in production line or warehouses.

Modular Straight, Incline-Decline Chain Conveyor



Belt Material : PP / PE / AC

Belt Width : 100 – 1000 mm

Features : Heat Resistant

Operating Temperature Range: -30 to 65 Degree °C

Application : Plastic Chains are best suited for the food, Beverage, Glass, Paint and Pharmaceutical Industries.

Slat Chain Conveyor



Material : Stainless Steel / Mild Steel

Chain Material : SS/Plastic

Chain Type : SLAT CHAIN

Length : 500mm to 15000mm

Width : 100mm to 1500mm

Load Capacity : 1 kg to 200 kg

Speed : 45 m/min

Application : Food, Beverage, Glass, Paint and Pharmaceutical Industries.



RUDRA

THE FUTURE OF MOVERS

Address: 82, Kamal estate, Bombay Conductor Road,
Phase 1, GIDC Estate, Vatva, Ahmedabad, Gujarat 382445.

Contact : +91 9879873997 | +91 8200335056

Web : www.rudraconveyor.com

Email : sales.rudraconveyor@gmail.com

Follow us :- [rudraconveyor](#) 