




Solar decorative range

Puneet Kalia
Kalyan

DDS GCGM – Solar Product Management

A high-action photograph of a massive ocean wave curling into a barrel. The water is a deep, vibrant blue-green, and the spray is white and frothy. A surfer is visible inside the barrel of the wave, riding the face. The overall mood is powerful and dynamic.

WAVE 4

WAVE4

Adding Style to the Solar Essential Range


The new addition are

Smarter

Aesthetically Appealing

Simple to Experience





Solar Pathway Light



Unique
Lantern look

Sparkling
guidance

Replaceable
battery



Solar Pathway Light

Specifications	
Lumen	15
CRI	>70
CCT	3000k
Efficacy	130lm/w
Light Switch	Yes
Lighting Mode	>8 hrs. (full charged)
Battery Capacity	1.2v 1200mAh
PV panel power	0.48W
IPxx	Outdoor rated (IP44)



Product details	
12nc	9114 018 55602
Description	BGS015 LED/730 T5 IN

Solar Pathway Light



Sensor
operated

Modern
look

Asymmetric
throw

Replaceable
battery



Solar Pathway Light

Specifications

Lumen	60 (w/ motion) / 6 (w/o motion)
CRI	>70
CCT	3000k
Efficacy	130lm/w
Light Switch	Yes
Lighting Mode	>8 hrs. (full charged)
Battery Capacity	3.7v 500mAh
PV panel power	0.5 W
IPxx	Outdoor rated (IP44)



Product details

12nc	9114 018 55702
Description	BGS015 LED/730 T6 S IN

Solar Deck Light



Smart look

Compact

Light
pattern

Replaceable
battery



Solar Deck Light

Specifications	
Lumen	5
CRI	>80
CCT	3000k
Efficacy	130lm/w
Light Switch	Yes
Lighting Mode	>8 hrs. (full charged)
Battery Capacity	1.2v 600mAh
PV panel power	0.24 W
IPxx	Outdoor rated (IP44)



Product details	
12nc	9114 018 55802
Description	BWC015 LED/730 T1 IN

Solar Deck Light



Smart look

Compact

Dynamic
effect

Replaceable
battery



Solar Deck Light

Specifications	
Lumen	10
CRI	>80 (at white)
CCT	RGBW (W : 3000k)
Efficacy	130lm/w
Light Switch	Yes
Lighting Mode	>8 hrs. (full charged)
PV panel power	0.5 W
Working Temperature	0~50°C
IPxx	Outdoor rated (IP44)



Product details	
12nc	9114 018 55902
Description	BWC015 LED/RGBW T2 IN

Solar Deck Light



Smart look

Compact

Wall washer

Replaceable
battery



Solar Deck Light

Specifications	
Lumen	10
CRI	>80
CCT	3000K
Efficacy	130lm/w
Light Switch	No
Lighting Mode	>8 hrs. (full charged)
Battery Capacity	1.2v 900mAh
PV panel power	0.36 W
IPxx	Outdoor rated (IP44)



Product details	
12nc	9114 018 56002
Description	BWC015 LED/730 T3 IN

Solar String Light white



Bright LEDs

Static effect



Solar String Light white

Specifications	
CRI	70
CCT	3000
PV panel power	0.2 W
IPxx	IP65



Product details	
12nc	9114 018 56202
Description	XGCC015 LED/730 IN

Solar String Light colorful



Bright LEDs

Static effect



Solar String Light colorful

Specifications	
CRI	70
CCT	3000
PV panel power	0.2 W
Working Temperature	0~50°C
IPxx	65



Product details	
12nc	9114 018 56102
Description	XGC015 LED/RGBW IN

Ordering details

12NC	Product Description	Outerbox(PiecesPer)	Pack Type
911401856202	XGC015 LED/RGBW IN	24	1CT
911401856102	XGC015 LED/730 IN	24	1CT
911401856002	BWC015 LED/730 T3 IN	12	1CT
911401855902	BWC015 LED/RGBW T2 IN	12	1CT
911401855802	BWC015 LED/730 T1 IN	24	1CT
911401855702	BGC015 LED/730 T6 S IN	24	1CT
911401855602	BGS015 LED/730 T5 IN	24	1CT

Warranty : 1 year
Service type : Not serviceable

Signify