



uPVC PROFILES | WINDOWS | DOORS | PRE-FABS

# STUDIO










- Application
   Recommended for commercial & budget housing Minimum Windows Seal: 80mm
- Features
   Compatible with sash 61mm and super sash 85mm
- Lock
   61mm sash: Touch Lock & Cresent Lock
   85mm Super Sash: Touch Lock & Multi locking system
- Aluminium coping track rail
- Bug Mesh provision not available












- Application
   Glass: upto 20mm
- Features
   Compatible with sash 61 mm and super sash 85mm
- Lock 61 mm sash : Touch Lock & Cresent Lock

85mm Super Sash : Touch Lock & Multi locking system Aluminium caping track rail Bug Mesh available with 42mm & 58mm screen sash





SLIDING DOORS SERIES 108 mm






- Application
- Structural design considered for high wind load resistance in highrise buildings
- Minimum Window Seal:
   150 mm for 3 Track
   180mm for Strack + addon track
- Glass: upto 20mm
- Features
   Compatible with super sash 85mm.
- Lock: Touch Lock & Multi locking system.
- Bug Mesh 61 mm & 85mm screen sash
- uPVC mullion for glass as well as bug mesh
   Attachable addon track for mesh shutter





SLIDING WINDOWS SERIES 108 mm





#### Application

- Structural design considered for high wind load resistance in highrise buildings.
- Minimun Window Seal: 150 mm
- Glass: upto 20mm

#### Features


Compatible with Sash 61 mm, 72mm and super sash 85mm

#### ■ Lock:


61mm sash: Touch Lock & Cresent Lock 85mm super sash: Touch Lock & Multi locking system

 Bug Mesh available with 61 mm & 85mm screen sash





CASEMENT WINDOWS SERIES 60 mm






- Application
- Used for Combination louvers and Fix Window frames
- Minimum Window Seal: 80mm
- Glass: upto 30 mm
- Glass with Integrated blinds can be installed in window frame
- Features Compatible with Openable sash 75mm
- Lock: Single or Multi locking system
- Special Integrated grill and bug Mesh available with 61 mm screen sash













- Application:
- Designed to sustain extreme wind load conditions
- Minimum Window Seal: 80mm
- Glass: upto 30 mm
- Glass with Integrated blinds can be installed in window frame
- Features
   Compatible with Openable sash 110mm
- Lock: Multi locking system.





**PARTITION & CEILING** 





- uPVC Partition / Ceiling:
- uPVC multi walled panels of 20 X 155 X 1.2 mm and 355 X20 X 1.2mm fixed with hidden screwing method on MS pipe structure interlocked with tongue and groove system
- Nutbolt system available depending on the site requirements
- Highly recommended for partitions and ceilings in offices and factories
- Cost saving, easy and less time consuming installation process as compared to other conventional systems
- uPVC Doors and Windows can be integrated based on the design
- Chemical and Fire retardant properties make this product highly recommendable for use in pharma, food and other allied industries
- 100% Termite free and Weather resistant

























**OPEN YOUR** DOORS TO THE FUTURE



DISCOVER THE PERFECT COMPOSITE DOOR FOR YOUR HOME...










- WPC Doors:
- 37mm multiwall extruded door with looks of wood and merits of PVC
- Recommended for premium villas and housing projects
- Hinge side with specially designed GI Reinforcement for better screwing and strength
- Available in Melamine polish of different shades
- Laminates and veneer can be pasted
- 100%Termite free and Weather resistant
- No Expansion or contraction due to weather changes







#### SLIDING SERIES 60 mm




#### SLIDING SERIES 108 mm



#### SLIDING SERIES 88 mm




# CASEMENT SERIES 60 mm



## uPVC DOOR 20 mm

## uPVC DOOR 32 mm





FOUR PANNEL SLIDING DOORS



CASEMENT DOORS



UPVC WALLS



SLIDING WINDOW & DOOR



CASEMENT WINDOW



GEORGIAN BAR WINDOWS



**CEILING & PARTATION** 



WPC DOOR



SLIDING WINDOW & DOOR



**BI-FOLD DOORS** 



**VERTICAL SLIDING WINDOWS** 



**CEILINGS** 



VILLA WINDOWS




CORNER GLASS TO GLASS WINDOW



BALCONY WINDOWS WITH GRILL







#### YASHASHRI POLYEXTRUSION LTD

Gat No. 436/C/2/3, Shahu Industrial Estate, JAYSINGPUR - 416 101.

Dist. Kolhapur (MH) INDIA

02322 221622 / 23 / 24. Fax: +91 - 2322 - 221622,

E-mail: yashpolyindia@gmail.com

www.yashpolyprofiles.com

# S. B. INDUSTRIES

44/2, Armenian Street, Parry's Chennai - 600 001.

Tel.: 044 25226166, 25230603

Cell: 9840042044

email: sbenterprises84@gmail.com