

PRIME TRADING COMPANY

THE HOUSE OF SAFETY PRODUCTS



+91 98422 21552



huz_prime@yahoo.co.in

**No. 22, Dr. Nanjappa Road
Opp. to Christ The King Church
Coimbatore - 641 018**



ALKO PLUS[®]

Invented for safety



APS 551



APS T2



APS T7



APS T5



APS T9



APS 1251



APS 1551



APS 1051



APS 2200



ALKO PLUS[®]

Invented for safety



APS 2100



APS K1



APS K2



APS K3



APS K4



APS K51



APS 1188



APS 3X



APS 7X


ALKO PLUS[®]

Invented for safety



APS 1125



NUCLEUS

SPORTY



WORKOUT

BESTON





UniStar®

 **UniStar**
INDUSTRIAL SHOES



SMART
Size- 6x10
Col.- Black/Yellow

 **UniStar**
INDUSTRIAL SHOES



ORION
Size- 6x10, 11x12
Col.- Black/Red

 **UniStar**
INDUSTRIAL SHOES



SMART
Size- 6x10
Col.- Black/Red

 **UniStar**
INDUSTRIAL SHOES



COMFORT
Size- 6x10, 11x12
Col.- B.Grey

 **UniStar**
INDUSTRIAL SHOES



COMFORT
Size- 6x10, 11x12
Col.- Black/Red









SAFETY

VENT S1

Breathable Safety Features

Meet a heavy reinforced safety combined with first class comfort. Thanks to its light weight design, JCB's reinforced high tensile materials, and its ergonomically designed lighter SACS, you will breathe easy. Vent allows you good breathability for 24/7 working.

Upper	Soft leather leather
Anti	Antistatic meeting EN 13634 standard
Temper	Steel
Midsole	PU
Lining	Soft mesh
Footbed	Soft footbed
Safety category	EN ISO 20344: 2011 S1 and S1B (EN ISO 20345: 2011)
Size range	40/42 to 46/48, 1/2000
	UK 5-12

BORN TOUGH BUILT RELIABLE



CONTINUAL UPPER


NO NAIL PENETRATION


NO SHARP EDGES


NO SHARP POINTS


NO SHARP CORNERS


NO SHARP EDGES

THE CAP


NO SHARP EDGES


NO SHARP POINTS


NO SHARP CORNERS


NO SHARP EDGES


NO SHARP POINTS

SOLE


NO SHARP EDGES


NO SHARP POINTS


NO SHARP CORNERS


NO SHARP EDGES


NO SHARP POINTS


NO SHARP CORNERS



AGRICULTURAL PROFESSIONAL OCCUPATIONAL

ENGINEERED IN UK

MADE IN GERMANY

ISO 9001





SAFETY

FASTRAC S1

Sperry Safety Footwear with Extended Phasor Comfort.

Phasor is made from super light weight and highly flexible safety shoe. It's shock and vibration resistant. It's virtually seamless construction, padded collar and tongue. The innovative Phasor is perfectly adapted to the high neutral tread atmosphere for its outstanding air exchange, low weight and optimal abrasion control. Standing and walking in Phasor is highly comfortable – all day long.

Upper:	Black and Yellow High Tensile Synthetic Fiber
Size:	Single Gender US, Shock Outsole
Toe cap:	Steel
Lining:	Phasor
Footbed:	SPW Footbed
Safety category:	EN 20345:2011 & ISO 12200 (P+1) (2) (3) (4)
Approx weight:	1000 g (1.1kg) (1000 g)
Size range:	UK 5-12
Option:	ES5, Penetration Protection

BORN TOUGH
BUILT RELIABLE



GENERAL & UPPER

SAFETY CAP
STEEL

ANTI-STATIC

ES5 (P+1)

ES5 (P+1)

NO OPEN FLAME
RES.

HEAT RESISTANT

WASHABLE

TOE CAP

STEEL TOE

SAFETY TOE CAP

IN SOCK

IN-SOCK COMFORT

IN-SOCK COMFORT

SOLE

SHOCK ABSORBER

PHASOR SOLE

RESISTANT SOLE

ANTI-STATIC

ES5

ES5 (P+1)

ES5 (P+1)

ES5 (P+1)



JCB

SAFETY FOOTWEAR

industrial occupational occupational

www.jcbfootwear.co.uk

ENGINEERED
IN UK



**FS005**