

# **PRIME TRADING COMPANY**

**THE HOUSE OF SAFETY PRODUCTS**



**+91 98422 21552**



**huz\_prime@yahoo.co.in**

**No. 22, Dr. Nanjappa Road  
Opp. to Christ The King Church  
Coimbatore - 641 018**



# ROAD SAFETY



**NILKAMAL  
HEXAGON  
CONE**



**CONE WITH  
RUBBER BASE**



**CONE WITHOUT  
RUBBER BASE**



**CYLINDRICAL CONE**



**DUAL COLOR  
RUBBER SPEED  
BREAKER**



**TRUCK  
WHEEL  
CHOCK**



**CAR  
WHEEL CHOCK**



**ROAD REFLECTOR  
(WHITE PLASTIC)**

# ROAD SAFETY



**SOLAR TRAFFIC  
SIGNAL LIGHT**



**TRAFFIC  
BATTON  
LIGHT**



**CAUTION  
TAPE**



**CAUTION  
BOARD**



**SAFETY REFLECTIVE  
JACKET**



**REFLECTIVE VEST**



**ORANGE PLASTIC  
FENCE ROL**



**GREEN SHADE  
NET**



**CAR WHEEL  
LOCK**



# ROAD SAFETY



**RING TYPE  
PLASTIC CHAIN**



**SS QUE  
MANAGER**



**WALL MOUNTED  
BELT BARRIER**



**FOLDING  
BARRICADE**



**RUBBER  
CORNER  
GUARD**



**CORNER  
GUARD**



**WIND SOCK**

## CONVEX MIRRORS



## Key Features :

130 Degree Of Viewing Angle  
For Internal And External Purposes  
Light Weight And Secure Fixing  
Made Of One Piece Polycarbonate Lens Which Is Damage Resistant  
Brim And Back Holding Plate Is Metal/Trp  
Polycarbonate Convex Mirrors Are 200 Times Stronger Than Glass  
Not Affected By Any Type Of Light Ray  
Will Not Produce Toxic Fumes If Burnt  
Ideal For Areas Prone To Vandalism



**CONVEX  
MIRROR  
COVER**

# ROAD SAFETY



**ANTI SKID  
TAPE**



**ANTI SKID  
TAPE REFLECTIVE**




**UNDER VEHICLE  
SEARCH MIRROR  
(PVC)**





**UNDER VEHICLE  
SEARCH MIRROR  
(METAL)**



# INDUSTRIAL SAFETY



# FIRE SAFETY



**SAFFIRE**  
A SA TECH PRODUCT

**Co<sub>2</sub> TYPE**

The quick & efficient flame knockdown property of Co<sub>2</sub> gas makes it ideal for tackling fires involving inflammables like petrol, oil, paints, solvents and industrial gases. It is also suitable for sophisticated machines. Co<sub>2</sub> extinguishes the fire without soot by dilution of oxygen and chilling effect.

Extinguisher Type: CO<sub>2</sub> / Dry Chemical / Foam

TYPE	2 Kg	4.5 Kg
Fire Rating	21B	34B
Discharge time	49 Sec	12 Sec
Total Height	555 mm	703 mm
Diameter	150 mm	143 mm
Charged Weight	8 kg	16 kg
Operating Temperature	+10°C to +55°C	
Minimum Service Pressure	158 bar	143 bar
Test Pressure	230 bar	257 bar
Jet Range	2 metre	3 metre

5

**SAFFIRE**  
A SA TECH PRODUCT

**ABC DRY POWDER**

This is a premium range of appliances available in ABC Powder, pressurised with dry nitrogen gas. The contents are enriched for the release of pressure stored inside the body. The built-in pressure gauge indicates its readiness for use. ABC Powder is one of the most versatile and highly effective agents suitable to combat fires involving wood, inflammable liquids, gases and electrical wiring. This extinguisher knocks down the fire by beating and displacement of air.

Extinguisher Type: ABC Dry Powder / Foam / CO<sub>2</sub> / Dry Chemical

TYPE	1 Kg	2 Kg	4 Kg	6 Kg	9 Kg
Fire Rating	1A, 21B	1A, 21B	24, 34B	3A, 34B	4A, 34B
Discharge time	8 Sec	8 Sec	18 Sec	24 Sec	37 Sec
Total Height	340 mm	340 mm	440 mm	440 mm	540 mm
Diameter	86 mm	108 mm	130 mm	143 mm	175 mm
Charged Weight	2.2 Kg	3.5 Kg	6.5 Kg	8.5 Kg	12.5 Kg
Operating Temperature	-10°C to +55°C				
Service Pressure	15 bar	15 bar	15 bar	15 bar	15 bar
Minimum Service Pressure	10 bar	10 bar	10 bar	10 bar	10 bar
Test Pressure	35 bar	35 bar	35 bar	35 bar	35 bar
Jet Range	2 metre	2 metre	3 metre	4 metre	5 metre

2



# FIRST AID KIT

