

| INDEX | | | |
|-------|--------------------------------------|--------------------------|----------|
| SR NO | DIE NAME | DIE NO | PAGE NO. |
| 1 | ALUMINIUM ALLOY SPECIFICATION | — | 3 |
| 2 | RECTANGULAR TUBE | RT 1601-1658 & 1701-1715 | 4 & 5 |
| 3 | SQUARE TUBE | SQT 1501-1514 | 5 |
| 4 | HANDLE | HL 3701 | 6 |
| 5 | INTER LOCK | IL 4001 TO IL 4012 | 7 |
| 6 | TOP BOTTOM | TBO 5501 | 8 |
| 7 | BEARING BOTTOM | BB 5601 | 8 |
| 8 | MIDDLE & L PIPE | MD 5001 & LP 7308 | 9 |
| 9 | TRACK | TT 2001 -TB 2051 | 10 TO 12 |
| 10 | PARTITION | SP 6151 -DP 6251-LS 7310 | 13 |
| 11 | DOOR SECTION | DMS-6301,DMD-6551 | 14 |
| 12 | MOULDING SECTION | — | 15 |
| 13 | FLATBAR & ANGLE | FTB1001-1037,7001-7014 | 16 |
| 14 | SQUARE BAR & PLAIN ROUND PIPE & ROAD | SB7342 | 17 |
| 15 | CHAND PATTI | — | 18 |
| 16 | GUIDE PATTI | — | 18 |
| 17 | G PATA & Y-SECTION | — | 18 |
| 18 | GLAZING CLIP-GREEL F SECTION | — | 18 |
| 19 | HAX ROAD | — | 18 |
| 20 | SINGLE,DOUBLE CHENNAL | — | 19 |
| 21 | U-CHENNAL, T-SECTION,BULB-T | PT 7301 & BT 7334 | 19 |
| 22 | PARDA & M TRACK CHENNAL | — | 20 TO 23 |
| 23 | EC SERIES | — | 24 |
| 24 | GLASS & CUBOARD SECTION | — | 25 TO 28 |
| 25 | ROLLING SHUTTER | RS 001-003 | 29 |
| 26 | SPECIAL&INDUSTRIAL DIE | — | 30 TO 37 |
| 27 | KITCHEN PROFILES | KP3001-3004 | 38 TO 40 |
| 28 | DRHL SERIES | — | 41 |
| 29 | 27MM SERIES DUMAL | — | 42 & 43 |
| 30 | 20MM SERIES DUMAL | DUMAL2001-2004 | 43 |
| 31 | CURTAIN SERIES,CURTAIN WALL | CURTAIN 001-010 | 44 & 45 |
| 32 | RAILING SECTION | BS01,ALP-001 | 46 & 47 |
| 33 | AEPL SECTION | AEPL 1001 & AEPL 001-014 | 48 TO 50 |
| 34 | INDUSTRIAL SECITON | VS01-VS04 | 51 |
| 35 | TRANSPORT SECTION-F.M. SERIES | — | 52 |
| 36 | TRANSPORT SECTION - MECH SECTION | — | 53 |
| 37 | TRANSPORT SECTION | — | 54 |
| 38 | MISC DIE | — | 55 |

| INDEX | | | |
|-------|-----------------------------------|---------------------|------------|
| 39 | KLKT SERIES | — | 56 |
| 40 | STERIMAC CLEAN ROOM | — | 57 & 58 |
| 41 | CLEAN ROOM | | 59 TO 62 |
| 42 | Z SECTION | ZS 7001 - ZS 7004 | 63 |
| 43 | LED SECTION | — | 64 & 65 |
| 44 | HOOK /TBT | — | 66 TO 69 |
| 45 | R-40 ZSERIES | 21001-21006 | 70 |
| 46 | SOLAR | 45001-45007 | 71 TO 73 |
| 47 | HRD SERIES | AC 01-07 | 74 |
| 48 | RG SECTION | RG-1000-1014 | 75 & 76 |
| 49 | VIVO SECTION | VIVO-001-003 | 77 |
| 50 | MECH SECTION | MECH-100,MECH-200 | 77 |
| 51 | MD SECTION | MD 001-MD 009 | 78 |
| 52 | ARC SECTION | — | 79 TO 88 |
| 53 | PROFILE | 001-014 | 89 & 90 |
| 54 | SAP SERIES | — | 91 & 92 |
| 55 | MK DIE | — | 93 |
| 56 | ANOVI DIE | 13005 - 13007 | 94 TO 97 |
| 57 | HIRAL DIE | 13005-13007 | 98 |
| 58 | BRIJ DIE | BRIJ-001 | 98 |
| 59 | SLM DIE | SLM-001-011 | 99 & 100 |
| 60 | ATAL DIE | ATAL-1001,ATAL-1031 | 101 TO 103 |
| 61 | ARVIND DIE | 13013-13022 | 104 |
| 62 | OCTANT DIE/BANCO | — | 105 |
| 63 | DUMAL SERIES | — | 106 & 107 |
| 64 | TEXTILE/SLIM SERIES/TEPER FLATBAR | — | 108 |
| | | | |


ALUMINIUM ALLOY SPECIFICATION

| Alloy Specification | | Temper | | 0.2% Proof Stress Mpa. min | Tensile Strength Mpa. Min. | Ultimated Elongation % on 50mm Gauge % Min. | Typical Brinell Hardness No BHN | Equivalents Alloy |
|---------------------|--------|--------|-------------|-------------------------------|-------------------------------|--|------------------------------------|--------------------------------|
| Old | New | Old | New | | | | | |
| EIC | 19000 | M | F | - | (65) | (18) | 20 | - |
| EIC | 19500 | M | F | - | (65) | (23) | 18 | - |
| HE9 | 63400 | M | F | - | (110) | (23) | - | AA6063 |
| | | W | T4 | 80 | 140 | 14 | 45 | |
| | | P | T5 | 140 | 170 | 7 | - | |
| | | WP | T6 | 150 | 185 | 7 | 60 | |
| E91E | 63401 | W | T4 | 80 | 140 | 12 | | |
| | | WP | T6 | 135 | 170 | 12 | 55 | |
| HE30 | 64430 | M | F | - | (110) | (14) | - | Equivalents AA6063 |
| | | W | T4 | 120 | 185 | 14 | 60 | |
| HE20 | | WP | T6 | 270 | 310 | 7 | 95 | ISO Al Si 1 Mg Mn ASTM 6351 |
| | 65032 | M | F | - | (110) | (12) | - | |
| | | W | T4 | 115 | 185 | 14 | 55 | |
| | | WP | T6 | 235 | 280 | 7 | 85 | |
| - | AA6005 | P | T5 | 240 | 260 | 8 | 80 | ASTM B221M |
| | AA6060 | | T4 | 60 | 120 | 16 | - | BS 1474 |
| | | | T5 | 100 | 145 | 8 | - | ISO-Al Mg Si |
| | | | T6 | 150 | 190 | 8 | 60 | |
| | AA6061 | | T4 | 115 | 190 | 16 | 65 | Equivalent ISO |
| | | | T6 T6510 | 240 | 280 | 8 | 85 | Al Mg 1 Si Cu |

NOTE : No Mechanical Properties are specified in F (or M) Condition
The bracketed values are given for information only
1 Mpa= 1 N/mm² = 0.102 kgf /mm²
Typical BHN values are given for information only and no guarantee is implied.







(B) CHEMICAL COMPOSITION IN PERCENTAGE

| Designation | Copper | Magnesium | Silicon | Iron | Manganese | Zinc | Titanium | Chromium | Others | Aluminum | Remark |
|-------------|-----------|-----------|-----------|-----------|-----------|------|----------|-----------|------------|-----------|----------------------------------|
| | Cu | Mg | Si | Fe | Mn | Zn | Ti | Cr | Each total | Al | |
| 19000 | 0.1 | 0.2 | 0.5 | 0.7 | 0.1 | 0.1 | - | - | 0.05 | 99.0 Min | T+V=0,07 |
| 19500 | 0.05 | 0.05 | 0.3 | 0.4 | 0.05 | 0.1 | - | - | 0.03 | 99.5 Min | |
| 63400 | 0.1 | 0.4-0.8 | 0.3-0.7 | 0.6 | 0.3 | 0.2 | 0.2 | 0.1 | 0.05 0.15 | Remainder | |
| 63401 | 0.05 | 0.4-0.9 | 0.3-0.7 | 0.5 | 0.03 | 0.10 | 0.10 | 0.03 | 0.03 0.10 | Remainder | |
| 64430 | 0.1 | 0.4-1.2 | 0.6-1.3 | 0.6 | 0.4-0.1 | 0.1 | 0.2 | 0.25 | 0.05 0.15 | Remainder | |
| 65032 | 0.15-0.4 | 0.7-1.2 | 0.4-0.8 | 0.7 | 0.2-0.8 | 0.2 | 0.2 | 0.15-0.35 | 0.05 0.15 | Remainder | Either Mn or Cr shall be present |
| AA6005 | 0.10 | 0.40-0.60 | 0.60-0.90 | 0.35 | 0.10 | 0.10 | 0.10 | 0.10 | 0.05 0.15 | Remainder | |
| AA6060 | 0.10 | 0.35-0.60 | 0.35-0.60 | 0.10-0.30 | 0.10 | 0.15 | 0.10 | 0.05 | 0.05 0.15 | Remainder | |
| AA6061 | 0.15-0.40 | 0.8-1.20 | 0.8-1.20 | 0.7 | 0.15 | 0.25 | 0.15 | 0.04-0.35 | 0.05 0.15 | Remainder | |





| RECTANGULAR TUBE | | | | | |
|---|-----------|------|------|------|-------------------|
|  | | | | | |
| Sr. No. | DIE NO | B | A | T | WT. RANGE KGS/12' |
| 1 | RT 20027 | 20 | 14 | 1.50 | 0.918-1.018 |
| 2 | RT 1701 | 25 | 12 | 0.82 | 0.600-0.700 |
| 3 | RT 1712 | 25 | 12 | 2.10 | 1.400-1.500 |
| 4 | RT 20030 | 28 | 30 | 1.50 | 1.627-1.727 |
| 5 | RT 1713 | 30 | 20 | 2.00 | 1.800-1.900 |
| 6 | RT 1702 | 38 | 19 | 1.70 | 1.800-1.900 |
| 7 | RT 1661 | 38 | 25 | 2.00 | 2.100-2.200 |
| 8 | RT 1655 | 38.1 | 25.4 | 0.69 | 0.800-0.900 |
| 9 | RT 1656 | 38.1 | 25.4 | 0.85 | 0.900-1.100 |
| 10 | RT 1601 | 38.1 | 25.4 | 0.85 | 0.900-1.100 |
| 11 | RT 1652 | 38.1 | 25.4 | 0.90 | 1.100-1.200 |
| 12 | RT 1602 | 38.1 | 25.4 | 0.92 | 1.100-1.200 |
| 13 | RT 1606 | 38.1 | 25.4 | 0.92 | 1.100-1.200 |
| 14 | RT 1603 | 38.1 | 25.4 | 1.09 | 1.300-1.400 |
| 15 | RT 1605 | 38.1 | 25.4 | 1.09 | 1.400-1.500 |
| 16 | RT 1608 | 38.1 | 25.4 | 1.40 | 1.600-1.700 |
| 17 | RT 1609 | 38.1 | 25.4 | 2.50 | 3.100-3.200 |
| 18 | RT 1703 | 40 | 20 | 2.00 | 2.300-2.400 |
| 19 | RT 1714 | 40 | 30 | 2.30 | 2.900-3.000 |
| 20 | RT 20029 | 50 | 14 | 1.50 | 1.828-1.908 |
| 21 | RT 1704 | 50 | 19 | 1.40 | 1.800-2.000 |
| 22 | RT 1659 | 50 | 25 | 2.90 | 4.000-4.100 |
| 23 | RT 1660 | 50 | 25 | 3.90 | 5.100-5.200 |
| 24 | RT 20032 | 50 | 28 | 1.50 | 2.228-2.328 |
| 25 | RT 1620/1 | 50.8 | 25.4 | 0.80 | 0.900-1.000 |
| 26 | RT 1613/1 | 50.8 | 25.4 | 0.80 | 1.000-1.100 |
| 27 | RT 1657 | 50.8 | 25.4 | 0.90 | 1.100-1.200 |
| 28 | RT 1647 | 50.8 | 25.4 | 0.85 | 1.200-1.300 |
| 29 | RT 1614 | 50.8 | 25.4 | 0.95 | 1.300-1.500 |
| 30 | RT 1615 | 50.8 | 25.4 | 1.05 | 1.400-1.600 |
| 31 | RT 1616 | 50.8 | 25.4 | 1.05 | 1.500-1.600 |
| 32 | RT 1617 | 50.8 | 25.4 | 1.20 | 1.600-1.800 |
| 33 | RT 1646 | 50.8 | 25.4 | 1.50 | 2.000-2.100 |
| 34 | RT 1619 | 50.8 | 25.4 | 2.65 | 2.800-2.900 |
| 35 | RT 1631/1 | 50.8 | 38 | 1.00 | 1.500-1.600 |
| 36 | RT 1631 | 50.8 | 38 | 1.15 | 1.900-2.000 |
| 37 | RT 1630 | 50.8 | 38 | 1.60 | 2.800-2.900 |
| 38 | RT 1651 | 51 | 38 | 3.00 | 4.700-4.800 |
| 39 | RT 1648 | 63 | 25.4 | 0.95 | 1.600-1.700 |
| 40 | RT 1705/2 | 63 | 25.4 | 1.00 | 1.400-1.500 |
| 41 | RT 1621 | 63 | 25.4 | 1.20 | 2.000-2.100 |
| 42 | RT 1649/1 | 63 | 38 | 0.80 | 1.600-1.700 |
| 43 | RT 1649 | 63 | 38 | 0.95 | 1.800-1.900 |
| 44 | RT 1633 | 63 | 38 | 1.05 | 2.000-2.100 |
| 45 | RT 1635 | 63 | 38 | 1.35 | 2.600-2.700 |
| 46 | RT 1634 | 63 | 38 | 1.60 | 3.100-3.200 |
| 47 | RT 1636 | 63 | 38 | 1.70 | 3.300-3.400 |
| 48 | RT 1662 | 63 | 38 | 2.50 | 5.200-5.300 |
| 49 | RT 1757/2 | 75 | 12 | 1.30 | 2.100-2.200 |
| 50 | RT 1705/1 | 75 | 12 | 1.80 | 3.100-3.200 |
| 51 | RT 1706/1 | 75 | 19 | 1.65 | 3.100-3.200 |
| 52 | RT 1653 | 75 | 25.4 | 1.00 | 1.700-1.800 |
| 53 | RT 1622 | 75 | 25.4 | 1.10 | 2.100-2.200 |
| 54 | RT 1623 | 75 | 25.4 | 1.40 | 2.800-2.900 |
| 55 | RT 1625 | 75 | 25.4 | 2.60 | 4.900-5.000 |
| 56 | RT 1639 | 75 | 38 | 1.85 | 4.000-4.100 |
| 57 | RT 1643 | 75 | 50 | 1.60 | 3.800-3.900 |
| 58 | RT 7002 | 75 | 25 | 2.50 | 1.800-1.900 |
| 59 | RT 50018 | 76.4 | 15 | 1.00 | 1.760-1.860 |
| 60 | 20054 | 80 | 60 | 3.00 | 7.950-8.050 |
| 61 | RT 1650/1 | 83 | 38 | 1.04 | 2.500-2.600 |
| 62 | RT 1650/2 | 83 | 38 | 1.04 | 3.600-3.700 |
| 63 | RT 1650 | 83 | 38 | 1.70 | 3.900-4.100 |
| 64 | RT 1707 | 100 | 12 | 1.25 | 2.700-2.800 |

| TOP BOTTOM & BEARING BOTTOM | | | | | | | |
|-----------------------------|-------------|------|-------------------|----------------------------|----------|------|-------------------|
| 3/4" TOP BOTTOM | | | | 3/4" BEARING BOTTOM | | | |
| | | | | | | | |
| SR. NO. | DIE NO | T | WT. RANGE KGS/12' | SR. NO. | DIE NO | T | WT. RANGE KGS/12' |
| 1 | TBO 5501 | 0.58 | 0.800-0.900 | 1 | BB 5606 | 0.85 | 1.300-1.400 |
| 2 | TBO 5502 | 0.72 | 0.900-1.000 | 2 | BB 5601 | 0.91 | 1.400-1.500 |
| 3 | TBO 5510 | 0.72 | 0.900-1.000 | 3 | BB 5602 | 1.00 | 1.500-1.600 |
| 4 | TBO 5506 | 0.72 | 0.900-1.000 | 4 | BB 5603 | 1.03 | 1.600-1.700 |
| 5 | TBO 5503 | 0.75 | 1.000-1.100 | 5 | BB 5604 | 1.15 | 1.700-1.800 |
| 6 | TBO 5504 | 1.10 | 1.300-1.500 | 6 | BB 5605 | 1.39 | 2.100-2.300 |
| 7 | TBO 5505 | 1.22 | 1.500-1.600 | | | | |
| 8 | TBO 5509 | 1.37 | 1.900-2.000 | | | | |
| 3 X 1 B.BOTTOM | | | | 2 X 1 B.BOTTOM | | | |
| | | | | | | | |
| SR. NO. | DIE NO | T | WT. KGS/12' | SR. NO. | DIE NO | T | WT. KGS/12' |
| 1 | BB 5701 | 1.2 | 3.200-3.400 | 1 | BB 5802 | 1.2 | 2.500-2.700 |
| 60X19 T/B | | | | 60X19 T/B | | | |
| | | | | | | | |
| SR. NO. | DIE NO | T | WT. KGS/12' | SR. NO. | DIE NO | T | WT. KGS/12' |
| 1 | TBO 5509 | 1.25 | 2.000-2.200 | 1 | TBO 5509 | 1.25 | 2.000-2.200 |
| R 19X60 TOM BOTTOM | | | | | | | |
| | | | | | | | |
| SR. NO. | DIE NO | T | WT. KGS/12' | SR. NO. | DIE NO | T | WT. KGS/12' |
| 1 | R 19X60 T.B | - | 1.700.1800 | | | | |

| MIDDLE & L PIPE | | | | | | | |
|--------------------|---------|------|-------------|---------------------|-----------|------|-------------|
| 3/4" MIDDLE | | | | 2 X 1 MIDDLE | | | |
| | | | | | | | |
| SR. NO. | DIE NO | T | WT. KGS/12' | SR. NO. | DIE NO | T | WT. KGS/12' |
| 1 | MD 5001 | 0.80 | 0.950-1.050 | 3 | MD 5101 | 0.72 | 1.500-1.700 |
| 2 | MD 5002 | 1.00 | 1.400-1.600 | 4 | MD 5101/1 | | 1.400-1.500 |
| | | | | 5 | MD 5102 | 1.10 | 2.100-2.300 |
| | | | | 3 X 1 MIDDLE | | | |
| | | | | | | | |
| SR. NO. | DIE NO | T | WT. KGS/12' | SR. NO. | DIE NO | T | WT. KGS/12' |
| 1 | MD 5201 | 1.22 | 2.700-2.900 | | | | |
| | | | | 1.5X1 L PIPE | | | |
| | | | | 2X1 L PIPE | | | |
| | | | | | | | |
| SR. NO. | DIE NO | T | WT. KGS/12' | SR. NO. | DIE NO | T | WT. KGS/12' |
| 1 | LP 7360 | 1.00 | 0.900-1.000 | 1 | LP 7343 | 0.75 | 1.050-1.150 |
| 2 | LP 7308 | 1.06 | 1.100-1.300 | 2 | LP 7361 | 0.75 | 1.100-1.300 |
| 3 | LP 7307 | 1.30 | 1.500-1.600 | 3 | LP 7309 | 1.03 | 1.600-1.700 |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| SR. NO. | DIE NO | T | WT. KGS/12' | SR. NO. | DIE NO | T | WT. KGS/12' |
| | | | | | | | |

| TRACK | | | | | | | |
|--|----------|------|-------------|---|----------|------|-------------|
| SINGLE TRACK TOP | | | | SINGLE TRACK BOTTOM | | | |
|  | | | |  | | | |
| SR. NO. | DIE NO | T | WT. KGS/12' | SR. NO. | DIE NO | T | WT. KGS/12' |
| 1 | 1TT 2001 | 1.20 | 1.200-1.300 | 1 | 1TB 2051 | 1.20 | 1.300-1.400 |
| 1" 2 TR TOP | | | | 1" 2 TR BOTTOM | | | |
|  | | | |  | | | |
| SR. NO. | DIE NO | T | WT. KGS/12' | SR. NO. | DIE NO | T | WT. KGS/12' |
| 1 | 2TT 2101 | 1.30 | 2.200-2.300 | 1 | 2TB 2151 | 1.30 | 2.400-2.600 |
| 1/2" 2 TR TOP | | | | 2 TR BOTTOM(H) | | | |
|  | | | |  | | | |
| SR. NO. | DIE NO | T | WT. KGS/12' | SR. NO. | DIE NO | T | WT. KGS/12' |
| 1 | 2TT 2102 | 0.80 | 0.600-0.700 | 1 | 2TB 2155 | 1.20 | 3.300-3.400 |
| SR. NO. | DIE NO | T | WT. KGS/12' | SR. NO. | DIE NO | T | WT. KGS/12' |
| | | | | | | | |
| SR. NO. | DIE NO | T | WT. KGS/12' | SR. NO. | DIE NO | T | WT. KGS/12' |
| | | | | | | | |




| TRACK | | | | | | | |
|-------------------------|---------------|----------|--------------------|----------------------------|---------------|----------|--------------------|
| 3/4" 2 TRACK TOP | | | | 3/4" 2 TRACK BOTTOM | | | |
| | | | | | | | |
| SR. NO. | DIE NO | T | WT. KGS/12' | SR. NO. | DIE NO | T | WT. KGS/12' |
| 1 | 2TT 2201 | 0.70 | 1.400-1.500 | 1 | 2TB 2251 | 0.70 | 1.600-1.700 |
| 2 | 2TT 2203 | 0.80 | 1.500-1.600 | 2 | 2TB 2254 | 0.70 | 1.600-1.700 |
| 3 | 2TT 2204 | 0.80 | 1.600-1.700 | 3 | 2TB 2252 | 1.10 | 2.300-2.400 |
| 4 | 2TT 2202 | 0.90 | 1.700-1.800 | 4 | 2TB 2253 | 1.52 | 3.200-3.400 |
| 5 | 2TT 2205 | 0.90 | 1.700-1.800 | | | | |
| 6 | 2TT 2206 | 1.20 | 2.400-2.500 | | | | |
| 7 | 2TT 2207 | 1.40 | 2.800-2.900 | | | | |
| 1" 3 TRACK TOP | | | | 1" 3 TRACK BOTTOM | | | |
| | | | | | | | |
| SR. NO. | DIE NO | T | WT. KGS/12' | SR. NO. | DIE NO | T | WT. KGS/12' |
| 1 | 3TT 2301 | 1.27 | 3.700-3.800 | 1 | 3TB 2351 | 1.30 | 3.600-3.700 |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| 3/4" 3 TR. TOP | | | | 3/4" 3 TR. BOTTOM | | | |
| | | | | | | | |
| SR. NO. | DIE NO | T | WT. KGS/12' | SR. NO. | DIE NO | T | WT. KGS/12' |
| 1 | 3TT 2407 | 0.67 | 1.800-1.900 | 1 | 3TB 2456/1 | 0.67 | 2.200-2.300 |
| 2 | 3TT 2403 | 0.80 | 2.200-2.300 | 2 | 3TB 2451 | 0.73 | 2.500-2.600 |
| 3 | 3TT 2408 | 0.80 | 2.200-2.300 | 3 | 3TB 2452 | 0.95 | 3.000-3.100 |
| 4 | 3TT 2405 | 1.03 | 2.800-2.900 | 4 | 3TB 2453 | 1.05 | 3.300-3.400 |
| 5 | 3TT 2406 | 1.43 | 3.700-3.800 | 5 | 3TB 2454 | 1.10 | 3.300-3.400 |
| | | | | 6 | 3TB 2455 | 1.40 | 4.300-4.400 |
| | | | | 7 | 3TB 2456/2 | | 2.800-2.900 |
| | | | | | | | |
| | | | | | | | |










| PARTITION | | | | | | | | | | | |
|--|---------|-----|----|------|-------------------|---|---------|-----|----|------|-------------------|
| SINGLE PARTITION | | | | | | DOUBLE PARTITION | | | | | |
|  | | | | | |  | | | | | |
| SR. NO. | DIE NO | A | B | T | WT. RANGE KGS/12' | SR. NO. | DIE NO | A | B | T | WT. RANGE KGS/12' |
| 1 | SP 6153 | 50 | 25 | 0.70 | 1.100-1.200 | 1 | DP 6253 | 50 | 25 | 0.60 | 1.300-1.400 |
| 2 | SP 6101 | 63 | 38 | 0.70 | 1.800-1.900 | 2 | DP 6210 | 63 | 38 | 0.70 | 1.800-1.900 |
| 3 | SP 6102 | 63 | 38 | 0.80 | 2.000-2.100 | 3 | DP 6205 | 63 | 38 | 0.78 | 2.100-2.200 |
| 4 | SP 6154 | 63 | 38 | 0.80 | 2.000-2.100 | 4 | DP 6202 | 63 | 38 | 0.80 | 2.300-2.400 |
| 5 | SP 6108 | 63 | 38 | 0.81 | 2.100-2.200 | 5 | DP 6208 | 63 | 38 | 0.88 | 2.600-2.700 |
| 6 | SP 6104 | 63 | 38 | 0.80 | 2.200-2.300 | 6 | DP 6203 | 63 | 38 | 0.88 | 2.600-2.700 |
| 7 | SP 6105 | 63 | 38 | 0.85 | 2.300-2.400 | 7 | DP 6207 | 63 | 38 | 0.96 | 2.800-2.900 |
| 8 | SP 6106 | 63 | 38 | 0.95 | 2.600-2.700 | 8 | DP 6209 | 63 | 38 | 1.28 | 3.700-3.800 |
| 9 | SP 6103 | 63 | 38 | 0.80 | 2.800-2.900 | 9 | DP 6204 | 63 | 38 | 2.30 | 6.100-6.200 |
| 10 | SP 6107 | 63 | 38 | 2.23 | 5.700-5.800 | 10 | DP 6211 | 63 | 38 | 2.00 | 4.000-4.100 |
| 11 | SP 6109 | 63 | 38 | 2.00 | 4.000-4.100 | 11 | DP 6251 | 100 | 44 | 1.20 | 3.300-3.400 |
| 12 | SP 6141 | 100 | 25 | 1.20 | 3.300-3.400 | 12 | DP 6252 | 100 | 44 | 1.30 | 4.300-4.400 |
| 13 | SP 6151 | 100 | 44 | 1.29 | 3.400-3.500 | | | | | | |
| 14 | SP 6152 | 100 | 44 | 2.40 | 6.200-6.300 | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| LEG SP | | | | | | CHIPS VERTICAL | | | | | |
|  | | | | | |  | | | | | |
| SR. NO. | DIE NO | A | B | T | WT. RANGE KGS/12' | SR. NO. | DIE NO | A | B | T | WT. RANGE KGS/12' |
| 1 | LS 7310 | 63 | 38 | 1.22 | 2.900-3.000 | 1 | CV 8001 | 63 | 38 | 1.20 | 2.400-2.500 |
| 2 | LS 7311 | 63 | 38 | 1.24 | 3.200-3.300 | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |









| DOOR SECTION | | | | | | | | | | | | | |
|--------------------|----------|----|----|------|-------------|--------------------|----------|----------|----|------|-------------|-------------|--|
| DOOR MIDDLE SINGLE | | | | | | DOOR MIDDLE DOUBLE | | | | | | | |
| | | | | | | | | | | | | | |
| Sr. No. | DIE NO | A | B | T | WT. KGS/12' | Sr. No. | DIE NO | A | B | T | WT. KGS/12' | | |
| 1 | DMS 6301 | 47 | 44 | 0.85 | 2.100-2.200 | 1 | DMD 6551 | 85 | 44 | 0.90 | 3.100-3.200 | | |
| 2 | DMS 6302 | 47 | 44 | 1.25 | 3.100-3.200 | 2 | DMD 6552 | 85 | 44 | 1.30 | 4.400-4.500 | | |
| DOOR TOP | | | | | | DOOR BOTTOM | | | | | | | |
| | | | | | | | | | | | | | |
| Sr. No. | DIE NO | A | B | T | WT. KGS/12' | Sr. No. | DIE NO | A | B | T | WT. KGS/12' | | |
| 1 | DT 6601 | 47 | 44 | 0.90 | 2.400-2.500 | 1 | DB 7345 | 114 | 44 | 1.15 | 3.700-3.800 | | |
| 2 | DT 6602 | 47 | 44 | 0.90 | 2.200-2.300 | 2 | DB 7347 | 114 | 44 | 1.20 | 3.800-3.900 | | |
| 3 | DT 6603 | 47 | 44 | 1.15 | 2.700-2.800 | 3 | DB 7316 | 114 | 44 | 1.05 | 4.400-4.500 | | |
| 4 | DT 6701 | 85 | 44 | 1.15 | 3.200-3.300 | 4 | DB 7315 | 114 | 44 | 1.18 | 4.900-5.000 | | |
| 5 | DT 6702 | 85 | 44 | 1.40 | 3.800-3.900 | | | | | | | | |
| DOOR VERTICAL | | | | | | LEG | | | | | | | |
| | | | | | | | | | | | | | |
| Sr. No. | DIE NO | A | B | T | WT. KGS/12' | Sr. No. | DIE NO | A | B | T | WT. KGS/12' | | |
| 1 | DV 7311 | 47 | 44 | 1.00 | 2.400-2.600 | 1 | DL 6604 | 47 | 44 | 1.22 | 2.500-2.600 | | |
| 2 | DV 7312 | 47 | 44 | 1.00 | 2.400-2.600 | | | | | | | | |
| 3 | DV 7313 | 47 | 44 | 1.16 | 3.100-3.300 | | | | | | | | |
| 4 | DV 7315 | 85 | 44 | 1.25 | 3.400-3.500 | | | | | | | | |
| 5 | DV 7314 | 85 | 44 | 3.05 | 6.900-7.000 | | | | | | | | |
| | | | | | | | | | | | | | |
| 1 | DOOR 001 | | | | 2.100-2.300 | | 2 | DOOR 002 | | | | 1.600-1.700 | |

| MOULDING SECTION | | | | | |
|------------------|---------------------|-------------|---|--------------|-------------|
| | | | | | |
| 1 | MOULDING MIDDLE | 1.700-1.800 | 3 | MOULDING H/L | 1.700-1.800 |
| | | | | | |
| 2 | MOULDING P PIPE | 2.300-2.400 | 5 | MMD 5004 | 1.000-1.100 |
| | | | | | |
| 3 | MMD 5008 | 1.700-1.800 | 6 | MHL 2001 | 1.500-1.600 |
| | | | | | |
| 9 | 2X1 MOULDING P PIPE | 1.600-1.700 | | | |
| | | | | | |










| FLATBAR & ANGLE | | | | | | | | | | |
|-----------------|-----------|------|------|-------------|-------------------|----------|----------|------|---------------|---------------|
| FLATBAR | | | | | | | | | | |
| | | | | | 34 | FTB 1013 | 32 | 20 | 6.400-6.500 | |
| | | | | | 35 | FTB 1015 | 38 | 6 | 2.270-2.370 | |
| | | | | | 36 | FTB 1041 | 38 | 3 | 1.200-1.300 | |
| | | | | | 37 | | 40 | 12 | 4.750-4.850 | |
| | | | | | 38 | FTB1016 | 40 | 6 | 2.480-2.580 | |
| | | | | | 39 | 60004 | 40 | 15 | 5.900-6.000 | |
| | | | | | 40 | FTB1017 | 40 | 20 | 8.100-8.200 | |
| | | | | | 41 | FTB1056 | 40 | 10 | 3.950-4.050 | |
| | | | | | 42 | FTB1020 | 50 | 8 | 3.950-4.050 | |
| | | | | | 43 | FTB1019 | 50 | 6 | 2.950-3.050 | |
| | | | | | 44 | | 50 | 5 | 2.400-2.500 | |
| | | | | | 45 | FTB1018 | 50 | 3 | 1.480-1.580 | |
| | | | | | 46 | | 50 | 10 | 5.000-5.100 | |
| | | | | | 47 | FTB1022 | 50 | 12 | 5.900-6.000 | |
| | | | | | 48 | FTB1023 | 50 | 25 | 13.000-13.100 | |
| | | | | | 49 | FTB1324 | 50.8 | 25.4 | 12.750-12.850 | |
| | | | | | 50 | FTB1041 | 55 | 40 | 21.700-21.800 | |
| | | | | | 51 | FTB1058 | 60 | 10 | 5.900-6.000 | |
| | | | | | 52 | 60002 | 60 | 15 | 9.000-9.100 | |
| | | | | | 53 | FTB1036 | 63 | 6 | 3.700-3.800 | |
| | | | | | 54 | FTB1025 | 63 | 3 | 1.850-1.950 | |
| | | | | | 55 | FTB1035 | 63 | 10 | 6.220-6.320 | |
| | | | | | 56 | | 70 | 6 | 4.150-4.250 | |
| | | | | | 57 | FTB1034 | 75 | 10 | 7.450-7.550 | |
| | | | | | 58 | FTB1066 | 75 | 12 | 8.950-9.050 | |
| | | | | | 59 | FTB1033 | 75 | 6 | 4.400-4.500 | |
| | | | | | 60 | FTB1026 | 75 | 3 | 2.200-2.300 | |
| | | | | | 61 | | 80 | 10 | 7.880-7.980 | |
| | | | | | 62 | | 92 | 1.5 | 1.360-1.460 | |
| | | | | | 63 | | 100 | 16 | 16.000-16.100 | |
| | | | | | 64 | | 100 | 12 | 11.900-12.000 | |
| | | | | | 65 | FTB1026 | 100 | 10 | 9.850-9.950 | |
| | | | | | 66 | FTB1027 | 100 | 6 | 5.950-6.050 | |
| | | | | | 67 | FTB1030 | 125 | 6 | 7.400-7.500 | |
| | | | | | 68 | | 125 | 10 | 12.300-12.400 | |
| | | | | | 69 | | 150 | 12 | 17.900-18.000 | |
| | | | | | 70 | FTB1031 | 150 | 6 | 8.870-8.970 | |
| | | | | | 71 | | 150 | 10 | 14.860-14.960 | |
| | | | | | 72 | | | | | |
| | | | | | 73 | | | | | |
| | | | | | 33 | FTB 1059 | 32 | 12 | 3.800-3.900 | |
| TAPER FLATBAR | | | | | | | | | | |
| | | | | | | | | | | |
| NO | DIE NAME | A | B | WEIGHT 12' | | | | | | |
| 1 | 26002 | 19 | 2.07 | 0.280-0.380 | | | | | | |
| 2 | SBFT 1038 | 25 | 0.5 | 0.250-0.350 | | | | | | |
| 3 | SBFT 1039 | 25 | 1 | 0.300-0.400 | | | | | | |
| 4 | SBFT 1040 | 25 | 1.5 | 0.350-0.450 | | | | | | |
| 5 | SBFT 1041 | 25 | 2 | 0.550-0.650 | | | | | | |
| 6 | 26003 | 50 | 8 | 4.500-4.600 | | | | | | |
| 7 | | | | | | | | | | |
| UNEQUAL ANGLE | | | | | | | | | | |
| | | | | | | | | | | |
| SR. | DIE NAME | A | B | T | WT. RANGE KGS/12' | SR. NO. | DIE NAME | A | T | WT. KGS/12' |
| 1 | 13002 | 11 | 21 | 1.00 | 0.300-0.400 | 1 | EAL 7001 | 12 | 2.00 | 0.350-0.450 |
| 2 | BBS.004 | 17.2 | 11 | 0.80 | 0.200-0.300 | 2 | 13001 | 15 | 1.50 | 0.400-0.500 |
| 3 | 20066 | 19 | 12 | 1.58 | 0.460-0.560 | 3 | BBS.003 | 19 | 0.75 | 0.250-0.350 |
| 4 | UAL 7015 | 30 | 15 | 2 | 0.850-0.950 | 4 | EAL 7002 | 19 | 1.70 | 0.600-0.700 |
| 5 | | 38 | 25 | 0.80 | 1.300-1.400 | 5 | EAL 7003 | 19 | 2.80 | 1.000-1.100 |
| 6 | UAL 7018 | 50 | 6 | 2.90 | 1.500-1.600 | 6 | EAL 7004 | 19 | 2.80 | 1.000-1.100 |
| 7 | UAL 7017 | 50 | 12 | 5.50 | 3.100-3.200 | 7 | EAL 7005 | 19 | 2.00 | 0.700-0.800 |
| 8 | UAL 7014 | 50 | 25 | 2.20 | 1.600-1.700 | 8 | EAL 7025 | 19 | 2.00 | 0.400-0.500 |
| 9 | UAL 7016 | 80 | 30 | 5 | 5.185-5.285 | 9 | EAL 7026 | 25 | 1.50 | 0.500-0.600 |
| 10 | UAL 7024 | 120 | 60 | 7.50 | 13.900-14.000 | 10 | EAL 7008 | 25 | 1.50 | 0.700-0.800 |
| | | | | | | 11 | EAL 7007 | 25 | 2.00 | 1.000-1.100 |
| | | | | | | 12 | EAL 7019 | 25 | 2.00 | 1.000-1.100 |
| | | | | | | 13 | EAL 7006 | 25 | 2.90 | 1.300-1.400 |
| | | | | | | 14 | EAL 7009 | 25 | 1.00 | 0.500-0.600 |
| | | | | | | 15 | EAL 7010 | 31 | 2.00 | 1.200-1.300 |
| | | | | | | 16 | EAL 7011 | 31 | 2.60 | 1.600-1.700 |
| | | | | | | 17 | EAL 7012 | 38 | 3.10 | 2.200-2.300 |
| | | | | | | 18 | EAL 7013 | 38 | 2.20 | 1.600-1.700 |
| | | | | | | 19 | EAL 7015 | 50 | 2.90 | 2.800-2.900 |
| | | | | | | 20 | EAL 7016 | 50 | 1.60 | 1.550-1.650 |
| | | | | | | 21 | EAL 7022 | 50 | 18.00 | 8.900-9.000 |
| | | | | | | 22 | EAL 7023 | 100 | | 21.900-22.000 |











| SQUARE BAR, ROUND PIPE & ROD | | | | | | | | |
|---|----------|-------|------|---------------|--|----------------|--------------|--------------------|
| ROUND PIPE | | | | | 1" FLUTED ROUND PIPE | | | |
|  | | | | |  | | | |
| SER. NO. | DIE NAME | Ø | W.T | WT. KGS/12' | SER. NO. | DIE NAME | DIE NO | WT. KGS/12' |
| 1 | RP 7101 | 14.2 | 0.85 | 0.330-0.430 | 1 | 1" FLUTED PIPE | | 0.515-0.615 |
| 2 | RP 7112 | 16 | 2.00 | 0.800-0.900 | 2 | 1" FLUTED PIPE | | 0.540-0.640 |
| 3 | RP7102 | 16 | 5.25 | 1.700-1.800 | 3 | 1" FLUTED PIPE | | 0.550-0.650 |
| 4 | RP 7113 | 17 | 2.00 | 0.840-0.940 | 4 | 1" FLUTED PIPE | | 0.560-0.660 |
| 5 | RP 7108 | 18 | 0.85 | 0.430-0.530 | 5 | 1" FLUTED PIPE | | 0.572-0.672 |
| 6 | RP 7107 | 18 | 1.00 | 0.580-0.680 | 6 | 1" FLUTED PIPE | | 0.700-0.800 |
| 7 | RP 7109 | 18 | 1.5 | 0.810-0.910 | 7 | | | 0.740-0.840 |
| 8 | RP 7140 | 18 | 4.6 | 1.930-2.030 | 8 | | | 0.755-0.855 |
| 9 | RP 7116 | 21 | 2.75 | 1.700-1.800 | 9 | | | 1.070-1.170 |
| 10 | RP7103 | 22 | 0.70 | 0.520-0.620 | 10 | | | 4.450-4.550 |
| 11 | RP7147 | 22 | 0.80 | 0.500-0.600 | 11 | | | |
| 12 | RP 7141 | 22 | 1 | 0.650-0.750 | ROD | | | |
| 13 | RP 7125 | 24.2 | 0.7 | 0.520-0.620 |  | | | |
| 14 | RP 7129 | 25 | 1.5 | 1.150-1.250 | | | | |
| 15 | RP 7146 | 25 | 1.52 | 1.100-1.200 | | | | |
| 16 | RP 7114 | 25.4 | 0.85 | 0.670-0.770 | | | | |
| 17 | RP 7104 | 25.4 | 0.90 | 0.650-0.750 | | | | |
| 18 | RP 7110 | 29 | 1.5 | 1.250-1.350 | | | | |
| 19 | RP7105 | 30 | 2.50 | 2.000-2.100 | | | | |
| 20 | RP 7123 | 31.7 | 3.15 | 2.800-2.900 | | | | |
| 21 | RP 7130 | 38 | 0.55 | 0.900-1.000 | NO | DIE NAME | D | WEIGHT 12' |
| 22 | RP 7138 | 38 | 0.55 | 0.800-0.900 | 1 | | 4.4 | 0.165 |
| 23 | RP 7139 | 38 | 0.55 | 0.800-0.900 | 2 | | 5.4 | 0.215 |
| 24 | RP 7144 | 40 | 1.5 | 1.790-1.890 | 3 | ROD1004 | 7 | 0.380 |
| 25 | RP 7132 | 44 | 2 | 2.250-2.350 | 4 | ROD1005 | 8.7 | 0.590 |
| 26 | RP 7106 | 45 | 0.75 | 1.150-1.250 | 5 | | 9.2 | 0.645 |
| 27 | | 45 | 5 | 6.150-6.250 | 6 | ROD1001 | 9.2 | 0.680 |
| 28 | RP 7136 | 47.5 | 5.00 | 6.550-6.650 | 7 | | 9.2 | 0.690 |
| 29 | | 48.5 | 1 | 1.450-1.550 | 8 | | 9.2 | 0.710 |
| 30 | | 48.5 | 1.25 | 1.800-1.900 | 9 | ROD1002 | 9.5 | 0.720 |
| 31 | RP 7142 | 50 | 8 | 10.450-10.550 | 10 | | 10.5 | 0.860 |
| 32 | RP 7149 | 50 | 10 | 12.420-12.520 | 11 | ROD1003 | 11 | 0.945 |
| 33 | RP 7143 | 50.6 | 2 | 3.320-3.420 | 12 | ROD1006 | 11.5 | 1.020 |
| 34 | RP 7115 | 60 | 3.25 | 6.500-6.600 | 13 | | 12 | 1.155 |
| 35 | RP 7124 | 62 | 3 | 5.600-5.700 | 14 | | 13.5 | 1.420 |
| 36 | RP 7135 | 62 | 5.00 | 8.950-9.050 | 15 | | 14.8 | 1.700 |
| 37 | RP 7145 | 63 | 2 | 3.780-3.880 | 16 | ROD1008 | 17.3 | 2.350 |
| 38 | RP 7131 | 68 | 2 | 4.000-4.100 | 17 | ROD1032 | 32 | 7.850 |
| 39 | RP 7121 | 71 | 2.00 | 4.200-4.300 | 18 | ROD1032 | | |
| 40 | RP 7134 | 73 | 2.85 | 4.600-4.700 | | | | |
| 41 | RP 7148 | 73.03 | 5.16 | 10.870-10.970 | | | | |
| 42 | RP 7127 | 75.1 | 5.05 | 5.900-10.000 | | | | |
| 43 | RP 7126 | 79.5 | 1.95 | 5.100-5.200 | | | | |
| 44 | RP 7133 | 82 | 3 | 3.400-3.500 | | | | |
| 45 | RP 7111 | 83 | 2.00 | 4.900-5.000 | | | | |
| 46 | RP 7122 | 88 | 2 | 5.250-5.350 | | | | |
| 47 | RP 7137 | 96 | 5 | 14.200-14.300 | | | | |
| | | | | | SER. NO. | DIE NO | A X A | WT. KGS/12' |
| | | | | | 1 | | 4x4 | 0.180-0.190 |
| | | | | | 2 | SB 7342 | 5 X 5 | 0.200-0.250 |
| | | | | | 3 | | 10x10 | 0.960-0.970 |
| | | | | | 4 | SB 7323 | 11.5 X 11.5 | 1.350-1.400 |
| | | | | | 5 | SB 7324 | 20 X 20 | 3.950-4.050 |
| | | | | | 6 | SB 7325 | 25 X 25 | 6.500-6.600 |

| PARDA SECTION | | | |
|--|------------------|--------------|-------------|
|  | | | |
| 1 | STAR ROD | 0.200-0.250 | |
|  | | | |
| 1 | PARDA03 | 0.900-1.000 | |
|  | | | |
| 1 | TUBELESS ROMAN | 1.500-1.600 | |
|  | | | |
| 1 | PARDA SINGLE | 1.100-1.200 | |
| | 2 | PARDA SINGLE | 1.300-1.400 |
| | 3 | PARDA SINGLE | 1.400-1.500 |
|  | | | |
| 1 | PARDA SECTION 1 | 1.700-1.800 | |
|  | | | |
| 1 | PARDA SECTION 02 | 1.100-1.200 | |
|  | | | |
| 1 | PARDA VERTICAL | 1.100-1.200 | |
| 2 | PARDA VERTICAL | 1.100-1.200 | |
|  | | | |
| 1 | PARDA ROMAN | 1.000-1.100 | |
| | 2 | PARDA ROMAN | 1.200-1.300 |
| | 3 | PARDA ROMAN | 0.950-1.050 |
|  | | | |
| 1 | MTRACK CHANNEL | 85001 | 0.700-0.800 |
| 1 | MTRACK CHANNEL | 85002 | 0.500-0.600 |

| PARDA SECTION | | | |
|--|--------------|-------------|--|
|  | | | |
| 1 | PARDA 85003 | 1.650-1.750 | |
|  | | | |
| 1 | PARDA 85004 | 0.950-1.050 | |
|  | | | |
| 1 | PARDA 85005 | 1.750-1.850 | |
|  | | | |
| 1 | DAI NO:85006 | 0.700-0.800 | |
|  | | | |
| | DIE NO:85007 | 0.700-0.800 | |
|  | | | |
| | DIE NO:85008 | 0.800-0.900 | |
|  | | | |
| | DIE NO:85010 | 0.900-1.000 | |
|  | | | |
| | DIE NO:85011 | 1.250-1.350 | |

| PARDA SECTION | | | | | | | | | | | | | | | |
|---------------|-----------------|-------------|---|---|--------------|-------------|---|--------------|-------------|---|--------------|-------------|---|--------------|-------------|
| | | | | | | | | | | | | | | | |
| 1 | DIE NO:-85016 | 1.420-1.520 | 1 DAI NO:85018 1.600-1.700 | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| 1 | DIE NO:85019 | 1.090-1.190 | 1 DAI NO:85020 1.790-1.890 | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| 1 | DIE NO01:-85021 | 0.945-1.045 | <table border="1"> <tr> <td>1</td> <td>PARDA DOUBLE</td> <td>0.900-1.000</td> </tr> <tr> <td>2</td> <td>PARDA DOUBLE</td> <td>1.100-1.200</td> </tr> <tr> <td>3</td> <td>PARDA DOUBLE</td> <td>1.400-1.500</td> </tr> <tr> <td>4</td> <td>PARDA DOUBLE</td> <td>1.400-1.500</td> </tr> </table> | 1 | PARDA DOUBLE | 0.900-1.000 | 2 | PARDA DOUBLE | 1.100-1.200 | 3 | PARDA DOUBLE | 1.400-1.500 | 4 | PARDA DOUBLE | 1.400-1.500 |
| 1 | PARDA DOUBLE | 0.900-1.000 | | | | | | | | | | | | | |
| 2 | PARDA DOUBLE | 1.100-1.200 | | | | | | | | | | | | | |
| 3 | PARDA DOUBLE | 1.400-1.500 | | | | | | | | | | | | | |
| 4 | PARDA DOUBLE | 1.400-1.500 | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| 1 | 1" PARDA RA01 | 0.800-0.900 | 1 M TRACK 01 0.800-0.900 | | | | | | | | | | | | |

| PARDA SECTION | | | | | | |
|---|--------------|-------------|---|-----------------|-------------|-------------|
|  | | |  | | | |
| 1 | PALMET | 3.200-3.300 | 1 | OVAL BOTTOM 001 | 1.000-1.100 | |
| | | | 2 | OVAL BOTTOM | 1.150-1.250 | |
|  | | |  | | | |
| 1 | ROLL BOTTOM | 0.800-0.900 | 1 | P.S 004 | 0.600-0.700 | |
| 2 | ROLL BOTTOM | 0.800-0.900 | | | | |
|  | | |  | | | |
| 1 | OLT 001 | 0.500-0.600 | 1 | P.S 005 | 0.600-0.700 | |
|  | | |  | | | |
| 1 | HEXAGONAL | HX 7351 | 0.250-0.300 | 1 | P.S 007 | 0.700-0.800 |
|  | | | | | | |
| 1 | 4.5 MM SALLI | 0.150-0.200 | | | | |
| 2 | 5.5 MM SALLI | 0.200-0.250 | | | | |
| | | | | | | |
| | | | | | | |







| EC SERIES | | | |
|---|-----------------|--|--------------------|
|  | |  | |
| SR. | DIE NAME | DIE NO | WT. KGS/12' |
| 1 | EC BINDI | BD 7338 | 0.250-0.350 |
|  | |  | |
| SR. NO. | DIE NAME | DIE NO | WT. KGS/12' |
| 1 | EC ANGLE 16 | | 0.300-0.400 |
| 1 | 0° EC | EC 7355 | 0.200-0.250 |
| 2 | 0° EC | EC 7354 | 0.200-0.300 |
| 1 | EC01 TADIYA | | 0.500-0.600 |
|  | |  | |
| SR. | DIE NAME | DIE NO | WT. KGS/12' |
| 1 | 15° EC | EC 7357 | 0.200-0.300 |
| 2 | 15° EC | EC 7356 | 0.250-0.350 |
| 3 | 15° EC | 15° EC/01 | |
| 1 | EC02 FRAME | | 0.600-0.700 |
|  | |  | |
| SR. | DIE NAME | DIE NO | WT. KGS/12' |
| 1 | 30° EC | EC 7358 | 0.250-0.350 |
| 1 | DEFUSER SMALL | | 0.500-0.700 |
|  | |  | |
| SR. | DIE NAME | DIE NO | WT. KGS/12' |
| 1 | 45° EC | EC 7359 | 0.200-0.300 |
| 1 | DEFUSER BIG | | 1.300-1.400 |

| GLASS & CUBOARD SECTION | | | |
|-------------------------|--------|-------------|---|
| | | | |
| 1 | CB001 | 1.300-1.400 | 1 |
| 2 | CB001D | 1.600-1.700 | 1 |
| | | | |
| 1 | CB003 | 0.500-0.600 | 1 |
| | | | |
| 1 | CB005 | 1.900-2.000 | 1 |
| | | | |
| 1 | CB007 | 1.550-1.600 | 1 |
| | | | |
| 1 | CB009 | 0.500-0.600 | 1 |
| | | 1 | |
| | | CB010 | |
| | | 0.290-0.390 | |











| GLASS & CUBOARD SECTION | | | |
|-------------------------|--------------|-------------|---|
| 1 | DC001 | 0.500-0.600 | 1 |
| | | | |
| 1 | DP 56 | 1.600-1.700 | 1 |
| | | | |
| 1 | TRANSFER 001 | 1.000-1.100 | 1 |
| | | | |
| 1 | PE 1007 | 1.900-2.000 | 1 |
| | | | |
| 1 | MAGAR 001 | 6.000-6.100 | 1 |
| | | | |
| 1 | TILE001 | 9.300-9.400 | 1 |
| | | | |
| 1 | BBF01 | 1.200-1.300 | 1 |

| GLASS & CUBOARD SECTION | | | |
|-------------------------|--------------------|------------------|--------------------|
| | | 1 | 1 |
| GROOVE H 01 | 0.975-1.075 | VP 01 | 0.700-0.800 |
| | | 1 | 1 |
| T BMC 01 | 6.100-6.200 | BBH01 | 1.200-1.300 |
| | | 1 | 1 |
| LOUVER 01 | 0.800-0.900 | LOUVER 02 | 0.800-0.900 |
| | | 1 | 1 |
| LOUVER 03 | 1.850-1.950 | LOUVER 04 | 1.850-1.950 |
| | | | |











| GLASS & CUBOARD SECTION | | | |
|-------------------------|---------------------|---------------|--|
| | | | |
| 1 | HOLLOW TRIANGLE 01 | 3.300-3.400 | |
| | | | |
| 1 | INDUSTRIAL ANGLE 01 | 6.200-6.300 | |
| | | | |
| 1 | SP001 | 0.700-0.800 | |
| | | | |
| 1 | ASO 001 | 10.700-10.800 | |
| | | | |
| 1 | Z SECTION 01 | 2.900-3.000 | |
| | | | |
| 1 | Z SECTION 02 | 3.000-3.100 | |
| | | | |
| 1 | COVER PLATE M | 2.300-2.400 | |
| | | | |
| 1 | PRESSURE PLATE F | 2.500-2.600 | |
| | | | |
| 1 | MISC CLIP01 | 0.800-0.900 | |
| | | | |
| 1 | NOVA001 | 3.200-3.300 | |











| ROLLING SHUTTER | | | |
|---|----------|--|--|
|  | |  | |
| 1 | RS 001 | 4.200-4.300 | |
|  | |  | |
| 2 | RS 002 | 4.600-4.700 | |
|  | |  | |
| 4 | RS 004 | 2.400-2.500 | |
| 5 | RS 17001 | 5.500-5.600 | |
| | | | |
| | | | |
| | | | |







| SPECIAL INDUSTRIAL DIES | | | |
|-------------------------|------------------|-------------|--|
| | | | |
| 1 | POLY 001 | 5.900-6.000 | |
| | | | |
| 2 | POLY 002 | 7.350-7.450 | |
| | | | |
| 3 | MT FRAME 001 | 5.300-5.400 | |
| | | | |
| 4 | MT FRAME 002 | 1.300-1.400 | |
| | | | |
| 5 | DIE.NO:-20001 | 1.600-1.700 | |
| | | | |
| 6 | DIE.NO:-20002 | 0.450-0.550 | |
| | | | |
| 7 | DIE.NO:-20007 | 2.500-2.600 | |
| | | | |
| 8 | DIE.NO:-20008 | 2.050-2.150 | |
| | | | |
| | INDUSTRIAL 20009 | 2.300-2.400 | |
| | | | |
| | INDUSTRIAL 20010 | 0.500-2.600 | |

| SPECIAL INDUSTRIAL DIES | | | | | |
|---|---------------|-------------|--|---------------|-------------|
|  | | |  | | |
| 7 | DIENO:-20011 | 0.554-0.654 | 8 | DIENO:- 20012 | 1.900-2.000 |
|  | | |  | | |
| 9 | DIENO:- 20014 | 0.525-0.625 | 10 | DIENO:- 20015 | 1.870-1.970 |
|  | | |  | | |
| 11 | DIENO:- 20016 | 9.200-9.300 | 12 | DIENO:- 20017 | 4.950-5.050 |
|  | | |  | | |
| 13 | DIENO:-20018 | 3.480-3.580 | 14 | DIENO:-20019 | 0.750-0.850 |
|  | | |  | | |
| 15 | DIEN NO:20020 | 0.440-0.540 | 16 | DIEN NO:20021 | 1.030-1.130 |

| SPECIAL INDUSTRIAL DIES | | | |
|-------------------------|---------------|-------------|--|
| | | | |
| 1 | GROOVE MAZDA | 1.950-2.050 | |
| 2 | PLAIN MAZDA | 2.000-2.100 | |
| 3 | SPECIAL MAZDA | 2.200-2.300 | |
| 1 | TRISHUL | 1.050-1.150 | |
| | | | |
| 1 | | 0.600 | |
| 1 | DIENO:- 20022 | 3.258-3.358 | |
| 1 | DIENO:- 20023 | 3.107-3.207 | |
| | | | |
| 1 | DIENO:- 20024 | 1.369-1.469 | |
| 1 | DIENO:- 20025 | 1.476-1.576 | |
| | | | |
| 1 | DIENO:- 20026 | 3.070-3.170 | |
| 1 | DIENO:- 20027 | 0.918-1.018 | |









| SPECIAL INDUSTRIAL DIES | | | |
|---|-------------|--|-------------|
|  | |  | |
| DIE NO:20039 | 0.750-0.850 | DIE NO:20040 | 2.070-2.170 |
|  | |  | |
| DIE NO:20041 | 1.325-1.425 | DIE NO:20042 | 0.905-1.005 |
|  | |  | |
| DIE NO:20046 | 1.880-1.980 | DIE NO:20047 | 6.260-6.360 |
|  | |  | |
| DIE NO:20048 | 0.360-0.460 | DIE NO:20049 | 0.450-0.550 |
|  | |  | |
| DIE NO:20054 | 7.950-8.050 | DIE NO:20055 | 8.855-8.955 |

| SPECIAL INDUSTRIAL DIES | | | |
|---|-------------|--|-------------|
|  | |  | |
| DIE NO:20056 | 7.275-7.375 | DIE NO:20057 | 5.695-5.795 |
|  | |  | |
| DIE NO:20058 | 3.000-3.100 | DIE NO:20063 | 9.860-9.960 |
|  | |  | |
| DIE NO:20065 | 5.875-5.975 | DIE NO:20066 | 0.460-0.560 |
|  | |  | |
| DIE NO:20067 | 0.730-0.830 | DIE NO:20068 | 1.190-1.290 |
|  | |  | |
| DIE NI:20071 | 3.500-3.600 | DIE NO:20072 | 0.680-0.780 |









| SPECIAL INDUSTRIAL DIES | | | |
|---|---------------|-------------|--|
|  | | | |
| 1 | DIE NO:20093 | 5.740-5.840 | 1 |
|  | | | |
| 1 | DIE NO:2001/3 | 1.390-1.490 | 1 |
| | | |  |
| | | | 1 |
| | DIE NO:2002/2 | 0.400-0.500 | |
|  | | | |
| 1 | DIE NO 20003 | 1.150-1.250 | 1 |
| | | |  |
| | | | 1 |
| | DIE NO 20004 | 0.800-0.900 | |
|  | | | |
| 1 | DIE NO 20005 | 1.950-2.050 | 1 |

| KITCHEN PROFILES | | | |
|------------------|-------------------|-------------|--|
| | | | |
| 1 | KP 3001 | 1.400-1.500 | |
| | | | |
| 1 | KP 3002 | 1.400-1.500 | |
| | | | |
| 1 | KP 3003 | 0.400-0.500 | |
| | | | |
| 1 | KP 3004 | 0.400-0.500 | |
| | | | |
| 1 | KP 3005 | 1.900-2.000 | |
| | | | |
| 1 | KP 3006 | 1.700-1.800 | |
| | | | |
| 1 | KP 3009 | 0.250-0.350 | |
| | | | |
| 1 | KP 30001 | 1.150-1.250 | |
| | | | |
| 1 | KITCHEN PROFILE | 0.600-0.700 | |
| | | | |
| 1 | SUMO DIENO:-20013 | 1.180-1.280 | |











| KITCHEN PROFILES | | | |
|------------------|--|--|--|
| | | <p>DIE NO:30007</p> <p>4.700-4.800</p> | <p>DIE NO:30008</p> <p>0.350-0.450</p> |
| | | <p>DIE NO:30009</p> <p>1.550-1.650</p> | <p>DIE NO:30010</p> <p>2.250-2.350</p> |
| | | <p>DIE NO:30011</p> <p>1.650-1.750</p> | <p>DIE NO:30012</p> <p>1.180-1.280</p> |
| | | <p>DIE NO:30013</p> <p>1.300-1.400</p> | <p>DIE NO:30014</p> <p>1.740-1.840</p> |
| | | <p>DIE NO:KP 3005/A</p> <p>1.480-1.580</p> | <p>DIE NO:005/A</p> <p>1.450-1.550</p> |

| KITCHEN PROFILES | | | |
|---|----------------|--|-------------|
|  | |  | |
| 1 | SUMO 001 | 2.400-2.500 | |
| 2 | SUMO 002 | 1.100-1.200 | |
| 3 | SUMO 003 | 1.600-1.700 | |
| 1 | SIDE COLUMN | 1.700-1.800 | |
|  | |  | |
| 1 | DIE.NO:- 30005 | 1.630-1.730 | |
| 1 | DIE.NO:- 30006 | 1.110-1.210 | |
|  | |  | |
| DIE NO: | | 1 | OZM 1018 |
| | | | 1.800-1.900 |
|  | |  | |
| 3 | OZM | | |











| DRHL PROFILES | | | |
|---------------|-----------------|--------------------|--|
| | DRHL 001 | 1.700-1.800 | |
| | DRHL 002 | 1.900-2.000 | |
| | DRHL 003 | 1.400-1.500 | |
| | DRHL 004 | 1.900-2.000 | |
| | DRHL 005 | 1.535-1.635 | |
| | DRHL 006 | 1.430-1.530 | |
| | DRHL 007 | 1.000-1.100 | |
| | DRHL 008 | 1.000-1.100 | |
| | DRHL 009 | 1.100-1.200 | |
| | DRHL 011 | | |

| 27 MM SERIES DUMAL | | | | | |
|--|---------------|---------|--|---|-------------------------------|
|  | | |  | | |
| 1 | DUMAL CLIP | 2701 | 1.000-1.100 | 1 | DUMALSHUTTER 2702 2.600-2.700 |
|  | | |  | | |
| 1 | 3 TRACK DUMAL | 2701/1 | 3.500-3.600 | 1 | 2 TR DUMAL 2704 2.800-2.900 |
| 2 | 3 TRACK DUMAL | 2703/1 | 4.200-4.300 | | |
| 3 | 3 TRACK DUMAL | 2703/2 | 4.400-4.500 | | |
| 3 | 3 TRACK DUMAL | 2705/2 | | | |
|  | | |  | | |
| 1 | DUMAL SHUTTER | 2703/01 | | 1 | DUMALSHUTTER 2706 1.900-2.000 |
| 1 | DUMAL SHUTTER | 2705 | 2.300-2.400 | | |
|  | | |  | | |
| 1 | DUMAL CLIP | 2707 | 0.500-0.600 | 1 | DUMALSHUTTER 2708 1.100-1.200 |

| 27 MM SERIES DUMAL | | | | | | |
|--------------------|--------------------|-------------|-------------|---------------|-------------------|-------------|
| | | | | | | |
| 1 | DUMAL SHUTTER | 3.100-3.200 | 1 | DML 2701/1 | 0.300-0.400 | |
| | | | | | | |
| 1 | SLM | 40002 | 3.000-3.100 | 1 | DUMAL CILIP 40001 | 1.050-1.150 |
| | | | | | | |
| 1 | DUMAL 4.TR:- 40001 | 6.600-6.700 | 1 | DUMAL SHUTTER | 40004 | 2.600-2.700 |
| 20 MM SERIES DUMAL | | | | | | |
| | | | | | | |
| 1 | DUMAL2001 | 2.400-2.500 | 1 | DUMAL2002 | 1.900-2.000 | |
| | | | | | | |
| 1 | DUMAL2003 | 0.900-1.000 | 1 | DUMAL 2004 | 2.000-2.100 | |









| CURTAIN SERIES | | | |
|----------------|--|----------------|-------------|
| 1 |  | CURTAIN 001 | 5.100-5.200 |
| 1 |  | CURTAIN 002 | 4.100-4.200 |
| 1 |  | CURTAIN 003 | 9.500-9.600 |
| 1 |  | CURTAIN 004 | 2.800-2.900 |
| 1 |  | CURTAIN 005 | 1.900-2.000 |
| 1 |  | CURTAIN 008 | 2.100-2.200 |
| 1 |  | CURTAIN 009 | 2.300-2.400 |
| 1 |  | CURTAIN 010 | 2.100-2.200 |
| 1 |  | DIE.NO:- 90001 | 4.900-5.000 |
| 1 |  | DIE.NO:- 90002 | 3.600-3.700 |











| CURTAINWALL | | | |
|-------------|--------------------|-------------|--|
| 1 | DI.NO:-80011 | 3.000-3.100 | |
| 2 | DI.NO:-80012 | 2.780-2.880 | |
| 3 | DI.NO:-80013 | 4.400-4.500 | |
| 2 | DI.NO:-80014 | 5.400-5.500 | |
| 5 | DI.NO:-80015 | 3.800-3.900 | |
| 6 | SES FREAM/ CURTAIN | 1.700-1.800 | |
| | | | |

| RAILING SECTION | | | |
|--|---|-----------------|---------------|
|  | 1 | BS01 | 9.600-9.700 |
|  | 1 | BS02 | 13.500-13.600 |
|  | 1 | BS03 | 2.200-2.300 |
|  | 1 | ALP 001 | 2.700-2.800 |
|  | 1 | ALP 002 | 5.250-5.350 |
|  | 1 | ALP 003 | 2.900-3.000 |
|  | 1 | SQUARE HL BIG | 5.800-5.900 |
|  | 1 | ALP 004 | 5.200-5.300 |
|  | 1 | ROUND HL | 5.100-5.200 |
|  | 1 | SQUARE HL SMALL | 5.100-5.200 |

| RAILING SECTION | | | |
|-----------------|-------------|--|--|
| | | | |
| DIE NO:65010 | 3.325-3.425 | | |
| | | | |
| | | | |
| | | | |
| | | | |

| AEPL SECTION | | | |
|--------------|---|-------------|-------------|
| | 1 | AEPL 1001 | 1.650-1.750 |
| | 1 | AEPL 1002 | 1.900-2.000 |
| | 1 | AEPL 1003 | 2.050-2.150 |
| | 1 | AEPL 1004 | 2.650-2.750 |
| | 1 | AEPL 1005 | 3.200-3.300 |
| | 1 | AEPL 1006 | 3.350-3.450 |
| | 1 | DIENO:-1081 | 2.150-2.250 |
| | 1 | DIENO:-1080 | 2.850-2.950 |
| | | | |
| | | | |

| AEPL SECTION | | | |
|--|----------|-----------------|----------------------|
|  | 1 | AEPL 001 | 1.500-1.600 |
|  | 1 | AEPL 002 | 0.300-0.400 |
|  | 1 | AEPL 003 | 13.000-13.100 |
|  | 1 | AEPL 004 | 0.500-0.600 |
|  | 1 | AEPL 005 | 1.200- 1.300 |
|  | 1 | AEPL 006 | 0.800-0.900 |
|  | 1 | AEPL 007 | 0.700-0.800 |
|  | 1 | AEPL 008 | 1.400-1.500 |
| | | | |











| AEPL SECTION | | | |
|--|---|----------------|-------------|
|  | 1 | AEPL 009 | 1.900-2.000 |
|  | 1 | AEPL 010 | 2.500-2.600 |
|  | 1 | AEPL 011 | 2.500-2.600 |
|  | 1 | AEPL 12 | 2.700-2.800 |
|  | 1 | AEPL 13 | 2.100-2.200 |
|  | 1 | AEPL 014 | 0.800-0.900 |
|  | 1 | AEPL SHUTTER | 2.600-2.700 |
|  | 1 | AEPL CLIP | 0.500-0.600 |
|  | 1 | AEPL 3 TRACK | 4.600-4.700 |
|  | 1 | AEPL H SECTION | 0.700-0.800 |

| INDUSTRIAL SECTION | | | |
|--------------------|----------------|---------------|--|
| | | | |
| 1 | VS 01 | 6.650 | |
| | | | |
| 1 | VS 02 | 2.150 | |
| | | | |
| 1 | T.EX 001 | 2.400-2.500 | |
| | | | |
| 1 | VS 03 | 4.250 | |
| | | | |
| 1 | VS 04 | 3.600 | |
| | | | |
| 1 | VS TUBE | 1.600-1.700 | |
| | | | |
| | DIE NO: NE-001 | 0.450-0.550 | |
| | | | |
| | DIE NO: NE-002 | 1.050-1.150 | |
| | | | |
| | DIE NO:20078 | 12.480-12.580 | |
| | | | |
| | DIE NO:20079 | 0.800-0.900 | |











| TRANSPORT SECTION | | | |
|-------------------|--|-----------|-------------|
| 1 | | SB 001 | 0.450-0.550 |
| 1 | | SB 002 | 0.350-0.450 |
| 1 | | H SECTION | 0.750-0.850 |
| 1 | | SB 5053 | 0.450-0.550 |
| FM SERIES | | | |
| 1 | | FM 001 | 5.000-5.100 |
| 1 | | FM 002 | 3.400-3.500 |
| 1 | | FM 003 | 2.300-2.400 |

| TRANSPORT SECTION | | | |
|-------------------|--|-----------|-------------|
| 1 | | B.B.S 001 | 0.400-0.500 |
| 2 | | B.B.S 002 | 1.200-1.300 |
| 3 | | B.B.S 003 | 0.250-0.350 |
| 4 | | B.B.S 004 | 0.200-0.300 |
| 5 | | B.B.S 005 | 0.400-0.500 |
| 6 | | B.B.S 006 | 0.700-0.800 |
| 7 | | B.B.S 007 | 1.150-1.250 |
| 8 | | B.B.S 009 | 0.450-0.550 |
| MECH SECTION | | | |
| 1 | | MECH 001 | 2.800-2.900 |
| 1 | | MECH 002 | 5.600-5.700 |









| TRANSPORT SECTION | | | |
|-------------------|----------------|-------------|---|
| 1 | DIE NO : 14001 | 0880-0980 | 1 |
| | | | |
| 1 | 14002 | 0.600-0.700 | 1 |
| | | | |
| 1 | 14003 | 0.600-0.700 | 1 |
| | | | |
| 1 | 14005 | 0.690-0.790 | 1 |
| | | | |
| 1 | 14007 | 0.400-0.500 | 1 |









| MISC DIE | | | |
|--|---|-------------|-------------|
|  | 1 | MISC 2001 | 1.700-1.800 |
|  | 1 | MISC 2002 | 1.900-2.000 |
|  | 1 | MISC 2003/1 | 2.700-2.800 |
|  | 1 | MISC 2004/1 | 2.100-2.200 |
|  | 1 | MISC 2005/1 | 1.900-2.000 |
|  | 1 | MISC 2006 | 0.900-1.000 |
|  | 1 | RK 001 | 5.800-5.900 |
|  | 1 | RK 002 | 1.600-1.700 |
|  | 1 | RK 003 | 3.400-3.500 |
|  | 1 | SEC 007 | 2.500-2.600 |











| KLKT SERIES | | | | |
|-------------|------------------|-------------|--|--|
| | | | | |
| 1 | I/L (20 MM) | 1.200-1.300 | | |
| 2 | I/L (20 MM) | 1.800-1.900 | | |
| | | | | |
| 1 | B/B (20 MM) | 1.700-1.800 | | |
| 2 | B/B (20 MM) | 3.100-3.200 | | |
| | | | | |
| 1 | H/L (20 MM) | 1.300-1.400 | | |
| 2 | H/L (20 MM) | 1.500-1.600 | | |
| | | | | |
| 1 | 2 TR BOT (20 MM) | 1.800-1.900 | | |
| 2 | 2 TR BOT (20 MM) | 3.100-3.200 | | |
| | | | | |
| 1 | 2 TR TOP (20 MM) | 1.500-1.600 | | |
| 2 | 2 TR TOP (20 MM) | 2.800-2.900 | | |
| | | | | |
| 1 | 3 TR TOP (20 MM) | 2.300-2.400 | | |
| 2 | 3 TR TOP (20 MM) | 3.700-3.800 | | |
| | | | | |
| 1 | 3 TR BOT (20 MM) | 2.600-2.700 | | |
| 2 | 3 TR BOT (20 MM) | 4.200-4.300 | | |
| | | | | |
| 1 | H/L (20 MM) | 1.400-1.500 | | |
| 2 | H/L (20 MM) | 1.700-1.800 | | |
| | | | | |

| STERIMAC CLEAN ROOM | | | |
|---|-------------|--|-------------|
|  | |  | |
| DIENO:- 50001 | 1.450-1.550 | DIENO:- 50004 | 4.350-4.450 |
|  | |  | |
| DIENO:-50009 | | DIENO:50010 | 1.315-1.415 |
|  | |  | |
| DIEN NO: 500017 | 2.260-2.360 | DIENI: 500018 | 1.760-1.860 |
|  | |  | |
| DIEN NO: 500019 | 1.730-1.830 | DIENO:- 50020 | 2.120-2.220 |
|  | |  | |
| DIEN NO:50021 | 1.740-1.840 | DIEN NO:50022 | 3.160-3.260 |






| STERIMAC CLEAN ROOM | | | |
|---------------------|---------------------|---------------------|---------------------|
| | | DIE NO:50023 | 4.300-4.400 |
| | | DIE NO:50025 | 4.390-4.490 |
| | | DIE NO:50027 | 1.570-1.670 |
| | | DIE NO:50029 | 4.550-4.650 |
| DIE NO:50023 | DIE NO:50024 | DIE NO:50026 | DIE NO:50028 |
| 4.300-4.400 | 1.100-1200 | 4.390-4.490 | 3.450-3.550 |
| DIE NO:50029 | DIE NO:50030 | | |
| 4.550-4.650 | 3.200-3.300 | | |








| CLEAN ROOM | | | |
|---|--|---------------------|--------------------|
|  |  | DIE NO:50031 | 1.480-1.580 |
|  |  | DIE NO:50033 | 6.550-6.650 |
|  |  | DIE NO:50035 | 3.000-3.100 |
|  |  | DIE NO:50037 | 1.140-1.540 |
| | | DIE NO:50038 | 2.050-2.150 |









| CLEAN ROOM | | | |
|--|---------------------|--------------------|--|
|  | DIE NO:50039 | 1.490-1.590 | |
|  | DIE NO:50040 | 2.500-2.600 | |
|  | DIE NO:50041 | 4.715-4.815 | |
|  | DIE NO:50042 | 2.780-2.880 | |
|  | DIE NO:50043 | 5.530-5.630 | |
|  | DIE NO:50044 | 2.615-2.715 | |
|  | DIE NO:50045 | 2.330-2.430 | |
|  | DIE NO:50046 | 2.270-2.370 | |









| CLEAN ROOM | | | |
|---|--|---------------------|---------------------|
|  |  | DIE NO:50047 | 1.875-1.975 |
|  |  | DIE NO:50049 | 2.545-2.645 |
|  |  | DIE NO:50051 | 2.250-2.350 |
|  |  | DIE NO:50053 | 3.600-3.700 |
|  |  | DIE NO:50055 | 2.9002-3.000 |
| | | DIE NO:50058 | 2.960-3.060 |



| Z SECTION | | | |
|--------------------|---------------------|--------------------|--------------------|
| | | 1 | 1 |
| ZS 7001 | ZS 7002 | 2.100-2.200 | 2.850-2.950 |
| | | 1 | 1 |
| ZS 7003 | ZS 7004 | 2.000-2.100 | 3.200-3.300 |
| | | 1 | 1 |
| CLIP ZS 284 | SHUTTER CLIP | 0.700-0.800 | 1.100-1.200 |
| | | | |
| | | | |

| LED SECTION | | | | | |
|--|--|---------------|-------------|--------------|-------------|
|  |  | DIE NO:-11002 | 6.500-6.600 | DIE NO:11007 | 2.700-2.800 |
|  |  | DIE NO:11008 | 0.560-0.660 | DIE NO:11009 | 1.000-1.100 |
|  | | DIE NO:11010 | 1.370-1.470 | | |
| | | | | | |
| | | | | | |









| LED SECTION | | | |
|---|---------------|-------------|--|
|  | | | |
| 1 | JITO 001 | 1.000-1.100 | |
|  | | | |
| 1 | JITO 002 | 0.800-0.900 | |
|  | | | |
| 1 | JITO 003 | 1.200-1.300 | |
|  | | | |
| 1 | LED 5001 | 0.980-1.080 | |
|  | | | |
| 1 | LED 01 | 1.000-1.100 | |
| 2 | LED 01 | 0.900-1.000 | |
|  | | | |
| 1 | TUBE LIGHT 01 | 2.400-2.500 | |
|  | | | |
| 1 | KG LED 01 | 3.100-3.200 | |
| | | | |
| | | | |








| HOOK | | | |
|---|---------------|--|---------------|
|  | |  | |
| 1 | DIE.NO:-70009 | 5.150-5.250 | 7.350-7.450 |
|  | |  | |
| 1 | DIE.NO:-70004 | 1.220-1.320 | 11.500-11.600 |
|  | |  | |
| 1 | HOOK 4006 | 7.400-7.500 | 14.000-14.100 |
|  | |  | |
| 1 | HOOK 003 | 9.300-9.400 | 12.800-12.900 |











| HOOK | | | |
|--|---------------|-------------|--|
|  | | | |
| 1 | DIENO:-8001/1 | 1.200-1.300 | |
|  | | | |
| 1 | DIENO:-8002 | 4.200-4.300 | |
|  | | | |
| 1 | SURYA | 4.500-4.600 | |
|  | | | |
| 1 | HOOK 70011 | 9.200-9.300 | |
|  | | | |
| | HOOK 70013 | 3.210-3.310 | |
|  | | | |
| | HOOK 70014 | 2.835-2.935 | |
|  | | | |
| | f | 2.700-2.800 | |
|  | | | |
| | TBT002 | 1.900-2.000 | |

| HOOK | | | |
|---|--|--|--|
|  | |  | |
| DIE NO:70012 | | 14.900-15.00 | |
| DIE NO:70012/1 | | 14.300-14.400 | |
| | | DIE NO:70008/1 | |
| | | 3.600-3.700 | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |








| SOLAR | | | |
|-------|----------------|-------------|--|
| 1 | DIE NO:- 45001 | 1.190-1.290 | |
| 2 | DIE NO:- 45002 | 1.360-1.460 | |
| 3 | DIE NO:-45003 | 4.690-4.790 | |
| 4 | DIE NO:- 45004 | 1.570-1.670 | |
| 5 | DIE NO:-45005 | 1.740-1.840 | |
| 6 | DAI NO:45006 | 2.560-2.660 | |
| 7 | DAI NO:45007 | 2.570-2.670 | |
| 1 | DIE NO:45008 | 2.410-2.510 | |

| SOLAR | | | |
|---|--|---------------------|--------------------|
|  |  | DAI NO:45009 | 2.840-2.940 |
|  |  | DAI NO:45011 | 2.340-2.440 |
|  |  | DAI NO:45013 | 1.970-2.070 |
|  |  | DIE NO:45015 | 5.170-5.270 |
| | | DIE NO:45016 | 1.370-1.470 |







| HRD SERIES | | | |
|------------|---|-------------|-------------|
| 1 |  | AC 01 (HRD) | 0.600-0.700 |
| 1 |  | AC02 (HRD) | 2.900-3.000 |
| 1 |  | AC 03 (HRD) | 0.640-0.740 |
| 1 |  | AC 04 (HRD) | 0.650-0.750 |
| 1 |  | AC 05 (HRD) | 0.740-0.840 |
| 1 |  | AC 06 (HRD) | 1.000-1.100 |
| 1 |  | AC 07 (HRD) | 0.650-0.750 |
| | | | |
| | | | |

| RG SECTION | | | |
|--|---------|-------------|--|
|  | | | |
| 1 | RG 1000 | 1.100-1.200 | |
|  | | | |
| 1 | RG1001 | 0.700-0.800 | |
|  | | | |
| 1 | RG 1002 | 2.200-2.300 | |
|  | | | |
| 1 | RG 1003 | 0.800-0.900 | |
|  | | | |
| 1 | RG 1004 | 0.350-0.450 | |
|  | | | |
| 1 | RG 1005 | 0.450-0.550 | |
|  | | | |
| 1 | RG 1006 | 0.250-0.350 | |
|  | | | |
| 1 | RG 1007 | 0.700-0.800 | |
|  | | | |
| 1 | RG 1008 | 2.400-2.500 | |
|  | | | |
| 1 | RG 1009 | 4.200-4.300 | |

| RG SECTION | | | |
|------------|----------------|--------------------|--|
| | RG 1010 | 3.400-3.500 | |
| | RG 1011 | 1.800-1.900 | |
| | RG 1012 | 1.900-2.000 | |
| | RG 1013 | 0.600-0.700 | |
| | RG 1014 | 0.900-1.000 | |
| | | | |
| | | | |
| | | | |
| | | | |

| VIVO SECTION | | | |
|---|----------|--|-------------|
|  | |  | |
| 1 | VIVO 01 | 1.000-1.100 | 1 |
|  | |  | |
| 1 | VIVO 03 | 3.400-3.500 | 1 |
|  | | | |
| 1 | VIVO 008 | 1.050-1.150 | |
| MECH SECTION | | | |
|  | |  | |
| 1 | MECH 001 | 2.800-2.900 | 1 |
| | | | MECH 002 |
| | | | 5.600-5.700 |









| MD SECTION | | | |
|------------|---|--------|-------------|
| | 1 | MD001 | 2.900-3.000 |
| | 1 | MD 002 | 2.750-2.850 |
| | 1 | MD 003 | 2.200-2.300 |
| | 1 | MD 004 | 1.800-1.900 |
| | 1 | MD 005 | 2.000-2.100 |
| | 1 | MD 006 | 0.700-0.800 |
| | 1 | MD 007 | 2.500-2.600 |
| | 1 | MD 009 | 1.600-1.700 |
| | 1 | MD 009 | 1.650-1.750 |
| | | | |
| | | | |

| ARC SECTION | | | |
|---|---------|-------------|--|
|  | | | |
| 1 | ARC 001 | 4.300-4.400 | |
|  | | | |
| 1 | ARC 002 | 5.100-5.200 | |
|  | | | |
| 1 | ARC 005 | 5.300-5.400 | |
|  | | | |
| 1 | ARC 006 | 3.700-3.800 | |
|  | | | |
| 1 | MOS 001 | 1.550-1.650 | |
|  | | | |
| 1 | AM001 | 0.900-1.000 | |











| ARC SECTION | | | |
|-------------|--------------|-------------|--|
| | | | |
| 1 | TS-SLP:-1001 | 1.350-1.450 | |
| | | | |
| 1 | TS-SLP:-1002 | 1.096-1.196 | |
| | | | |
| 1 | TS-SLP:-1003 | 0.618-0.718 | |
| | | | |
| 1 | TS-SLP:-1004 | 0.243-0.343 | |
| | | | |
| 1 | TS-SLP:-1005 | 0.603-0.703 | |
| | | | |
| 1 | TS-SLP:-1006 | 0.581-0.681 | |
| | | | |
| 1 | TS-SLP:-1008 | 0.419-0.519 | |

| ARC SECTION | | | |
|-------------|--------------|-------------|------------------------------|
| | | | |
| 1 | TS-SLP:-1009 | 1.730-1.830 | 1 TS-SLP:-1009/C 0.480-0.480 |
| | | | |
| 1 | TS-SLP:-1011 | 1.300-1.400 | 1 TS-SLP:-1012 3.130-3.230 |
| | | | |
| 1 | TS-SLP:-1013 | 1.630-1.730 | 1 TS-SLP:-1013/C 0.547-0.647 |
| | | | |

| ARC DIE | | | | | |
|-------------|-------------|-------------|---------------|-------------|-------------|
| | | | | | |
| TS-SLP-2001 | 1.400-1.500 | 1 | TS-SLP-2002/2 | 0.720-0.820 | |
| | | | | | |
| 1 | TS-SLP-2003 | 0.550-0.650 | 1 | TS-SLP-2007 | 0.605-0.705 |
| | | | | | |
| 1 | TS-SLP-3001 | 1.220-1.320 | 1 | TS-SLP-3002 | 1.630-1.730 |
| | | | | | |
| TS-SLP-3003 | 1.250-1.350 | | TS-SLP-3004 | 1.600-1.700 | |
| | | | | | |











| ARC DIE | | | |
|---------|---|----------------|-------------|
| 1 |  | TS-SLP:-3005/A | 0.770-0.870 |
| 1 |  | TS-SLP:-3005/B | 0.494-594 |
| 1 |  | TS-SLP:-4000 | 1.700-1.800 |
| 1 |  | TS-SLP:-4001 | 2.200-2.300 |
| 1 |  | TS-SLP:-5000 | 2.690-2.790 |
| 1 |  | TS-SLP:-5001 | 3.300-3.400 |
| 1 |  | TS-SLP:-5002 | 1.630-1.730 |
| 1 |  | TS-SLP:-5003 | 0.750-0.850 |











| ARC DIE | | | |
|---------|--|--|--|
| | | TS-SLP:-5004 0.565-0.665 | DIE NO:TS-WC-400 17.100-17.200 |
| | | DIE NO:TS-RB-700 10.900-11.000 | DIE NO:TS-WC-100 15.740-15.840 |
| | | DIE NO:TS-WC-300 13.870-13.970 | DIE NO:TS-WC-600 7.100-7.200 |
| | | DIE NO:TS-WC-700 12.750-12.850 | DIE NO:TS-WC-800 11.345-11.445 |

| ARC DIE | | | |
|--|----------------------------|---------------------|--|
|  | DIE NO:TS-MFC 100 | 0.570-0.670 | |
|  | DIE NO:TS-MFC 200 | 0.800-0.900 | |
|  | DIE NO:TS-MFC 200/A | 0.180-0.280 | |
|  | DIE NO:TS-MFC 300 | 0.727-0.827 | |
|  | DIE NO:TS-MFC 400 | 0.500-0.600 | |
|  | DIE NO:TS-HR 300 | 3.300-3.400 | |
|  | DIE NO:TS-HR 400 | 1.780-1.7180 | |
|  | DIE NO:TS-HR 700 | 2.376-2.476 | |
|  | DIE NO:TS-HR 800 | 3.485-3.585 | |
|  | DIE NO:6565 | 5.900-6.000 | |











| ARC DIE | | | |
|---------|--|----------------------------|--------------------|
| | | DIE NO:TS-ST 40 | 2.507-2.607 |
| | | DIE NO:TFC-1045-111 | 2.750-2.850 |
| | | DIE NO:1045-333 | 4.320-4.420 |
| | | DIE NO:TFC-1045-666 | 3.375-3.475 |
| | | DIE NO:TFC-1015-777 | 2.115-2.215 |











| ARC DIE | | | |
|---------------------|-------------|-----------------|------------|
| | | | |
| DIE NO:TFC-1045-888 | 3.185-3.285 | DIE NO:1045-999 | 0.540-0640 |
| | | | |
| | | | |
| | | | |
| | | | |

| ARC DIE | | | |
|--|----------------|---------------|--|
|  | | | |
| 1 | DIE NO 65001 | 7.200-7.300 | |
|  | | | |
| 2 | DIE NO 65002 | 9.200-9.300 | |
|  | | | |
| 3 | DIE NO 65003 | 4.250-4.350 | |
|  | | | |
| 4 | DIE NO:- 65004 | 5.100-5.200 | |
|  | | | |
| 5 | DIE NO:-65005 | 6.750-6.850 | |
|  | | | |
| 6 | DIE NO:-65006 | 8.900-9.000 | |
|  | | | |
| 7 | DIENO:-65007 | 1.400-1.500 | |
|  | | | |
| 8 | DIENO:-65008 | 1.900-2.000 | |
|  | | | |
| 9 | SOLID DIE/ARC | 5.750-5.850 | |
|  | | | |
| | DIE.NO:-65009 | 1.830 - 1.930 | |

| PROFILES | | |
|----------|------------|--|
| 1 | PROFILE-01 |  |
| 2 | PROFILE-02 |  |
| 3 | PROFILE-03 |  |
| 4 | PROFILE-04 |  |
| 5 | PROFILE-05 |  |
| 6 | PROFILE-06 |  |
| 7 | PROFILE-07 |  |
| 8 | PROFILE-08 |  |
| 9 | PROFILE-09 |  |
| 10 | PROFILE-10 |  |

| PROFILES | | | | | |
|----------|------------|--|----|------------|--|
| | | | | | |
| 11 | PROFILE-11 | | 12 | PROFILE-12 | |
| | | | | | |
| 13 | PROFILE-13 | | 14 | PROFILE-14 | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |

| SAP SERIES | | | | | |
|------------|---|-------------|----|--|---------------|
| 1 |  P10042 | 1.600-1.700 | 2 |  P10043 | 1.800-1.900 |
| 3 |  P10044 | 1.400-1.500 | 4 |  P10045 | 2.200-2.300 |
| 5 |  P10046 | 3.200-3.300 | 6 |  P10047 | 3.300-3.400 |
| 7 |  P10048 | 3.200-3.300 | 8 |  P10049 | 2.800-2.900 |
| 9 |  SAP09101 | 3.700-3.800 | 10 |  SAP09105 | 12.100-12.200 |

| SAP SERIES | | | |
|------------|--|-----------|-------------|
| 11 |  | P08018 | 4.300-4.400 |
| 12 |  | P08019 | 1.800-1.900 |
| 13 |  | P08020 | 1.400-1.500 |
| 14 |  | P09003 | 1.200-1.300 |
| 15 |  | P09037 | 1.100-1.200 |
| 16 |  | P09038 | 1.100-1.200 |
| 17 |  | SAP09104 | 1.900-2.000 |
| 18 |  | P09040 | 2.700-2.800 |
| 19 |  | E0801-355 | 1.100-1.200 |
| 20 |  | ATR5030 | 4.300-4.400 |

| MK DIE | | | |
|----------|---------------------|--------------------|---------------------|
| | | 1 | 2.000-2.100 |
| 1 | DIE NO 50003 | 3.150-3.250 | DIE NO 50005 |
| | | 1 | 1.310-1.410 |
| 1 | DIE NO 50006 | 2.900-3.000 | DIENO:-50006 |
| | | 1 | 4.750-4.850 |
| 1 | DIENO:-50007 | 2.660-2.760 | DIENO:-50008 |
| | | | |









| ANOVI DIE | | | |
|-----------|--------------|---------------|--|
| | | | |
| 1 | DIE NO 13001 | 0.400-0.500 | |
| | | | |
| 2 | DIE NO 13002 | 0.300-0.400 | |
| | | | |
| 3 | DIE NO 13003 | 1.050-1.150 | |
| | | | |
| 4 | DIE NO 13004 | 0.500-0.600 | |
| | | | |
| 5 | DIE NO 13008 | 1.550-1.650 | |
| | | | |
| 6 | DIENO:-13009 | 1.650-1.750 | |
| | | | |
| 7 | DIENO:-13010 | 1.950-2.050 | |
| | | | |
| 8 | DIENO:-13011 | 1.040 - 1.140 | |









| ANOVI DIE | | | | | | |
|-----------|--|---------------|--|---|--------------|-------------|
| 1 | | 2.080 - 2.180 | | 2 | DIENO:-13023 | 1.100-1.200 |
| 3 | | 2.780-2.880 | | 4 | DIENO:-13025 | 4.800-4.900 |
| 5 | | 2.100-2.200 | | 6 | DIENO:-13030 | 1.990-2.090 |
| 7 | | 3.150-3.250 | | | DIENO:-13032 | 4.280-4.380 |

| ANOVI DIE | | | |
|-------------------|--|-------------|--|
| | | | |
| DIE NO : 13033 | | 3.000-3.100 | |
| DIE NO : 13034 | | 2890-2.990 | |
| | | | |
| 11 DIE NO : 13035 | | 0.790-0.890 | |
| 12 DIE NO : 13036 | | 1.330-1.430 | |
| | | | |
| 13 DIE NO:13037 | | 2.700-2.800 | |
| 14 DIE NO:13039 | | 1.055-1.155 | |
| | | | |
| 14 DIE NIO:13040 | | 0.987-1.087 | |
| 15 DIE NO:13041 | | 3.340-3.440 | |

| ANOVI DIE | | | | | |
|-----------|--|---------------------|--------------------|---------------------|--------------------|
| | | DIE NO:13042 | 4.560-4.660 | DIE NO:13043 | 3.800-3.900 |
| | | DIE NO:13044 | 3.300-3.400 | DIE NO:13045 | 0.680-0.780 |
| | | DIE NO:13046 | 4.400-4.500 | DIE NO:13047 | 1.285-1.385 |
| | | | | | |

| HIRAL DIE | | | |
|----------------|----------------|--------------|-------------|
| | | 1 | 2 |
| DIE NO 13005 | 1.100-1.200 | DIE NO 13006 | 2.800-2.900 |
| | | | |
| 3 | DIE NO 13007 | 1.250-1.350 | |
| BRIJ DIE | | | |
| | | 1 | 2 |
| DIE NO : 20059 | DIE NO : 20060 | 4.680-4.780 | |
| | | | |
| 3 | DIE NO : 20061 | | |









| SLM DIE | | | |
|---------|--|---------------|---------------|
| 1 |  | DIE NO SLM001 | 3.060 - 3.160 |
| 2 |  | DIE NO SLM002 | 1.700 - 1.800 |
| 3 |  | DIE NO SLM003 | 2.300-2.400 |
| 4 |  | DIE NO SLM004 | 3.650-3.750 |
| 5 |  | DIE NO SLM005 | 1.100 - 1.200 |
| 6 |  | DIE NO SLM006 | 0.990 - 1.090 |
| 7 |  | DIE NO SLM007 | 7.580-7.680 |
| 8 |  | DIE NO SLM008 | 5.500 - 5.600 |

| ATAL EXTRUSION | | | | | | | |
|---|--|-----------|-------------------------|----------------------|-----------|-------------------------|----------------------|
|  |  | 9 | DIE NO. ATL 1013 | 1.400 - 1.500 | 10 | DIE NO. ATL 1014 | 7.000 - 7.200 |
|  |  | 11 | DIE NO. ATL 1015 | 2.100 - 2.200 | 12 | DIE NO. ATL 1016 | 6.750 - 6.850 |
|  |  | 13 | DIE NO. ATL 1017 | 4.450 - 4.550 | 14 | DIE NO. ATL 1018 | 0.550 - 0.650 |
|  |  | 15 | DIE NO. ATL 1019 | 0.900 - 1.000 | 16 | DIE NO. ATL 1020 | 0.750 - 0.850 |

| ATAL EXTRUSION | | | |
|----------------|----|------------------|---------------|
| | 17 | DIE NO. ATL 1021 | 6.600 - 6.700 |
| | 18 | DIE NO. ATL 1022 | 6.750 - 6.850 |
| | 19 | DIE NO. ATL 1023 | 1.200-1.300 |
| | 20 | DIE NO. ATL 1024 | 0.550-0.650 |
| | 21 | DIE NO. ATL 1026 | 3.750-3.850 |
| | 22 | DIE NO. ATL 1027 | 3.370-3.870 |
| | 23 | DIE NO. ATL 1028 | 2.100-2.200 |
| | 24 | DIE NO. ATL 1029 | 1.100-1.200 |
| | 25 | DIE NO. ATL 1031 | 5.100-5.200 |

| ARVIND DIE | | | |
|------------|--------------|-------------|---|
| | | | |
| 1 | DIE NO 13013 | 3.300-3.400 | 2 |
| 1 | MT011B702RO | | 2 |
| | | | |
| 3 | DIE NO 13015 | 7.150-7.230 | 4 |
| 3 | MT011B710RO | | 4 |
| | | | |
| 5 | DIE NO 13017 | 1.100-1.200 | 6 |
| 5 | MT011B712RO | | 6 |
| | | | |
| 7 | DIE NO 13019 | 0.808-0.908 | 8 |
| 7 | MT011B711RO | | 8 |
| | | | 8 |
| | | | 8 |

| OCTANT DIE | | | |
|--------------|---------------|--------------|-------------|
| | | | |
| DIE NO:13038 | 2.830-2.930 | | |
| BANCO | | | |
| | | | |
| DIE NO:90001 | 11.600-11.700 | DIE NO:90002 | 4.290-4.390 |

| DUMAL SERIES | | | |
|---|--|---------------------|--------------------|
|  |  | DIE NO:40007 | 1.900-2.000 |
|  |  | DIE NO:40009 | 6.000-6.100 |
|  |  | DIE NO:40011 | 0.650-0.750 |
|  |  | DIE NO:40013 | 2.480-2.580 |
| | | DIE NO:40017 | 4.540-4.640 |

| DUMAL SERIES | | | |
|--------------|--|---|---|
| | | <p>DIE NO:40018</p> <p>0.240-0.340</p> | <p>DIE NO:40019</p> <p>0.430-0.530</p> |
| | | <p>DIE NO:40020</p> <p>0.315-0.415</p> | <p>DIE NO:40021</p> <p>1.900-2.000</p> |
| | | | |
| | | | |

| TEXTILE | | | |
|---------------|-------------|---------------|--|
| | | | |
| DIE NO:35001 | | | |
| | | | |
| DIE NO:35002 | | | |
| | 5.380-5.480 | | |
| DIE NO:35003 | | | |
| | 6.850-6.950 | | |
| DIE NO:35005 | | | |
| SLIM SERIES | | | |
| | | | |
| DIE NO:35006 | | 8.030 - 8.130 | |
| TEPER FLATBAR | | SLIM SERIES | |
| | | | |
| DIE NO:26002 | | 0.280-0.380 | |
| | | | |
| DIE NO:19001 | | 0.900-1.000 | |