

**LET YOUR WALLS BREATHE.
NOT SUFFOCATE.**

STRETCHMET
EXPANDED STRETCHED METAL
**SUNSCREEN FACADE AND
ARCHITECTURAL MESH**
TO PROTECT AND BEAUTIFY YOUR BUILDING



SITE: Aurum, Mumbai. Mesh used: Amber-10 and Amber-25



AMBER-10



AMBER-25



IT BEAUTIFIES | ALLOWS TO BREATHE | IT PROTECTS



STRETCHMET

From the finest mesh of interior to the robust facade of outdoors has emerged as a go to product for Architects, Industries and Interior Designers

DUE TO ALUMINIUM COMPOSITE PANELS, WALLS ARE GETTING SUFFOCATED

Aluminium Composite Panels have played havoc over years with architectural aesthetics and is the reason why buildings are choking to death with no open surface wall to allow breathing, bear the heat, cold and monsoon rains for its stability.

With Aluminium Composite Panel (ACP) covering, your building might look modern, "aesthetic" and boast of superior exterior or interior surface finishing.

But what about the walls behind it? Just to save on painting them, ACPs actually smother the walls... making it vulnerable to pests, fungi, dampness, brittleness etc.


Yes, your building walls are alive as you are

STRETCHMET


Stretched metal, all-weather SUNSCREEN FACADE MESH




Old style aluminium composite panels




are now sheared open



and stretched to form scientifically effective air inlets





Filtering of cleansed airflow and diversion of sun rays




DIRECT-FIT

Self-supporting structure with direct wall fixing



SPACED-FIT

Self-supporting structure with precise fixing spaced out from the wall




WING-FIT




Independent self-supporting structure (wing)



EASY TO FIX SOLUTIONS



ECONOMICAL TO INSTALL




FEATURES AND BENEFITS

- * Innovative and decorative pattern
- * Aesthetic appeal
- * Prevents glare of sun
- * Reduces solar gain by blocking sun rays
- * Allows passage of air
- * Reduces noise
- * Attractive look
- * Resistance to high wind load

- * Semi transparent
- * Acts as cladding to exterior walls
- * Lightweight and cost effective
- * Easy to handle and install
- * Flexible - could be bent or curved
- * Can be powder coated or painted
- * Versatile
- * Unique design and appearance
- * Style and functionality
- * Variety of openings and sizes


USAGE & ARCHITECTURAL APPLICATIONS

- * Cladding to exterior walls
- * Building façade
- * External and internal ceilings
- * Decorative and acoustic panels
- * Sunscreen over windows and door frames
- * Signage and advertising
- * Partition walls
- * Staircase railings
- * Guard railings
- * Curtain walls and screens
- * Interior design features
- * Balustrade panels
- * Privacy screens



AMBER-10

SITE: SRM University, Chennai. Mesh used: Amber-10



AMBER-15

SITE: Desker Co-Working, Delhi. Mesh used: Amber-15



OCEAN-17

SITE: Noida Villa. Mesh used: Ocean-17



SITE: Avinash Times Square, Naya Raipur. Mesh used: Ocean-9



OCEAN-9



AMBER-20

SITE: ABB Offices pan India. Mesh used: Amber-20

STRETCHMET

EXPANDED METAL FAÇADE MESH/SUNSCREEN MESH

Specified for many iconic buildings around the world, Expanded Metal Façade Mesh/Sunscreen Mesh has become a critical tool for the Architects and Designers, not only practical but eye-catching and kinder on environment, too.

The structure of Expanded Metal Façade Mesh/Sunscreen Mesh aides the disruption of sound waves, deadening noise and reduction of echo. These practical features of the material in conjunction with its already proven architectural features make it perfect for both decorative ceiling tiles and acoustic panels and are chosen by designers and architects for their beauty and striking appearance.

As global warming continues to stay, so the resultant air-conditioning units put additional pressure and demand of electricity consumption. With a need to stop this, Expanded Metal Façade Mesh/Sunscreen Mesh offers an excellent solution to the problem, by reducing solar gain through blocking the sun's rays as it moves through the day and combat the temperature as the light is allowed through in one direction but not the other. Added to this, it also gives an attractive, decorative and acoustic look as the mesh acts as cladding to the exterior walls but it also serves as a sun screen over the windows and create striking visual effects and appearances.

In terms of sheer visual impact, Expanded Metal cladding systems are hard to beat. Combining the best of modern metallic materials, unique patterns and a range of finishes with practical solar and decorative properties, such system allows architects to ensure any new building stays at the very cutting edge of modern building materials technology.

In terms of refurbishment, dull, grey, concrete surfaces can be cladded to review buildings and send them hurtling into the 21st century.


Expanded Metal Façade Mesh/Sunscreen Mesh can be supplied in mild steel, galvanised steel, stainless steel, aluminium, copper, brass sheets as per specific requirements and in wide range of openings and thickness. It can be powder coated and painted in various colours.

From intolerable sun glare



to tolerable temperatures protecting the structure


The many applications of this innovative shading device enhances the architectural design and are important to today's architects, engineers, builders and the building and construction industries at large.



STRENGTHMET


PRODUCT RANGE:

Dimensional Details of Façade Mesh/Sunscreen Mesh




AMBER WAVE-3

Style	SWM Inner Opening	LWM Inner Opening	Strand Width	Thick-ness	Width in mm	Length in Mm	Material	% Open Area
Amber Wave 3	13mm	70mm	3mm	1.5/2/3mm	915mm/1220mm/1520mm	2550mm/5100mm	Al/MS/Cu/Br	65%




AMBER-10

Style	SWM Inner Opening	LWM Inner Opening	Strand Width	Thick-ness	Width in mm	Length in Mm	Material	% Open Area
Amber-10	35mm	97mm	10mm	1.5/2/3mm	915mm/1220mm/1520mm	2650mm/5300mm	Al/MS/Cu/Br	55%




AMBER-15

Style	SWM Inner Opening	LWM Inner Opening	Strand Width	Thick-ness	Width in mm	Length in Mm	Material	% Open Area
Amber-15	30mm	90mm	15mm	1.5/2/3mm	915mm/1220mm/1520mm	1750mm/3500mm	Al/MS/Cu/Br	35




AMBER-20

Style	SWM Inner Opening	LWM Inner Opening	Strand Width	Thick-ness	Width in mm	Length in Mm	Material	% Open Area
Amber-20	25mm	90mm	20mm	1.5/2/3mm	915mm/1220mm/1520mm	1500mm/3000mm	Al/MS/Cu/Br	30




AMBER-25

Style	SWM Inner Opening	LWM Inner Opening	Strand Width	Thick-ness	Width in mm	Length in Mm	Material	% Open Area
Amber-25	25mm	90mm	25mm	1.5/2/3mm	915mm/1220mm/1520mm	1450mm/2900mm	Al/MS/Cu/Br	10




AMBER STAG

Style	SWM Inner Opening	LWM Inner Opening	Strand Width	Thick-ness	Width in mm	Length in Mm	Material	% Open Area
Amber Stag	16mm	80mm	3mm	1.5/2/3mm	915mm/1220mm/1520mm	2600mm/5200mm	Al/MS/Cu/Br	70%



AQUA BIRD

Style	SWM Inner Opening	LWM Inner Opening	Strand Width	Thick-ness	Width in mm	Length in Mm	Material	% Open Area
Aqua Bird	11mm	50mm	3mm	1.5/2/3mm	915mm/1220mm/1520mm	3000mm/6000mm	Al/MS/Cu/Br	60%



AQUA-F


Style	SWM Inner Opening	LWM Inner Opening	Strand Width	Thick-ness	Width in mm	Length in Mm	Material	% Open Area
Aqua-F	13mm	60mm	11mm	1.5/2/3mm	915mm/1220mm/1520mm	1650mm/3300mm	Al/MS/Cu/Br	15%

MADE FROM ALUMINIUM, MILD STEEL, COPPER, BRASS, STAINLESS STEEL, ETC.
Expanded Metal Façade Mesh will have tolerances in Width of ± 10mm & Length of ± 40mm. SWM may vary by ±3mm, LWM may vary by ±4mm, Strand may vary by ±0.5mm, Thickness may vary by ±0.2mm.

STRENGTHMET


PRODUCT RANGE:

Dimensional Details of Façade Mesh/Sunscreen Mesh




AQUA-F4-IN6

Style	SWM Inner Opening	LWM Inner Opening	Strand Width	Thick-ness	Width in mm	Length in Mm	Material	% Open Area
Aqua-F4-IN6	6mm	45mm	4mm	1.5/2/3mm	915mm/1220mm/1520mm	1500mm/3000mm	Al/MS/Cu/Br	30%




CITRINE

Style	SWM Inner Opening	LWM Inner Opening	Strand Width	Thick-ness	Width in mm	Length in Mm	Material	% Open Area
Citrine	9mm	25mm	8mm	1.5/2/3mm	915mm/1220mm/1520mm	1600mm/3200mm	Al/MS/Cu/Br	25%




EMERALD-10

Style	SWM Inner Opening	LWM Inner Opening	Strand Width	Thick-ness	Width in mm	Length in Mm	Material	% Open Area
Emerald-10	20mm	80mm	11mm	1.5/2/3mm	915mm/1220mm/1520mm	1800mm/3600mm	Al/MS/Cu/Br	40%




EMERALD-15

Style	SWM Inner Opening	LWM Inner Opening	Strand Width	Thick-ness	Width in mm	Length in Mm	Material	% Open Area
Emerald-15	20mm	80mm	15mm	1.5/2/3mm	915mm/1220mm/1520mm	1600mm/3200mm	Al/MS/Cu/Br	30%




EMERALD-20

Style	SWM Inner Opening	LWM Inner Opening	Strand Width	Thick-ness	Width in mm	Length in Mm	Material	% Open Area
Emerald-20	18mm	80mm	20mm	1.5/2/3mm	915mm/1220mm/152mm	1450mm/2900mm	Al/MS/Cu/Br	15%




EMERALD BIRD

Style	SWM Inner Opening	LWM Inner Opening	Strand Width	Thick-ness	Width in mm	Length in Mm	Material	% Open Area
Emerald Bird	23mm	80mm	5mm	1.5/2/3mm	915mm/1220mm/1520mm	3500mm/7000mm	Al/MS/Cu/Br	65%



HUGO WAVE-6

Style	SWM Inner Opening	LWM Inner Opening	Strand Width	Thick-ness	Width in mm	Length in Mm	Material	% Open Area
Hugo Wave-6	21mm	120mm	6mm	1.5/2/3mm	915mm/1220mm/152mm	2500mm/5000mm	Al/MS/Cu/Br	50%



HUGO-15

Style	SWM Inner Opening	LWM Inner Opening	Strand Width	Thick-ness	Width in mm	Length in Mm	Material	% Open Area
Hugo-15	60mm	175mm	15mm	1.5/2/3mm	915mm/1220mm/1520mm	2800mm/5800mm	Al/MS/Cu/Br	60%

MADE FROM ALUMINIUM, MILD STEEL, COPPER, BRASS, STAINLESS STEEL, ETC.
Expanded Metal Façade Mesh will have tolerances in Width of ± 10mm & Length of ± 40mm. SWM may vary by ±3mm, LWM may vary by ±4mm, Strand may vary by ±0.5mm, Thickness may vary by ±0.2mm.

STRENGTHMET

PRODUCT RANGE:
Dimensional Details of Façade Mesh/Sunscreen Mesh



HUGO-24

Style	SWM Inner Opening	LWM Inner Opening	Strand Width	Thick-ness	Width in mm	Length in Mm	Material	% Open Area
Hugo-24	40mm	135mm	24mm	1.5/2/3mm	915mm/1220mm/1520mm	2000mm/4000mm	Al/MS/Cu/Br	40%




HUGO-35

Style	SWM Inner Opening	LWM Inner Opening	Strand Width	Thick-ness	Width in mm	Length in Mm	Material	% Open Area
Hugo-35	80mm	200mm	33mm	1.5/2/3mm	915mm/1220mm/1520mm	1450mm/2900mm	Al/MS/Cu/Br	30%




HUGO-F-9

Style	SWM Inner Opening	LWM Inner Opening	Strand Width	Thick-ness	Width in mm	Length in Mm	Material	% Open Area
Hugo-F-9	15mm	110mm	9mm	1.5/2/3mm	915mm/1220mm/1520mm	1600mm/3200mm	Al/MS/Cu/Br	30%



HUGO-F-24-IN15

Style	SWM Inner Opening	LWM Inner Opening	Strand Width	Thick-ness	Width in mm	Length in Mm	Material	% Open Area
Hugo-F-24-IN15	15mm	110mm	25mm	1.5/2/3mm	915mm/1220mm/1520mm	1270mm/2540mm	Al/MS/Cu/Br	7%



HUGO-F-17

Style	SWM Inner Opening	LWM Inner Opening	Strand Width	Thick-ness	Width in mm	Length in Mm	Material	% Open Area
Hugo-F-17	17mm	130mm	16mm	1.5/2/3mm	915mm/1220mm/1520mm	1650mm/3300mm	Al/MS/Cu/Br	30%




HUGO-30

Style	SWM Inner Opening	LWM Inner Opening	Strand Width	Thick-ness	Width in mm	Length in Mm	Material	% Open Area
Hugo-30	80mm	200mm	33mm	1.5/2/3mm	915mm/1220mm/1520mm	1600mm/3200mm	Al/MS/Cu/Br	25%



JADE

Style	SWM Inner Opening	LWM Inner Opening	Strand Width	Thick-ness	Width in mm	Length in Mm	Material	% Open Area
Jade	18mm	75mm	11mm	1.5/2/3mm	915mm/1220mm/1520mm	1650mm/3300mm	Al/MS/Cu/Br	35%



MARINE BIRD


Style	SWM Inner Opening	LWM Inner Opening	Strand Width	Thick-ness	Width in mm	Length in Mm	Material	% Open Area
Marine Bird	13mm	40mm	2mm	1.5/2/3mm	915mm/1220mm/1520mm	5100mm/	Al/MS/Cu/Br	80%

MADE FROM ALUMINIUM, MILD STEEL, COPPER, BRASS, STAINLESS STEEL, ETC.
Expanded Metal Façade Mesh will have tolerances in Width of ± 10mm & Length of ± 40mm. SWM may vary by ±3mm, LWM may vary by ±4mm, Strand may vary by ±0.5mm, Thickness may vary by ±0.2mm.

STRENGTHMET


PRODUCT RANGE:

Dimensional Details of Façade Mesh/Sunscreen Mesh




MARINE LOUVERS

Style	SWM Inner Opening	LWM Inner Opening	Strand Width	Thick-ness	Width in mm	Length in Mm	Material	% Open Area
Marine Louvers	4mm	25mm	9mm	1.5/2/3mm	915mm/1220mm/1520mm	1350mm/2700mm	Al/MS/Cu/Br	10%




MARINE-2.5

Style	SWM Inner Opening	LWM Inner Opening	Strand Width	Thick-ness	Width in mm	Length in Mm	Material	% Open Area
Marine 2.5	8mm	30mm	2.5mm	1.5/2/3mm	915mm/1220mm/1520mm	2400mm/4800mm	Al/MS/Cu/Br	55%




MARINE-3.5-IN4

Style	SWM Inner Opening	LWM Inner Opening	Strand Width	Thick-ness	Width in mm	Length in Mm	Material	% Open Area
Marine-3.5-IN4	4mm	35mm	3.5mm	1.5/2/3mm	915mm/1220mm/1520mm	1500mm/3000mm	Al/MS/Cu/Br	15%




MARINE-9

Style	SWM Inner Opening	LWM Inner Opening	Strand Width	Thick-ness	Width in mm	Length in Mm	Material	% Open Area
Marine 9	7mm	30mm	9mm	1.5/2/3mm	915mm/1220mm/1520mm	1500mm/3000mm	Al/MS/Cu/Br	20%




MARINE-B

Style	SWM Inner Opening	LWM Inner Opening	Strand Width	Thick-ness	Width in mm	Length in Mm	Material	% Open Area
Marine B	9mm	30mm	4.5mm	1.5/2/3mm	915mm/1220mm/1520mm	2000mm/4000mm	Al/MS/Cu/Br	35%



MARINE-L

Style	SWM Inner Opening	LWM Inner Opening	Strand Width	Thick-ness	Width in mm	Length in Mm	Material	% Open Area
Marine L	8mm	26mm	4.5mm	1.5/2/3mm	915mm/1220mm/1520mm	1800mm/3600mm	Al/MS/Cu/Br	35%



OCEAN-9

Style	SWM Inner Opening	LWM Inner Opening	Strand Width	Thick-ness	Width in mm	Length in Mm	Material	% Open Area
Ocean-9	12mm	80mm	9mm	1.5/2/3mm	915mm/1220mm/1520mm	1550mm/3100mm	Al/MS/Cu/Br	30%



OCEAN-17


Style	SWM Inner Opening	LWM Inner Opening	Strand Width	Thick-ness	Width in mm	Length in Mm	Material	% Open Area
Ocean-17	23mm	100mm	17mm	1.5/2/3mm	915mm/1220mm/1520mm	1650mm/3300mm	Al/MS/Cu/Br	35%

MADE FROM ALUMINIUM, MILD STEEL, COPPER, BRASS, STAINLESS STEEL, ETC.
Expanded Metal Façade Mesh will have tolerances in Width of ± 10mm & Length of ± 40mm. SWM may vary by ±3mm, LWM may vary by ±4mm, Strand may vary by ±0.5mm, Thickness may vary by ±0.2mm.

STRENGTHMET


PRODUCT RANGE:

Dimensional Details of Façade Mesh/Sunscreen Mesh




OMEGA-3

Style	SWM Inner Opening	LWM Inner Opening	Strand Width	Thick-ness	Width in mm	Length in Mm	Material	% Open Area
Omega-3	9mm	15mm	3mm	1.5/2/3mm	915mm/1220mm/1520mm	2500mm/5000mm	Al/MS/Cu/Br	50%




OMEGA-6

Style	SWM Inner Opening	LWM Inner Opening	Strand Width	Thick-ness	Width in mm	Length in Mm	Material	% Open Area
Omega-6	6mm	15mm	5mm	1.5/2/3mm	915mm/1220mm/1520mm	1500mm/3000mm	Al/MS/Cu/Br	20%




OPAL-7

Style	SWM Inner Opening	LWM Inner Opening	Strand Width	Thick-ness	Width in mm	Length in Mm	Material	% Open Area
Opal-7	20mm	43mm	7mm	1.5/2/3mm	915mm/1220mm/1520mm	2400mm/4800mm	Al/MS/Cu/Br	50%




OPAL-10

Style	SWM Inner Opening	LWM Inner Opening	Strand Width	Thick-ness	Width in mm	Length in Mm	Material	% Open Area
Opal-10	15mm	40mm	10mm	1.5/2/3mm	915mm/1220mm/1520mm	1800mm/3600mm	Al/MS/Cu/Br	25%




OPAL-F-6

Style	SWM Inner Opening	LWM Inner Opening	Strand Width	Thick-ness	Width in mm	Length in Mm	Material	% Open Area
Opal-F-6	12mm	45mm	6mm	1.5/2/3mm	915mm/1220mm/1520mm	1850mm/3700mm	Al/MS/Cu/Br	35%



OPAL-F-9

Style	SWM Inner Opening	LWM Inner Opening	Strand Width	Thick-ness	Width in mm	Length in Mm	Material	% Open Area
Opal-F-9	12mm	45mm	9mm	1.5/2/3mm	915mm/1220mm/1520mm	1600mm/3200mm	Al/MS/Cu/Br	30%



PETALS

Style	SWM Inner Opening	LWM Inner Opening	Strand Width	Thick-ness	Width in mm	Length in Mm	Material	% Open Area
Petals	29mm	95mm	4mm	1.5/2/3mm	915mm/1220mm/1520mm	4500mm/9000mm	Al/MS/Cu/Br	75%




PRISM

Style	SWM Inner Opening	LWM Inner Opening	Strand Width	Thick-ness	Width in mm	Length in Mm	Material	% Open Area
Prism	12mm	25mm/50mm	4mm	1.5/2/3mm	915mm/1220mm/1520mm	4500mm/9000mm	Al/MS/Cu/Br	50%

MADE FROM ALUMINIUM, MILD STEEL, COPPER, BRASS, STAINLESS STEEL, ETC.
Expanded Metal Façade Mesh will have tolerances in Width of ± 10mm & Length of ± 40mm. SWM may vary by ±3mm, LWM may vary by ±4mm, Strand may vary by ±0.5mm, Thickness may vary by ±0.2mm.


STRENGTHMET

PRODUCT RANGE:
Dimensional Details of Façade Mesh/Sunscreen Mesh




RUBY STAG

Style	SWM Inner Opening	LWM Inner Opening	Strand Width	Thick-ness	Width in mm	Length in Mm	Material	% Open Area
Ruby Stag	13mm	55mm	3mm	1.5/2/3mm	915mm/1220mm/1520mm	3200mm/6400mm	Al/MS/Cu/Br	65%




RUBY WAVE

Style	SWM Inner Opening	LWM Inner Opening	Strand Width	Thick-ness	Width in mm	Length in Mm	Material	% Open Area
Ruby Wave	10mm	40mm	3mm	1.5/2/3mm	915mm/1220mm/1520mm	2400mm/4800mm	Al/MS/Cu/Br	60%




RUBY-6

Style	SWM Inner Opening	LWM Inner Opening	Strand Width	Thick-ness	Width in mm	Length in Mm	Material	% Open Area
Ruby-6	32mm	75mm	6mm	1.5/2/3mm	915mm/1220mm/1520mm	3300mm/6600mm	Al/MS/Cu/Br	65%




RUBY-10

Style	SWM Inner Opening	LWM Inner Opening	Strand Width	Thick-ness	Width in mm	Length in Mm	Material	% Open Area
Ruby-10	20mm	55mm	11mm	1.5/2/3mm	915mm/1220mm/1520mm	2000mm/4000mm	Al/MS/Cu/Br	40%




RUBY-15

Style	SWM Inner Opening	LWM Inner Opening	Strand Width	Thick-ness	Width in mm	Length in Mm	Material	% Open Area
Ruby-15	18mm	58mm	15mm	1.5/2/3mm	915mm/1220mm/1520mm	1500mm/3000mm	Al/MS/Cu/Br	25%




RUBY-20

Style	SWM Inner Opening	LWM Inner Opening	Strand Width	Thick-ness	Width in mm	Length in Mm	Material	% Open Area
Ruby-20	18mm	60mm	20mm	1.5/2/3mm	915mm/1220mm/1520mm	1400mm/2800mm	Al/MS/Cu/Br	20%



SQUARE-30

Style	SWM Inner Opening	LWM Inner Opening	Strand Width	Thick-ness	Width in mm	Length in Mm	Material	% Open Area
Square-30	26mm	28mm	2mm	1.5/2/3mm	915mm/1220mm/1520mm	9000mm	Al/MS/Cu/Br	90%



TOPAZ


Style	SWM Inner Opening	LWM Inner Opening	Strand Width	Thick-ness	Width in mm	Length in Mm	Material	% Open Area
Topaz	8mm	25mm	10mm	1.5/2/3mm	915mm/1220mm/1520mm	1450mm/2900mm	Al/MS/Cu/Br	10%

MADE FROM ALUMINIUM, MILD STEEL, COPPER, BRASS, STAINLESS STEEL, ETC.
Expanded Metal Façade Mesh will have tolerances in Width of ± 10mm & Length of ± 40mm. SWM may vary by ±3mm, LWM may vary by ±4mm, Strand may vary by ±0.5mm, Thickness may vary by ±0.2mm.




JADE

SITE: Architect's Office in Pune. Mesh used: Jade





RUBY-10

SITE: Architect's Jaya's Office in Kerala. Mesh used: Ruby-10



HUGO-F24-IN15

SITE: Ashar Navroze, Mumbai. Mesh used: Hugo-F24-IN15




HUGO-F-17

SITE: Kottayam Bus Stop, Kerala. Mesh used: Hugo-F-17



CITRINE

SITE: Martin's Furniture. Mesh used: Citrine





AMBER-25

SITE: SRM University, Guntur. Mesh used: Amber-25



HUGO-24

SITE: Symbiosis University, Pune. Mesh used: Hugo-24



AMBER-10

SITE: Unicosmos School, Noida. Mesh used: Amber-10



OPAL-F-6


SITE: Lodha Palava, Mumbai. Mesh used: Opal-F-6



STRETCHMET

Expanded Metal Facade & Ceiling -
for overall ambience enhancement

SITE: Airnet, Noida. Mesh used: Amber-15



ASIAN STRECK METALS

For over 60 years, we've been fortunate enough to help turn countless innovative sketches into innovative buildings. Architects, designers, investors and contractors from around the world have taken advantage of Asian Streck Metals' unmatched product development, service and support. Chances are, you've seen more of Asian Streck Metals' products on usage than you think.

We've contributed to thousands of high-profile projects, from retail, residential and commercial facilities to major transit centres and government buildings. Not only are the world's architects and designers our partners, they're our inspiration. They continue to raise the bar for excellence. We create products that help bring their visions to life: Window Coverings, Ceilings, Sun Control Systems and Façades.

Promoting environment-friendly green building technology

Asian Streck Metals' products and solutions are designed to improve indoor environmental quality and conserve energy, supporting built environments that are comfortable, healthy, productive, and sustainable.

Since 1962

ISO 9001:2015
COMPANY

Quality & Customer Satisfaction

Office & Works: 35-36, Industrial Estate, Uppalwadi,
Kamptee Road, Nagpur 440026 M.S., India
Tel.: Works - 0712-2640542
Cell: +91 98226 95359 / +91 98230 15956
E-mail: info@expandedmesh.in | sarafsiddharth@gmail.com
<https://www.expandedmesh.in> | <https://www.sarafbros.com>

Manufactured on German machines

From the finest mesh of interior to the robust facade of outdoors, STRETCHMET has emerged as a go to product for Architects, Industries & Interior Designers.