



निर्माण की राह पर मजबूती के साथ



**TILES ADHESIVE
& CHEMICAL** **PORT 26
FOLD**

About us

AVENUE is a leading manufacturer of high-performance tile adhesives, tile grouts, wall putty, and construction chemicals. With a commitment to innovation, quality, and reliability, we provide bonding solutions that meet international standards and deliver long-lasting results across residential, commercial, and industrial projects.

Founded with the goal of transforming installation practices in the construction sector, we blend advanced technology with expert engineering to create products that ensure strength, durability, and flawless finishes.



STRONG

● ● ●

M/S. AVENUE SURFACES			
DATE OF ISSUE 17-02-2026	LICENCE NO.: CML- 7900153015	VALID UPTO 16-02-2027	
लाइसेंस सं. सीएमएस LICENCE NO. CML - 7900153015			
नाम : अवेन्यु सर्फेस फैक्ट्री एड्रेस : प्लॉट नं. ११, बेहिन्द रफलेश्वर अउअरे अन्द इसओन तिलेस झोने, ८-अ नतिओनल हिचय, पनेलि रोअड, मोरबी-३६३६४२ (गुजरात), मोरबी विधिमाम्यता : सनह फरवरी दो हजार छब्बीस से सोलह फरवरी दो हजार सताइस Name : AVENUE SURFACES Factory Address : Plot No.11, Behind Rafaleshwar Aquare And Iscon Tiles Zone, , 8-A National Highway, Paneli Road, Morbi-363642 (Gujarat), MORBI, - 363642, Gujarat, India Validity : From Seventeenth February Two Thousand Twenty Six to Sixteenth February Two Thousand Twenty Seven			
मानक चिह्न STANDARD MARK (1)	भारतीय मानक INDIAN STANDARD(S) (2)	अनुज्ञाति का विषय क्षेत्र SCOPE OF LICENCE (3)	चिह्नंकन शुल्क MARKING FEE (4)
 IS 15477 : 2019 CML- 7900153015 Adhesive for use with ceramic, mosaic and stone tiles	IS 15477 : 2019 Adhesive for use with ceramic, mosaic and stone tiles	Type-1, Intended for Other than Vertical Application, Slip Resistance-NA, Deformability-NA, Type-2, Intended for Vertical Application and Other than Vertical Application, Slip Resistance-T, Deformability Classification- S1 Type-3, Intended for Vertical Application and Other than Vertical Application, Slip Resistance-T, Deformability Classification- S1 Type-4, Intended for Vertical Application and Other than Vertical Application, Slip Resistance-T, Deformability Classification- S1	एक वर्ष की प्रचालन अवधि के दौरान न्यूनतम मुहरंकन फीस ₹ 23000.0000 साथ पहली 2300.000000 के लिए ₹ 30.00 प्रति इकाई, साथ इकाईयों के लिए ₹ 7.50 प्रति इकाई। इकाई : 1 M.T 30.00 per unit for the first 2300.0 units 7.50 per unit for the rest of the units with a minimum marking fee of ₹ 82000.00 during an operative period of one year. Unit: 1 M.T एक प्रचालन वर्ष के लिए न्यूनतम चिह्नंकन शुल्क अग्रिम में देय होगा जो अगले नवीकरण में अमनीत होगा। Minimum marking fee for one operative year payable in advance which will be carried over to next renewals.
आज सनह फरवरी दो हजार छब्बीस को हस्ताक्षरित तथा मोहरबंद किया गया। Signed, Sealed and Dated this Seventeenth February Two Thousand Twenty Six. कुल भारतीय मानक ब्यूरो for BUREAU OF INDIAN STANDARDS हस्ताक्षर/Signature : <u>Rituja Singh</u> पदनामित प्राधिकारी का नाम/Name of Designated Authority : <u>SCIENTIST-E</u>			
ALL IN ONE TECHNOLOGY www.allinonetechnology.com PROJECT DESIGNED BY Jy Date: +91 98253 80719 PROJECT SET UP BY Prath Date: +91 97760 74630 PROJECT IS CERTIFIED BY Dipal Date: +91 98253 88846 Copyright ©			


UKcert Certification & Inspection	
Certificate of Compliance CE	
We hereby declare that the technical files of all the items in each product group complies with the requirements of the Council Directive on Construction Products (CPD/CPR) Council Directive 89/106/EEC (CPD) / Regulation (EU) No 305/2011 (CPR)	
Certificate No.: CE - 7235	
Manufacturer :	AVENUE SURFACES
Address :	PLOT NO.11, PANELI ROAD, 8-A NATIONAL HIGHWAY, B/H. RAFALESHWAR AQUARE AND ISCON TILES ZONE, MORBI-363642, GUJARAT, INDIA.
Products :	ADDITIONAL(CHEMICALS) FOR GROUTING MATERIALS, ADHESIVES FOR USE IN INDUSTRY, CHEMICAL SURFACES, CHEMICAL MATERIALS AND CHEMICAL PREPARATION AND NATURAL ELEMENTS, CHEMICAL COMPOSITIONS FOR USE IN CONSTRUCTION, CONSTRUCTION CHEMICALS, PUTTIES, GROUT, EPOXY GROUT, GROUTING MATERIALS, GROUTING COMPOUND, GROUTING PREPARATIONS, WALL TILES, FLOOR TILES, GLAZE TILES, GLAZE VITRIFIED TILES, VITRIFIED TILES, DIGITAL TILES, ALL KIND CERAMIC TILES, PARKING TILES, GLAZE PORCELAIN TILES, PORCELAIN TILES, SLAB TILES, STACK TILES, STONE, MARBLE, GRANITE, SANITARYWARE & FITTINGS, KITCHEN SINKS, VANITY AND BUILDING MATERIALS
Complies with the requirements applicable to it The quality system file has been assessed, approved and is subject to continuous surveillance according to the Council Directive on Construction Products (CPD/CPR) Council Directive 89/106/EEC (CPD) / Regulation (EU) No 305/2011 (CPR) This certificate is issued under the following conditions: - It applies only to the quality system maintained in the manufacture of above referenced models and it does not substitute the design or type examination procedures, if requested. - The certificate remains valid until the manufacturing conditions or the quality systems are changed. - The certificate validity is conditioned by positive results or surveillance audits. The CE mark as shown above can be used, under the responsibility of the manufacturer, after completion of an EC Declaration of conformity and compliance with all relevant EC Directives. The statement is based on a single evaluation of test report of above mentioned product. It does not imply an assessment of the whole production.	
Validity of this certificate can be verified at	www.ukcertifications.org.uk/verify
Date of Certification	7th November 2025
1 st Surveillance Audit Due	6th November 2026
2 nd Surveillance Audit Due	6th November 2027
Certificate Expiry	6th November 2028
<i>David</i> Authorised Signatory	
This certificate is the property of UK Certification & Inspection Limited and shall be returned immediately on request. Tel: 01344 870000, Email: info@ukcertification.org.uk, Website: www.ukcertification.org.uk, Company No: 1184781	

QRO QUALITY RESEARCH ORGANIZATION	
Certificate of Registration	
This is to certify that	
AVENUE SURFACES PLOT NO.11, PANELI ROAD, 8-A NATIONAL HIGHWAY, B/H. RAFALESHWAR AQUARE AND ISCON TILES ZONE, MORBI-363642, GUJARAT, INDIA. has been independently assessed by QRO and is compliant with the requirement of: ISO 9001:2015 Quality Management System	
For the following scope of activities:	
MANUFACTURING, SUPPLY, IMPORT, EXPORT AND TRADING OF ADDITIVE(CHEMICALS) FOR GROUTING MATERIALS, ADHESIVES FOR USE IN INDUSTRY, CHEMICAL SURFACES, CHEMICAL MATERIALS AND CHEMICAL PREPARATION AND NATURAL ELEMENTS, CHEMICAL COMPOSITIONS FOR USE IN CONSTRUCTION, CONSTRUCTION CHEMICALS, PUTTIES, GROUT, EPOXY GROUT, GROUTING MATERIALS, GROUTING COMPOUND, GROUTING PREPARATIONS, WALL TILES, FLOOR TILES, GLAZE TILES, GLAZE VITRIFIED TILES, VITRIFIED TILES, DIGITAL TILES, ALL KIND CERAMIC TILES, PARKING TILES, GLAZE PORCELAIN TILES, PORCELAIN TILES, SLAB TILES, STACK TILES, STONE, MARBLE, GRANITE, SANITARYWARE & FITTINGS, KITCHEN SINKS, VANITY AND BUILDING MATERIALS.	
Date of Certification: 7th November 2025	2 nd Surveillance Audit Due: 6th November 2027
1 st Surveillance Audit Due: 6th November 2026	Certificate Expiry: 6th November 2028
Certificate Number: 3050251107101Q	
 QRO QUALITY RESEARCH ORGANIZATION	 EGAC EUROPEAN GROUPING OF CERTIFICATION AND ASSESSMENT
 IAF INTERNATIONAL ASSOCIATION OF CERTIFICATION BODIES	<i>Chandana</i> Head of Certification
Validity of this certificate is subject to annual surveillance audits to be done successfully on or before 365 days from date of the audit. (In case surveillance audit is not allowed to be conducted, this certificate shall be suspended / withdrawn) The Validity of this certificate can be verified at www.qrocert.org This certificate of registration remains the property of QRO Certification LLP, and shall be returned immediately upon request.	
India Office : QRO Certification LLP 142, 1st Floor, Atar Enclave, Near Paschim Vihar West Metro Station, Delhi-110063, (INDIA) Website : www.qrocert.org, E-mail : info@qrocert.org	

STRENGTH
YOU CAN TRUST.



PRODUCT	DETAILS	WORK / DETAIL	PACKING	MRP
	AS-10 SILVER GREY ADHESIVE TYPE-1 C1T	APPLYING PORCELAIN AND VITRIFIED TILES ON FLOOR FOR INTERNAL USE ONLY APPLICATION SIZES FLOOR SIZE 1X1, 2X2, 2X4	20 kg BAG	
	AS-11 GREY ADHESIVE TYPE-1 C1E	APPLYING WALL TILES ON WALL AND PORCELAIN AND VITRIFIED TILES ON FLOOR FOR INTERNAL USE ONLY APPLICATION SIZES WALL TILES -12X18,12X24 - FLOOR SIZE-2X2,2X4,2.5X5	20 kg BAG	
	AS-22 GREY ADHESIVE TYPE-2 C2T	APPLYING VITRIFIED TILES ON WALL UP TO 10 FEET AND VITRIFIED TILES ON FLOOR FOR INTERNAL USE ONLY APPLICATION SIZES VITRIFIED ON WALL - 2X2,2X4 UP TO 10 FEET VITRIFIED FLOOR TILES - 2X2,2X4,2.5X5	20 kg BAG	
	AS-25 WHITE ADHESIVE TYPE-2 C2TE	APPLYING VITRIFIED TILES ON WALL UP TO 10 FEET AND VITRIFIED TILES ON FLOOR FOR INTERNAL USE ONLY APPLICATION SIZES VITRIFIED ON WALL - 2X2,2X4 UP TO 10 FEET VITRIFIED FLOOR TILES - 2X2,2X4,2.5X5	20 kg BAG	
	AS-33 GREY ADHESIVE TYPE-3 C2TE	APPLYING VITRIFIED TILES ON WALL UP TO 14 FEET AND VITRIFIED TILES ON FLOOR FOR INTERNAL AND EXTERNAL USE APPLICATION SIZES VITRIFIED ON WALL - 2.5X5, UP TO 10 FEET VITRIFIED FLOOR TILES - 4X4,4X6,	20 kg BAG	
	AS-55 WHITE ADHESIVE TYPE-4 C2TE S1	APPLYING BIG VITRIFIED TILES ON WALL AND VITRIFIED TILES ON FLOOR FOR INTERNAL AND EXTERNAL USE APPLICATION SIZES VITRIFIED ON WALL - 4X6,2.5X8,4X8 / VITRIFIED FLOOR TILES - 4X4,4X6,4X8 MARBLE , GRANITES & STONE & OTHER	20 kg BAG	
	POLYMER BASED JOINT GROUT	POLYMER BASED CEMENT GROUT IS A POLYMER-MODIFIED MULTI COLOUR GROUT. IT IS THE RIGHT BONDING MATERIAL TO FILL JOINTS IN ALL TYPE OF WALL AND FLOOR TILES. THEY ARE RESISTANT TO SHRINKAGE AND CRACKING AND CAN BE USED TO FILL TILE JOINTS (WALLS AND FLOORS)	1kg BAG 1-Big Cartoon (25 kg.)	
	GROUT ADMIX (GROUT HARDNER)	GROUT ADMIX IS SPECIALLY DESIGNED GROUT HARDENER, TO BE USED SANDED AND UNSANDED GROUT. IT IMPROVES THE PERFORMANCE OF CEMENT GROUTS FOR ALL TYPE OF CERAMIC TILES, BRICK, MARBLE, NATURAL STONE INSTALLATIONS	200 ml. 500 ml.	
	TILES CLEANER	TILE CLEANER IS A FAST ACTING CLEANER FOR REGULAR CLEANING OF DIRT AND STAINS ON TILE SURFACES. TILE CLEANER IS DESIGNED FOR DAILY MAINTENANCE OF TILES. IT IS IDEAL FOR INTERIOR AND EXTERIOR USE. CAN BE USE ON UNGLAZED CERAMIC TILES, GLAZED CERAMIC TILES, PORCELAIN AND GLASS TILE.	500 ml	
			1 Ltr.	
			5 Ltr.	

PRODUCT	DETAILS	WORK / DETAIL	PACKING	MRP
 	EPOXY GROUT (3 PART) (3 PART EXPOXY BASED JOINT FILLER)	1 KG BALTY KIT (RESIN-200 GM,HARDNER-100 GM FILLER-700 GM) 5 KG BALTY KIT (RESIN-1 KG,HARDNER-500 GM, FILLER-3.5 KG) 3-PART EPOXY GROUT IS A PREMIUM-QUALITY, HIGH-PERFORMANCE GROUT DESIGNED FOR DURABILITY AND LONG-LASTING PERFORMANCE. IDEAL FOR A WIDE RANGE OF APPLICATIONS, THIS EPOXY GROUT COMBINES STRENGTH, AESTHETIC APPEAL, AND EASY MAINTENANCE, MAKING IT A PREFERRED CHOICE FOR BOTH RESIDENTIAL AND COMMERCIAL INSTALLATIONS.	1 kg Plain	
			1 kg Sparkle	
			5 kg Plain	
			5 kg Sparkle	
	SBR (FOR WATERPROOFING AND REPAITING)	SBR IS A HIGHLY POTENT AND VERSATILE SBR BASED WHITE LIQUID FOR HIGH PERFORMANCE APPLICATIONS IN WATERPROOFING AND REPAIRING	500 ml.	
			1 Ltr.	
			5 Ltr.	
	SPACER 2 MM, 3 MM, 4 MM, 5 MM	SPACER MAINTAIN CONSISTENT GAPS BETWEEN TILES FOR EVEN GROUT LINES, SPACER LEAVE NECESSARY SPACE FOR STRUCTURAL MOVEMENT - EXPANSION ON CONSTRUCTION	Packing 100 pc. (1 Big Cartoon = 100 Packet)	
	LEVELING KIT CLIP-2,3,4,5 MM AND WEDGES	SPECIFICALLY ANGLED LEVELING KIT FOR USE ON WALL & FLOOR. STURDY PLASTIC CONSTRUCTION WITH ADJUSTABLE TENSION. TILES ARE PUSHED, NOT LIFTED, PROVIDING BETTER TILE ADHESION. IMPROVES SPEED OF TILE LAYING	Clip 50 pc. (1 Big Cartoon=10 Packet)	
			Wedges 50 pc. (1 Big Cartoon=10 Packet)	
	LEVELING KIT JET LEVELER	LEVELING JET IS A REUSABLE LEVELING SOLUTION DESIGNED FOR PRECISE HEIGHT ADJUSTMENT OF LARGE FORMAT TILES, STONE, MARBLES AND SLABS. THE JET FEATURES A CIRCULAR BASE, ADJUSTABLE THREADED BODY, AND SUPPORT PLATFORM TO MAINTAIN FLATNESS DURING INSTALLATION	Packing 50 pc. (1 Big Cartoon = 25 Packet)	
	PUSH PLIER (PAKKAD)	THE TILE LEVELLING SYSTEM PLIER IS DESIGNED TO WORK WITH THE TILE LEVELLING CLIP AND WEDGES TO LEVEL, ALIGN, SPACES, AND HOLD. IT SAVES TIME AND INSTALLS TILES WITH CONSISTENT AND PROFESSIONAL RESULTS.	Single Pcs. Loose	
	PLASTIC TROVEL	THE TROWEL IS GREAT FOR PROFESSIONAL TILE/STONE INSTALLATIONS AND MULTI-USE,DIY RENOVATION PROJECTS ETC., IT IS USED TO CREATE UNIFORM BED THICKNESS OF TILEADHESIVE TO ENSURE COMPLETE ADHESION OF TILE / STONE TO SUBSTRATE BY REDUCING AIR POCKETS UNDER THE TILES.	Single Pcs. Loose	
	S.S. METAL TROVEL	THE TROWEL IS GREAT FOR PROFESSIONAL TILE/STONE INSTALLATIONS AND MULTI-USE,DIY RENOVATION PROJECTS ETC., IT IS USED TO CREATE UNIFORM BED THICKNESS OF TILEADHESIVE TO ENSURE COMPLETE ADHESION OF TILE / STONE TO SUBSTRATE BY REDUCING AIR POCKETS UNDER THE TILES.	Single Pcs. Loose	

निर्माण की राह पर
मजबूती के साथ



EPOXY GROUT

SUITABLE FOR LARGE FLOOR AND INSTALATIONS

Product Details (Premium/Sparkle)

AVENUE EPOXY is a hygienic, hard-wearing, impervious, epoxide resin-based grout with a high degree of resistance to chemical attack, abrasion and impact. The cured grout does not transfer taints to foodstuffs and does not permit the entry of bacteria or dirt. It is easily maintained in a sterile condition.



NEW WEIGHT
1KG & 5 KG.

STRENGTH YOU CAN TRUST.

Features

Stain free, color fast, Easy to install and clean,
Water cleanable when fresh, Non-cracking or
powdering, Anti-bacterial and Anti-fungal Chemical
& temperature resistance, Easy maintenance,
Available in range, Hard & durable joint, High strenght
& versatile, Waterproof.

Coverage Estimates

Consumption depends on joint width, Size
of tiles and good workmanship.

Application Areas

Walls, Floors, interiors, Exterior, Dry & Wet areas, Work tops,
Showers, Swimming Pools, Heavily tarifficked floors, Hygienic
sterile chemical resistance areas, hydrotherapy pools.



					
White	SMOKE GREY	DARK GREY	LIGHT GREY	SILVER SHADOW	SABLE
					
BUFF	BURGUNDY	BLACK	INCA GOLD	QUARRY RED	TERA COTTA
					
NAVY BLUE	SKY BLUE				

निर्माण की राह पर
मजबूती के साथ




TILE GROUT

SUITABLE FOR
FLOOR AND WALL
INSTALATIONS

Product Details

AVENUE Tile Grout is a high quality fine, polymer modified, water-resistant, cement-based powder grout designed for grouting glaze wall tiles, mosaics, vitrified & fully vitrified tiles, floor tiles, industrial floor tiles, etc.

(Note : where chemical resistance is hygienic and sterile, it is important use Tile Grout)



NEW WEIGHT
1 KG.

STRENGTH
YOU CAN TRUST.



Self Life & Storage

Shelf life is 24 months from the date of manufacturing in unopened condition.
Store in a cool & dry place.



IVORY	MAGENTA	SMOKE GREY	G. IVORY	WHITE	AL. BLUE
AQUA GREEN	MANGO YELLOW	BLACK	BHAMA BEIGE	BOTTLE GREEN	BLUE GREEN
WOODEN	PINK	BURGANDY	PECIFIC BLUE	RED BROWN	GREY
ORANGE	BLOOD RED	BLUE	GREEN	COFFEE BROWN	

Excellence
IN TILE ADHESION



COMPANY & DISPLAY CENTER

AVENUE CERAMICA (INDIA)

Survey No. 89, Near Bell Laminet, Before Siyaram & Wintop Vitrified,
8-A National Highway, Juna Jambudiya,
Morbi-363642, (Guj.) INDIA.
Website : www.avenuegroup.in

