



OFFICE FURNITURE CATALOGUE

OFFICE



Modular Office Furniture Solutions

OFFICE



Modular Office Furniture Solutions

Experience Centre: Tarun Bharat Building, C -13/1 & 2, Wadi Hingna Link Road,
Hingna MIDC, Nagpur-440016, MH, India
Email - sales@officecube.in | Web.: www.officecube.in | Ph : +91 7104 299554
For Sales Inquiry: 99235 99745, 99235 99901

Opal

Furnitech

An ISO 9001 : 2015 Certified Company

Manufacturing Unit: T-22, MIDC, Hingna Road, Nagpur - 440016, MH, India
Email - sales@opal furnitech.com | Ph.: +91 7104 295713
Mob.: 99235 99792, 99235 99740

The space
in which we work
should be
as stimulating as
the work we do.”



Frank Lloyd Wright
*Famous American architect from
the early 20th century.*



OFFICE 
Modular Office Furniture Solutions

NAVIGATE WITH EASE THROUGH OUR DIVERSE OFFICE COLLECTION

Meet The Founders	001-002
About Office Cube	003-006
Certification	007-008



Alaska Series 009-016

Summit Series 017-024

Legacy Series 025-030



Loop Series	031-034
Tangent Series	035-038
Eco Series	039-042
Storage (Loop, Tangent, Eco)	043-044

Fusion Workstation

045-056

Desk Based Workstation

057-072



Progressive Series	073-076
My Office Series	077-082
Institutional Furniture	083-088
Seating Solution	089-098
Guest House Furniture	099
Hostel Furniture	100
Accessories	101-102
Projects At A Glance	103-104
Experience Center	105



MEET THE FOUNDERS

OPAL FURNITECH was founded by two brothers Viren Kharwade and Yogesh Kharwade in 2012, who shared a common vision of creating innovative, high-quality modular office furniture solutions that enhance workplace productivity and comfort. With complementary skill sets and a deep passion for design, craftsmanship, and business growth, the brothers have built **OPAL FURNITECH** into a leading name in the office furniture industry.



VIREN KHARWADE Co-Founder & Managing Director

VIREN KHARWADE is the driving force behind the strategic direction and vision of **OPAL FURNITECH**. With a background in Engineering, he brings over 23 years of experience in the Modular Furniture Industry. Viren Kharwade is responsible for overseeing the company's overall operations, managing relationships with key clients, and steering the company toward long-term growth and innovation.

Before starting the company, Viren Kharwade gained hands-on experience in Modular Furniture Industry, where he developed a deep understanding of customer needs, design trends, and efficient production processes. His commitment to excellence and passion for design have driven **OPAL FURNITECH** to become a modular office furniture market leader.

YOGESH KHARWADE Co-Founder & Executive Director

Yogesh Kharwade is the financial and operational backbone of **OPAL FURNITECH**, managing the company's financial strategy, operations, and day-to-day management. Armed with an MBA in Finance and a strong background in business operations, he is responsible for ensuring that the company runs efficiently, stays on track financially, and maintains profitability while scaling.

In addition to overseeing financial planning, budgeting, and investment strategies, Yogesh Kharwade manages key aspects of the company's supply chain, production, and resource allocation. His deep understanding of business operations ensures that every product is delivered on time, at the highest quality, and at the most competitive cost.

Before founding **OPAL FURNITECH**, Yogesh Kharwade worked in the Modular Furniture Industry for more than 20 Years, where he developed a keen understanding of how to balance operational efficiency with financial sustainability. This experience has been invaluable in creating a robust operational structure for the company, allowing **OPAL FURNITECH** to remain adaptable, cost-effective, and poised for growth.



A STRONG PARTNERSHIP

While **VIREN KHARWADE** brings creativity and visionary leadership to the company, **YOGESH KHARWADE** ensures that the business is built on a solid foundation of financial discipline and operational excellence. Their complementary roles have allowed **OPAL FURNITECH** to thrive in a competitive industry, and their partnership has been key to the company's continued success.

Together, the brothers share a commitment to quality, sustainability, and customer satisfaction. Their collaborative approach to leadership has not only fueled the company's growth but also created a culture that values both innovation and practicality—two key pillars that define **OPAL FURNITECH** today.



Introducing OFFICE CUBE

A New Era of Modular Office Furniture from OPAL FURNITECH

A Legacy of Excellence, Now with a Fresh Perspective

With over decades of innovation, design expertise, and market leadership, **OPAL FURNITECH** has been a trusted name in the manufacturing of high-quality office furniture. Today, we are excited to introduce **OFFICE CUBE**, a new venture that represents our commitment to meet the evolving needs of modern corporate environments.

At **OFFICE CUBE**, we bring forward a new dimension of modular office furniture designed for the future of work. Leveraging the foundation of **OPAL FURNITECH's** legacy, we offer a brand that is built on flexibility, sustainability, and cutting-edge design to create spaces that inspire innovation, collaboration, and productivity.

Our Story: From a Legacy of Quality to a Vision of the Future

For over a decade, **OPAL FURNITECH** has been an industry leader in the design and manufacturing of high-quality office furniture solutions. As workplaces evolve, so do the needs of businesses and employees. Today's workplace demands agility, functionality, and a focus on well-being and that's exactly what **OFFICE CUBE** delivers.

OFFICE CUBE is built with a deep understanding of these changes. We are redefining how offices are structured, bringing flexible modular solutions that not only maximize space but also foster collaboration and well-being. With **OPAL FURNITECH's** wealth of experience, we are poised to deliver tailored, scalable, and sustainable office solutions for today's corporate leaders.

Mission

"To empower businesses and individuals to create dynamic, efficient, and comfortable work environments through our modular furniture solutions, backed by our commitment to quality, reliability, and outstanding customer support."



Vision

"To revolutionize the way people work and live, by creating innovative, sustainable, and flexible modular furniture solutions that inspire productivity, collaboration, and well-being."



Why OFFICE CUBE?

1. Heritage of Excellence

As part of the established **OPAL FURNITECH**, **OFFICE CUBE** inherits over a decade of experience in delivering superior products and solutions. Our legacy is built on high standards of quality, durability, and innovation, all of which are infused into our new line of office furniture.

2. Modular & Scalable Solutions

We understand that today's corporate space is constantly changing. Whether your company is expanding, downsizing, or reconfiguring, our modular systems can be easily adjusted to suit your needs. **OFFICE CUBE** provides scalable solutions that grow with your business, ensuring your office space adapts to both immediate and long-term requirements.

3. Sustainability at Our Core

At **OFFICE CUBE**, sustainability isn't just a buzzword it's a core value. We believe in offering eco-friendly office furniture that doesn't compromise on design or functionality. We use sustainable materials and follow environmentally responsible manufacturing processes to minimize our footprint, helping your company align with modern environmental standards.

4. Tailored for the Modern Corporate Environment

Corporate clients today demand more from their office spaces. They need environments that encourage collaboration, creativity, and flexibility. **OFFICE CUBE** is committed to providing furniture solutions that not only meet these demands but exceed them. From collaborative workstations to private meeting areas, our designs are built to support a wide range of workplace activities.

5. Seamless Integration with Existing Spaces

Our modular office furniture integrates effortlessly into any office environment. Whether you're outfitting an entire building or upgrading a single floor, **OFFICE CUBE** provides flexible, customizable options that suit both new builds and retrofitted spaces. Our solutions allow for easy reconfiguration without the need for major renovations.

Manufacturing & Production Facilities

Our state-of-the-art manufacturing facility is equipped with the latest technology in automated machinery and craftsmanship to produce high-quality modular office furniture.

- **Design** : Collaborate with expert designers to create innovative furniture solutions.
- **Materials** : Source high-quality, sustainable materials from certified suppliers.
- **Production** : Utilize advanced machinery for precision cutting, shaping, and finishing.
- **Quality Control** : Implement rigorous testing at each stage to ensure our products meet the highest standards.
- **Team** : Our team of skilled Engineers, Designers and Workers, work together to bring innovative solutions from concept to finished product, ensuring every item is built to perfection and delivered on time.



Our Product Range

At OFFICE CUBE, we offer a diverse collection of office furniture solutions tailored specifically for corporate environments. These products are designed to enhance productivity, streamline workflows, and promote a harmonious work atmosphere.

- **Executive & Leadership Furniture**

High-end desks, conference tables, and storage options designed for executives and senior leadership spaces, combining luxury with functionality.

- **Modular Desks and Workstations**

Ergonomically designed workstations that can be tailored to your office layout. From open-plan offices to private workspaces, our solutions are **flexible and scalable** to fit any corporate setting.

- **Collaborative Furniture**

Modern meeting tables, collaborative seating areas, and modular lounge furniture that encourage communication and creativity among teams.

- **Ergonomic Chairs**

Our ergonomic office chairs support comfort and productivity, promoting well-being during long working hours.

- **Storage Solutions**

Functional and stylish storage solutions, including modular filing systems, mobile pedestals, and high-density storage units to keep your office organized and efficient.

- **Partitions and Dividers**

Customizable partition walls and dividers that create private spaces or open areas without sacrificing design flexibility.

Built on a Foundation of INNOVATION

Drawing from **OPAL FURNITECH's** extensive industry knowledge, **OFFICE CUBE** brings the latest advancements in workplace design, ergonomics, and sustainability. We continuously innovate our product offerings to meet the changing demands of modern offices—whether it's for hybrid workspaces, flexible layouts, or highly collaborative environments.



Commitment to Customer Success

With OFFICE CUBE, you're not just buying furniture—you're investing in solutions. We work closely with our clients to understand their unique needs and provide bespoke solutions that align with their business goals. Our dedicated customer service team ensures that your experience, from design consultation to installation, is seamless and hassle-free.

Backed by OPAL FURNITECH's Legacy

As a subsidiary of **OPAL FURNITECH**, a trusted leader in the office furniture industry for over decades, **OFFICE CUBE** inherits a wealth of industry knowledge, manufacturing expertise, and a strong commitment to customer satisfaction. We carry forward the values of integrity, quality, and innovation that have made **OPAL FURNITECH** a trusted name in the market.

Experience the Future of Office Furniture with OFFICE CUBE

Embrace the future of work with **OFFICE CUBE** where innovation meets flexibility, and design meets sustainability. Whether you're outfitting a new office or redesigning an existing space, we offer a range of modular office solutions that adapt to your needs, now and in the future.

We Introduce A Bold New Brand

With "**OFFICE CUBE**", we're taking the next step in office furniture innovation, providing a fresh, modern approach that meets the needs of today's corporate world.



ALASKA SERIES



Alaska Series



2 Leg



3 Leg



4 Leg

DIRECTOR SUITE

Size (in MM): 2400(W)x2100(D)x750(H)
2100(W)x2100(D)x750(H)
1800(W)x1950(D)x750(H)



ALASKA
LEG



COMBINATION
LOCK



CHAMFER
EDGE



FINGER
GROOVE



ELEGANT
LOOK

MANAGER SUITE

Size (in MM): 1800(W) x 1800(D) x 750(H)
1500(W) x 1650(D) x 750(H)



EXECUTIVE TABLE

Size (in MM): 1200(W) x 675(D) x 750(H)
1500(W) x 750(D) x 750(H)
1800(W) x 750(D) x 750(H)



Features

Leg: Aesthetically appealing, aluminum die-cast, premium powder-coated leg
Table & Storage Top: 25mm thick PLPB with waterfall chamfer edges
Cabinetry & Modesty: 18mm thick PLPB, edges sealed with PVC edge banding
Shutter/Drawer Fascia: Handle-less with finger groove for hassle-free working
Back: 9mm thick PLPB
Lock: 4-digit combination lock
Integrated wire management system through access flap/wire manager
(Note: Access flap box without switches)

Alaska Series



MEETING TABLE (ROUND)

Size (in MM): 900(Dia)x750(H)
1050(Dia)x750(H)
1200(Dia)x750(H)



MEETING TABLE (RECTANGULAR)

Size (in MM): 1500(W) x 750(D) x 750(H)
1500(W) x 900(D) x 750(H)
1800(W) x 750(D) x 750(H)
1800(W) x 900(D) x 750(H)



CONFERENCE TABLE

Size (in MM): 2400(W) x 1200(D) x 750(H)
3000(W) x 1200(D) x 750(H)
3600(W) x 1500(D) x 750(H)

Features

Leg: Aesthetically appealing, aluminum die-cast, premium powder-coated leg
Table Top: 25mm thick PLPB, dual-color combination top with waterfall chamfer edges
Mid-leg with cover plate: For easy access of wire from floor to the table
Raceway: Metal powder coated Raceway to carry the cable as well as mounting of switch plate

(Note: Access flap box without switches)

PEDESTAL



Mobile 3 Drawer

Size (in MM):
400(W)x450(D)x650(H)



4 Drawer

Size (in MM):
400(W)x450(D)x650(H)



1 Drawer & 1 Shutter

Size (in MM):
400(W)x450(D)x650(H)



1 Shutter

Size (in MM):
400(W)x450(D)x650(H)

LOW HEIGHT STORAGE



2 Shutter

Size (in MM): 900(W)x450(D)x750(H)



2 Drawer & 1 Shutter

Size (in MM): 900(W)x450(D)x750(H)



2 Drawer & 2 Shutter

Size (in MM): 900(W)x450(D)x750(H)



3 Shutter

Size (in MM): 1200(W)x450(D)x750(H)



3 Drawer & 2 Shutter

Size (in MM): 1200(W)x450(D)x750(H)

Features

Top: 25mm thick PLPB edges sealed with PVC edge banding
Cabinetry: 18mm thick PLPB, edges sealed with PVC edge banding
Drawer Fascia: Handle-less with finger groove sealed with PVC edge banding
Drawer Body: 15mm thick PLPB, edges sealed with PVC edge banding
Back: 9mm thick PLPB
Lock: 4-digit combination lock

MEDIUM HEIGHT STORAGE



2 Door

Size (in MM): 900(W)x450(D)x1200(H)



3 Door

Size (in MM): 1200(W)x450(D)x1200(H)

MEDIUM HEIGHT STORAGE WITH PLANTER



2 Door

Size (in MM): 900(W)x450(D)x1200(H)



3 Door

Size (in MM): 1200(W)x450(D)x1200(H)

Features

Top: 25mm thick PLPB, edges sealed with PVC edge banding
Cabinetry: 18mm thick PLPB, edges sealed with PVC edge banding
Shutter: Handle-less with finger groove for hassle-free use
Back: 9mm thick PLPB
Lock: 4-digit combination lock
 (Note: Provision for Planter only)

FULL HEIGHT STORAGE



4 Door

Size (in MM): 900(W)x450(D)x1800(H)



6 Door

Size (in MM): 1200(W)x450(D)x1800(H)

BACK STORAGE



2 Door & 2 Shutter

Size (in MM): 900(W)x450(D)x1800(H)



Book Shelf with 2 Shutter

Size (in MM): 1200(W)x450(D)x1800(H)



2 Shutter & Glass Door

Size (in MM): 900(W)x450(D)x1800(H)

* Top: 18mm thick PLPB, edges sealed with PVC edge banding (Full Height Storages & Back Storages)



Summit Series



2 Leg



3 Leg



4 Leg

DIRECTOR SUITE

Size (in MM): 2400(W)x2100(D)x750(H)
2100(W)x2100(D)x750(H)
1800(W)x1950(D)x750(H)



SUMMIT
LEG



COMBINATION
LOCK



ROUND
EDGE



FINGER
GROOVE

MANAGER SUITE

Size (in MM): 1800(W) x 1800(D) x 750(H)
1500(W) x 1650(D) x 750(H)



EXECUTIVE TABLE

Size (in MM): 1200(W) x 600(D) x 750(H)
1500(W) x 750(D) x 750(H)
1800(W) x 750(D) x 750(H)



Features

Leg: Premium & sturdy leg, 30x80mm rectangular & 58x58mm triangular tube of 1.6mm CRCA
Table & Storage Top: 25mm thick PLPB with round edge, sealed with PVC edge banding
Cabinetry: 18mm thick PLPB, edges sealed with PVC edge banding
Modesty: 1.6mm thick, Perforated CRCA sheet
Shutter/Drawer Fascia: Handle-less with finger groove for hassle-free working
Back: 9mm thick PLPB
Lock: 4-digit combination lock
Integrated wire management system through access flap/wire manager
(Note: Access flap box without switches)



MEETING TABLE (RECTANGULAR)

Size (in MM): 1500(W) x 750(D) x 750(H)
1500(W) x 900(D) x 750(H)
1800(W) x 750(D) x 750(H)
1800(W) x 900(D) x 750(H)

CONFERENCE TABLE

Size (in MM): 2400(W) x 1200(D) x 750(H)
3000(W) x 1200(D) x 750(H)
3600(W) x 1500(D) x 750(H)



Features

Leg: Premium & sturdy leg, 30x80mm rectangular & 58x58mm triangular tube of 1.6mm CRCA
Table Top: 25mm thick PLPB with round edge, sealed with PVC edge banding
Mid-leg with cover plate: For easy access of wire from floor to the raceway
Raceway: Metal powder coated Raceway to carry the cable as well as mounting of switch plate
(Note: Access flap box without switches)

PEDESTAL



Mobile 3 Drawer

Size (in MM):
400(W)x450(D)x650(H)



4 Drawer

Size (in MM):
400(W)x450(D)x650(H)



1 Drawer & 1 Shutter

Size (in MM):
400(W)x450(D)x650(H)



1 Shutter

Size (in MM):
400(W)x450(D)x650(H)

LOW HEIGHT STORAGE



2 Shutter

Size (in MM): 900(W)x450(D)x750(H)



2 Drawer & 1 Shutter

Size (in MM): 900(W)x450(D)x750(H)



2 Drawer & 2 Shutter

Size (in MM): 900(W)x450(D)x750(H)



3 Shutter

Size (in MM): 1200(W)x450(D)x750(H)



3 Drawer & 2 Shutter

Size (in MM): 1200(W)x450(D)x750(H)

Features

Top: 25mm thick PLPB edges sealed with PVC edge banding
Cabinetry: 18mm thick PLPB, edges sealed with PVC edge banding
Shutter/Drawer Fascia: Handle-less with finger groove for hassle-free use
Drawer Body: 15mm thick PLPB, edges sealed with PVC edge banding
Back: 9mm thick PLPB
Lock: 4-digit combination lock

MEDIUM HEIGHT STORAGE



2 Door

Size (in MM): 900(W)x450(D)x1200(H)



3 Door

Size (in MM): 1200(W)x450(D)x1200(H)

MEDIUM HEIGHT STORAGE WITH PLANTER



2 Door

Size (in MM): 900(W)x450(D)x1200(H)



3 Door

Size (in MM): 1200(W)x450(D)x1200(H)

Features

- Top:** 25mm thick PLPB edges sealed with PVC edge banding
- Cabinetry:** 18mm thick PLPB, edges sealed with PVC edge banding
- Shutter:** Handle-less with finger groove for hassle-free use
- Back:** 9mm thick PLPB
- Lock:** 4-digit combination lock
(Note: Provision for Planter only)

FULL HEIGHT STORAGE



4 Door

Size (in MM): 900(W)x450(D)x1800(H)



6 Door

Size (in MM): 1200(W)x450(D)x1800(H)

BACK STORAGE



2 Door & 2 Shutter

Size (in MM): 900(W)x450(D)x1800(H)



2 Shutter & Open Shelf

Size (in MM): 900(W)x450(D)x1800(H)



2 Door

Size (in MM): 900(W)x450(D)x1800(H)

* Top: 18mm thick PLPB, edges sealed with PVC edge banding (Full Height Storages & Back Storages)



DIRECTOR SUITE

Size (in MM): 2400(W)x2100(D)x750(H)
2100(W)x2100(D)x750(H)



50 MM TOP & GABLE END



DUAL SHADE TOP



FINGER GROOVE

MANAGER SUITE

Size (in MM): 1800(W)x1650(D)x750(H)



Features

Table Top & Gable End: 50mm thick PLPB, edges sealed with PVC edge banding

Side Storage Top: 25mm thick PLPB, edges sealed with PVC edge banding

Modesty & Cabinetry: 18mm thick PLPB, edges sealed with PVC edge banding

Drawer Fascia: Handle-less with finger groove, edges sealed with PVC edge banding

Drawer Body: 15mm thick PLPB, edges sealed with PVC edge banding

Lock: Standard lock for drawers & shutters

Integrated wire management system through access flap/wire manager

(Note: Access flap box without switches)

EXECUTIVE TABLE

Size (in MM): 1500(W)x750(D)x750(H)
1800(W)x900(D)x750(H)



MEETING TABLE (RECTANGULAR)

Size (in MM): 1500(W)x750(D)x750(H)
1500(W)x900(D)x750(H)
1800(W)x750(D)x750(H)
1800(W)x900(D)x750(H)



CONFERENCE TABLE

Size (in MM): 2400(W)x1200(D)x750(H)
3000(W)x1200(D)x750(H)
3600(W)x1500(D)x750(H)



Features

Table Top & Gable End: 50mm thick PLPB, edges sealed with PVC edge banding

Modesty: 18mm thick PLPB, edges sealed with PVC edge banding

Integrated wire management system through access flap/wire manager

(Note: Access flap box without switches)

PEDESTAL



Mobile 3 Drawer

Size (in MM): 400(W)x450(D)x650(H)

LOW HEIGHT STORAGE



2 Shutter

Size (in MM): 900(W)x450(D)x750(H)



2 Drawer & 2 Shutter

Size (in MM): 900(W)x450(D)x750(H)



3 Shutter

Size (in MM): 1200(W)x450(D)x750(H)



3 Drawer & 2 Shutter

Size (in MM): 1200(W)x450(D)x750(H)

MEDIUM HEIGHT STORAGE



2 Door & Open Shelf

Size (in MM): 900(W)x450(D)x1200(H)



3 Door & Open Shelf

Size (in MM): 1200(W)x450(D)x1200(H)



4 Door & Open Shelf

Size (in MM): 1600(W)x450(D)x1200(H)



2 Door

Size (in MM): 900(W)x450(D)x1200(H)



3 Door

Size (in MM): 1200(W)x450(D)x1200(H)

MEDIUM HEIGHT STORAGE WITH PLANTER



2 Door with Planter

Size (in MM): 900(W)x450(D)x1200(H)
(Note: Provision for Planter only)



3 Door with Planter

Size (in MM): 1200(W)x450(D)x1200(H)

BACK STORAGE



2 Door & Open Shelf

Size (in MM): 900(W)x450(D)x1800(H)



2 Door

Size (in MM): 900(W)x450(D)x1800(H)

Features

- Top:** 25mm thick PLPB edges sealed with PVC edge banding
- Cabinetry:** 18mm thick PLPB, edges sealed with PVC edge banding
- Shutter/Drawer Fascia:** Handle-less with finger groove for hassle-free use
- Drawer Body:** 15mm thick PLPB, edges sealed with PVC edge banding
- Back:** 9mm thick PLPB
- Lock:** Central locking arrangement for pedestal drawers & standard lock for shutters



LOOP LEG



FLOATING TOP



STORAGE WITH METAL LEG

DIRECTOR SUITE

Size (in MM): 2100(W)x2100(D)x750(H)
1800(W)x1950(D)x750(H)



2 Leg



3 Leg



4 Leg

Features

Leg: Square in shape, 50X50mm, 1.6mm thick CRCA premium powder-coated leg

Table & Storage Top: 25mm thick PLPB with edges sealed with PVC edge banding

Cabinetry & Modesty: 18mm thick PLPB, edges sealed with PVC edge banding

Shutter/Drawer Fascia: 18mm thick PLPB with SS Handle

Back: 9mm thick PLPB

Lock: Central locking arrangement for pedestal drawers & standard lock for shutters

Integrated wire management system through access flap/wire manager

(Note: Access flap box without switches)

Loop Series



MANAGER SUITE

Size (in MM): 1800(W) x 1800(D) x 750(H)
1500(W) x 1650(D) x 750(H)



EXECUTIVE TABLE

Size (in MM): 1200(W) x 600(D) x 750(H)
1500(W) x 750(D) x 750(H)
1800(W) x 750(D) x 750(H)



Features

Leg: Square in shape, 50X50mm, 1.6mm thick CRCA premium powder-coated leg
Table & Storage Top: 25mm thick PLPB with edges sealed with PVC edge banding
Cabinetry & Modesty: 18mm thick PLPB, edges sealed with PVC edge banding
Shutter/Drawer Fascia: 18mm thick PLPB with SS Handle
Lock: Central locking arrangement for pedestal drawers & standard lock for shutters
Integrated wire management system through access flap/wire manager
(Note: Access flap box without switches)



MEETING TABLE (RECTANGULAR)

Size (in MM): 1500(W)x750(D)x750(H)
1500(W)x900(D)x750(H)
1800(W)x750(D)x750(H)
1800(W)x900(D)x750(H)

CONFERENCE TABLE

Size (in MM): 2400(W)x1200(D)x750(H)
3000(W)x1200(D)x750(H)
3600(W)x1500(D)x750(H)



Features

Leg: Square in shape, 50X50mm, 1.6mm thick CRCA, premium powder-coated leg
Tabletop: 25mm thick PLPB with edges sealed with PVC edge banding
Mid-leg with cover plate: For easy access of wire from floor to the raceway
Raceway: Metal powder coated Raceway to carry the cable as well as mounting of switch plate
(Note: Access flap box without switches)



TANGENT
LEG



FLOATING
TOP



STORAGE
WITH METAL LEG

DIRECTOR SUITE

Size (in MM): 2100(W)x2100(D)x750(H)
1800(W)x1950(D)x750(H)



2 Leg



3 Leg



4 Leg

Features

Leg: Angular in shape, 50X50mm, 1.6mm thick CRCA premium powder-coated leg

Table & Storage Top: 25mm thick PLPB with edges sealed with PVC edge banding

Cabinetry & Modesty: 18mm thick PLPB, edges sealed with PVC edge banding
Shutter/Drawer Fascia: 18mm thick PLPB with SS Handle

Back: 9mm thick PLPB

Lock: Central locking arrangement for pedestal drawers & standard lock for shutters
Integrated wire management system through access flap/wire manager

(Note: Access flap box without switches)

Tangent Series



MANAGER SUTIE

Size (in MM): 1800(W) x 1800(D) x 750(H)
1500(W) x 1650(D) x 750(H)



EXECUTIVE TABLE

Size (in MM): 1200(W) x 600(D) x 750(H)
1500(W) x 750(D) x 750(H)
1800(W) x 750(D) x 750(H)



Features

Leg: Angular in shape, 50X50mm, 1.6mm thick CRCA premium powder-coated leg
Table & Storage Top: 25mm thick PLPB with edges sealed with PVC edge banding
Cabinetry & Modesty: 18mm thick PLPB, edges sealed with PVC edge banding
Shutter/Drawer Fascia: 18mm thick PLPB with SS Handle
Lock: Central locking arrangement for pedestal drawers & standard lock for shutters
Integrated wire management system through access flap/wire manager
(Note: Access flap box without switches)



MEETING TABLE (ROUND)

Size (in MM): 900(Dia)x750(H)
1050(Dia)x750(H)
1200(Dia)x750(H)



MEETING TABLE (RECTANGULAR)

Size (in MM): 1500(W)x750(D)x750(H)
1500(W)x900(D)x750(H)
1800(W)x750(D)x750(H)
1800(W)x900(D)x750(H)

CONFERENCE TABLE

Size (in MM): 2400(W)x1200(D)x750(H)
3000(W)x1200(D)x750(H)
3600(W)x1500(D)x750(H)



Features

Leg: Angular in shape, 50X50mm, 1.6mm thick CRCA, premium powder-coated leg
Tabletop: 25mm thick PLPB with edges sealed with PVC edge banding
Mid-leg with cover plate: For easy access of wire from floor to the raceway
Raceway: Metal powder coated Raceway to carry the cable as well as mounting of switch plate
(Note: Access flap box without switches)



ECO LEG



FLOATING TOP



STORAGE WITH METAL LEG

DIRECTOR SUITE

Size (in MM): 2100(W)x2100(D)x750(H)
1800(W)x1950(D)x750(H)



2 Leg



3 Leg



4 Leg

Features

Leg: Square in Shape, 50X50mm, 1.6mm thick CRCA premium powder-coated leg

Table & Storage Top: 25mm thick PLPB with edges sealed with PVC edge banding

Cabinetry & Modesty: 18mm thick PLPB, edges sealed with PVC edge banding
Shutter/Drawer Fascia: 18mm thick PLPB with SS Handle

Back: 9mm thick PLPB

Lock: Central locking arrangement for pedestal drawers & standard lock for shutters

Integrated wire management system through access flap box

(Note: Access flap box without switches)

Eco Series



MANAGER SUITE

Size (in MM): 1800(W) x 1800(D) x 750(H)
1500(W) x 1650(D) x 750(H)



EXECUTIVE TABLE

Size (in MM): 1200(W) x 600(D) x 750(H)
1500(W) x 750(D) x 750(H)
1800(W) x 750(D) x 750(H)



Features

Leg: Square in shape, 50X50mm, 1.6mm thick CRCA premium powder-coated leg
Table & Storage Top: 25mm thick PLPB with edges sealed with PVC edge banding
Cabinetry & Modesty: 18mm thick PLPB, edges sealed with PVC edge banding
Shutter/Drawer Fascia: 18mm thick PLPB with SS Handle
Lock: Central locking arrangement for pedestal drawers & standard lock for shutters
Integrated wire management system through access flap/wire manager
(Note: Access flap box without switches)



MEETING TABLE (ROUND)

Size (in MM): 900(Dia)x750(H)
1050(Dia)x750(H)
1200(Dia)x750(H)



MEETING TABLE (RECTANGULAR)

Size (in MM): 1500(W)x750(D)x750(H)
1500(W)x900(D)x750(H)
1800(W)x750(D)x750(H)
1800(W)x900(D)x750(H)

CONFERENCE TABLE

Size (in MM): 2400(W)x1200(D)x750(H)
3000(W)x1200(D)x750(H)
3600(W)x1500(D)x750(H)



Features

Leg: Square in shape, 50X50mm, 1.6mm thick CRCA, premium powder-coated leg
Tabletop: 25mm thick PLPB with edges sealed with PVC edge banding
Mid-leg with cover plate: For easy access of wire from floor to the raceway
Raceway: Metal powder coated Raceway to carry the cable as well as mounting of switch plate
(Note: Access flap box without switches)

PEDESTAL



Mobile
3 Drawer

Size (in MM):
400(W)x450(D)x650(H)



3 Drawer

Size (in MM):
400(W)x450(D)x650(H)



4 Drawer

Size (in MM):
400(W)x450(D)x650(H)



1 Drawer &
1 Shutter

Size (in MM):
400(W)x450(D)x650(H)



1 Shutter

Size (in MM):
400(W)x450(D)x650(H)

LOW HEIGHT STORAGE



2 Shutter

Size (in MM): 900(W)x450(D)x750(H)



2 Drawer & 2 Shutter

Size (in MM): 900(W)x450(D)x750(H)



3 Shutter

Size (in MM): 1200(W)x450(D)x750(H)



3 Drawer & 2 Shutter

Size (in MM): 1200(W)x450(D)x750(H)

Features

Top: 25mm thick PLPB, edges sealed with PVC edge banding

Cabinetry: 18mm thick PLPB, edges sealed with PVC edge banding

Shutter / Drawer Fascia: 18mm thick PLPB, edges sealed with PVC edge banding with SS handle

Drawer Body: 15mm thick PLPB, edges sealed with PVC edge banding

Back: 9mm thick PLPB, edges sealed with PVC edge banding

Storage leg: Square in Shape, 50x50mm thick powder coated leg

Lock: Central locking arrangement for pedestal drawers & standard lock for shutters

MEDIUM HEIGHT STORAGE



2 Door

Size (in MM): 900(W)x450(D)x1200(H)



3 Door

Size (in MM): 1200(W)x450(D)x1200(H)



2 Glass Door

Size (in MM): 900(W)x450(D)x1200(H)
*Glass shutter without lock

FULL HEIGHT STORAGE



4 Door

Size (in MM): 900(W)x450(D)x1800(H)



6 Door

Size (in MM): 1200(W)x450(D)x1800(H)



2 Door & 2 Glass Door

Size (in MM): 900(W)x450(D)x1800(H)
*Glass shutter without lock

*Top: 18mm thick PLPB, edges sealed with PVC edge banding (Full Height Storages & Back Storages)

FUSION
WORKSTATION



Fusion Workstation: 60+60mm | 60+30mm | 30+30mm combination

Linear Non-sharing Workstation

Single Seater

Two Seater

Gable End



Return Partition




Metal Leg




Linear Non-sharing Workstation


Three Seater



Single Seater



Two Seater



Three Seater

Size (in MM):

1050(W)x600(D)x750/1200(H)
1200(W)x600(D)x750/1200(H)
1350(W)x600(D)x750/1200(H)
1500(W)x600(D)x750/1200(H)

Features

Table Top & Gable End: 25mm thick PLPB, edges sealed with PVC edge banding
Main Spine / Return Spine: 60mm / 30mm thick aluminum double skin partition
Tiles Above the Table Top: Pin-up fabric + white marker board
Tiles Below the Table Top: PLPB
Raceway: Below the table top / Above the table top / Skirting Level
Leg: Square in shape, 50X50mm, 1.6mm thick CRCA premium powder-coated leg

Linear Sharing Workstation

Two Seater

Four Seater

Gable End



Return Partition




Metal Leg




Linear Sharing Workstation


Six Seater



Two Seater



Four Seater



Six Seater

Size (in MM):

1050(W)x600(D)x750/1200(H)
1200(W)x600(D)x750/1200(H)
1350(W)x600(D)x750/1200(H)
1500(W)x600(D)x750/1200(H)

Features

Table Top & Gable End: 25mm thick PLPB, edges sealed with PVC edge banding
Main Spine / Return Spine: 60mm / 30mm thick aluminum double skin partition
Tiles Above the Table Top: Pin-up fabric + white marker board
Tiles Below the Table Top: PLPB
Raceway: Below the table top / Above the table top / Skirting Level
Leg: Square in shape, 50X50mm, 1.6mm thick CRCA premium powder-coated leg

Cluster with Curvilinear Top

L Shape Cluster

C Shape Cluster

Gable End



Return Partition



Metal Leg




Cluster with Curvilinear Top


H Shape Cluster



L-Shape



C-Shape



H-Shape

Size (in MM):

1050(W)x600(D)x750/1200(H)
1200(W)x600(D)x750/1200(H)
1350(W)x600(D)x750/1200(H)
1500(W)x600(D)x750/1200(H)

Features

Table Top & Gable End: 25mm thick PLPB, edges sealed with PVC edge banding
Main Spine / Return Spine: 60mm / 30mm thick aluminum double skin partition
Tiles Above the Table Top: Pin-up fabric + white marker board
Tiles Below the Table Top: PLPB
Raceway: Below the table top / Above the table top / Skirting Level
Leg: Square in shape, 50X50mm, 1.6mm thick CRCA premium powder-coated leg

Cluster with Curvilinear Top

T Shape Cluster

Plus Shape Cluster

Gable End



Return Partition




Metal Leg




Size (in MM):
1050(W)x600(D)x750/1200(H)
1200(W)x600(D)x750/1200(H)
1350(W)x600(D)x750/1200(H)
1500(W)x600(D)x750/1200(H)

Cluster with Curvilinear Top


Y Shape Cluster



T-Shape




Plus-Shape




Y-Shape

- Features**
- Table Top & Gable End:** 25mm thick PLPB, edges sealed with PVC edge banding
 - Main Spine / Return Spine:** 60mm / 30mm thick aluminum double skin partition
 - Tiles Above the Table Top:** Pin-up fabric + white marker board
 - Tiles Below the Table Top:** PLPB
 - Raceway:** Below the table top / Above the table top / Skirting Level
 - Leg:** Square in shape, 50X50mm, 1.6mm thick CRCA premium powder-coated leg



2 Way
Connection



3 Way
Connection



4 Way
Connection



Aluminium Die Casted
End Caps



Raceway - Above
the Table Top



Raceway - Below
the Table Top



Raceway -
Skirting Level



Wire Management

Features & Benefits of Fusion Workstation

	Features	Benefits
1	Modular workstation.	Easy to shift from one place to another, all components can be removed and again re-assemble as required.
2	Fusion offers 3 systems combination : 60+60mm, 60+30mm & 30+30mm.	Wide Range to meet any office requirements.
3	The combination of 60+30mm offers more flexibility.	Space & cost saving system. Aesthetically perfect.
4	All the Connector Caps are Aluminium die casted.	Perfect match of powder coating shade with aluminium sections. Seamless finish as compared to ABS caps.
5	Caps are fixed to partition by screw under the trim.	No possibility to removal of caps.
6	One cap & pole for junctions like 2way, 3Way & 4 Way.	Easy for Installation.
7	Variable height to step up & step down at junctions.	Design and Aesthetic Flexibility. Overhead filing cabinet and open shelves are possible with heightened partition.
8	Frame to frame junctions at multi level is possible.	No gap can be seen, perfectly aligned.
9	Every Single frame is made with top frame and end caps. All these frames joined together by connector at multiple levels.	More workstations can be installed.
10	Sliding Raceway Plate in top & Bottom Section.	Easy to remove and fix by electrician. No need of any skilled person to remove and fix the raceways. No chance of raceway plate coming out while unplugging the power socket.
11	Accessories rail: Aluminium extruded accessories rail can be offered with 60/30 mm frame.	Many accessories like penholder, paper and telephone tray, file holder can be mounted on rail.
12	Name Plate: Aluminium extruded name plate profile.	Name plate for Workstation User & Cubicle.

DESK BASED
WORKSTATION



Side by Side Workstation

Single Seater

Two Seater

Eco Leg



Loop Leg



Tangent Leg



Side by Side Workstation


Three Seater



Single Seater



Two Seater



Three Seater

Size (in MM):

1050(W)x600(D)x750/1200(H)
1200(W)x600(D)x750/1200(H)
1350(W)x600(D)x750/1200(H)
1500(W)x600(D)x750/1200(H)

Features

Table Top: 25 mm thick PLPB, edges sealed with PVC edge banding

Under Structure: Leg 50X50mm, horizontal beam 40x40mm square tube, 1.6mm thick CRCA, finish with powder coated upto 50-60 micron

Privacy Screen: Sandwich colour glass/PLPB screen/30mm Aluminium screen with option of pin-up fabric and marker board

Raceway: Metal powder coated Raceway to carry the cable as well as mounting of switch plate

Wire Manager: Cable can run through wire manager provided on table top

Back to Back Workstation

Two Seater

Four Seater

Eco Leg



Loop Leg




Tangent Leg




Back to Back Workstation


Six Seater



Two Seater



Four Seater



Six Seater

Size (in MM):

1050(W)x600(D)x750/1200(H)
1200(W)x600(D)x750/1200(H)
1350(W)x600(D)x750/1200(H)
1500(W)x600(D)x750/1200(H)

Features

Table Top: 25 mm thick PLPB, edges sealed with PVC edge banding

Under Structure: Leg 50X50mm, horizontal beam 40x40mm square tube, 1.6mm thick CRCA, finish with powder coated upto 50-60 micron

Privacy Screen: Sandwich colour glass/PLPB screen/30mm Aluminium screen with option of pin-up fabric and marker board

Raceway: Metal powder coated Raceway to carry the cable as well as mounting of switch plate

Wire Manager: Cable can run through wire manager provided on table top

L Shape

C Shape

Eco Leg



Loop Leg



Tangent Leg




H Shape



L Shape



C Shape



H Shape

Size (in MM):

1050(W)x600(D)x750/1200(H)
1200(W)x600(D)x750/1200(H)
1350(W)x600(D)x750/1200(H)
1500(W)x600(D)x750/1200(H)

Features

Table Top: 25 mm thick PLPB, edges sealed with PVC edge banding

Under Structure: Leg 50X50mm, horizontal beam 40x40mm square tube, 1.6mm thick CRCA, finish with powder coated upto 50-60 micron

Privacy Screen: Sandwich colour glass/PLPB screen/30mm Aluminium screen with option of pin-up fabric and marker board

Raceway: Metal powder coated Raceway to carry the cable as well as mounting of switch plate

Wire Manager: Cable can run through wire manager provided on table top

T Shape

Plus Shape


Y Shape

Eco Leg




T Shape

Loop Leg



Plus Shape

Tangent Leg



Y Shape

Size (in MM):

1050(W)x600(D)x750/1200(H)
1200(W)x600(D)x750/1200(H)
1350(W)x600(D)x750/1200(H)
1500(W)x600(D)x750/1200(H)

Features

Table Top: 25 mm thick PLPB, edges sealed with PVC edge banding

Under Structure: Leg 50X50mm, horizontal beam 40x40mm square tube, 1.6mm thick CRCA, finish with powder coated upto 50-60 micron

Privacy Screen: Sandwich colour glass/PLPB screen/30mm Aluminium screen with option of pin-up fabric and marker board

Raceway: Metal powder coated Raceway to carry the cable as well as mounting of switch plate

Wire Manager: Cable can run through wire manager provided on table top

Two Seater

Eco Leg




Loop Leg



Tangent Leg



Two Seater



Four Seater

Four Seater



Features

Table Top: 25 mm thick PLPB, edges sealed with PVC edge banding

Under Structure: Leg 50X50mm, horizontal beam 40x40mm square tube, 1.6mm thick CRCA, finish with powder coated upto 50-60 micron

Privacy Screen: Sandwich colour glass/PLPB screen/30mm Aluminium screen with option of pin-up fabric and marker board

Raceway: Metal powder coated Raceway to carry the cable as well as mounting of switch plate

Wire Manager: Cable can run through wire manager provided on table top

*Note: 3 Drawer Pedestal option also available

Size (in MM):

1050(W)x600(D)x750/1200(H)

1200(W)x600(D)x750/1200(H)

1350(W)x600(D)x750/1200(H)

1500(W)x600(D)x750/1200(H)

Four Seater


Eco Leg




Loop Leg



Tangent Leg



Four Seater



Eight Seater

Eight Seater



Features

Table Top: 25 mm thick PLPB, edges sealed with PVC edge banding

Under Structure: Leg 50X50mm, horizontal beam 40x40mm square tube, 1.6mm thick CRCA, finish with powder coated upto 50-60 micron

Privacy Screen: Sandwich colour glass/PLPB screen/30mm Aluminium screen with option of pin-up fabric and marker board

Raceway: Metal powder coated Raceway to carry the cable as well as mounting of switch plate

Wire Manager: Cable can run through wire manager provided on table top

*Note: 3 Drawer Pedestal option also available

Size (in MM):

1050(W)x600(D)x750/1200(H)

1200(W)x600(D)x750/1200(H)

1350(W)x600(D)x750/1200(H)

1500(W)x600(D)x750/1200(H)

18mm PLPB Screen

8mm Sandwich Colour Glass

30mm Aluminium Screen With Pinup Fabric and Marker Board



Features & Benefits of Desk Based Workstation

1	Features	Benefits
	Modular workstation.	Easy to shift from one place to another, all components can be removed and again re-assemble as required.
2	Leg and Beam connected to each other with Aluminium die-casted connector.	Knock down construction for more strength & easy assembling & dismantling.
3	Floating Top: Top connected to understructure with designer butterfly bracket to give floating look.	Aesthetically appealing.
4	Understructure with height adjustable leveller.	Ensures same level of table top irrespective of undulance in the floor.
5	Raceway: Metal tray made up of CRCA finish with switch mounting plate provided below the table.	Use to carry electric cable along the leg as well as mounting of switch plate
6	Riser: Vertical duct/vertebre/mid leg with cover plate made of CRCA.	Use to carry electric and LAN cable from floor to the Raceway.



DECORATIVE
PROFILE



DUAL COLOUR

DIRECTOR SUITE

Size (in MM): 2100(W)x2100(D)x750(H)



MANAGER SUITE

Size (in MM): 1800(W)x1650(D)x750(H)



EXECUTIVE TABLE

Size (in MM): 900(W)x600(D)x750(H)

1200(W)x600(D)x750(H)

1350(W)x600(D)x750(H)

1500(W)x750(D)x750(H)

1800(W)x750(D)x750(H)



Features

Table Top & Gable End: 25mm thick PLPB, edges sealed with PVC edge banding

Modesty: 18 mm thick PLPB with Decorative Aluminium Strips

Shutter & Drawer Fascia: 18mm thick PLPB, edges sealed with PVC edge banding

Back: 9mm thick PLPB

Lock: Central locking arrangement for pedestal drawers & standard lock for shutters




MEETING TABLE (ROUND)

Size (in MM): 900(Dia)x750(H)
1050(Dia)x750(H)
1200(Dia)x750(H)



MEETING TABLE (RECTANGULAR)

Size (in MM): 1500(W)x750(D)x750(H)
1500(W)x900(D)x750(H)
1800(W)x900(D)x750(H)



CONFERENCE TABLE

Size (in MM): 2400(W)x1200(D)x750(H)
3000(W)x1200(D)x750(H)
3600(W)x1500(D)x750(H)

Features

Table Top & Gable End: 25mm thick PLPB, edges cover with PVC edge banding

Modesty: 18mm thick PLPB, edges cover with PVC edge banding

Integrated wire management system through access flap/wire manager
(Note: Access flap box without switches)

PEDESTAL



3 Drawer

Size (in MM):
400(W)x450(D)x650(H)

LOW HEIGHT STORAGE



2 Shutter

Size (in MM): 900(W)x450(D)x750(H)



3 Drawer & 2 Shutter

Size (in MM): 1200(W)x450(D)x750(H)

MEDIUM HEIGHT STORAGE



2 Door

Size (in MM): 900(W)x450(D)x1200(H)



3 Door

Size (in MM): 1200(W)x450(D)x1200(H)

FULL HEIGHT BOOK CASE



2 Glass Door

Size (in MM): 900(W)x450(D)x1800(H)



3 Glass Door

Size (in MM): 1200(W)x450(D)x1800(H)

Features

Top: 25mm thick PLPB, edges sealed with PVC edge banding

Cabinetry: 18mm thick PLPB, edges sealed with PVC edge banding

Shutter & Drawer Fascia: 18mm thick PLPB, edges sealed with PVC edge banding with SS handle

Back: 9mm thick PLPB

Lock: Central locking arrangement for pedestal drawers & standard lock for shutters
(*Note: 18mm Top for book storage)



DIRECTOR SUITE

Size (in MM): 2100(W)x2100(D)x750(H)



MANAGER SUITE

Size (in MM): 1800(W)x1650(D)x750(H)



Features

- Table Top & Gable End:** 25mm thick PLPB, edges sealed with PVC edge banding
- Modesty:** 18mm thick edges sealed with PVC edge banding
- Cabinetry & Drawer Fascia:** 18mm thick PLPB, edges sealed with PVC edge banding
- Back:** 9mm thick PLPB
- Lock:** Central locking arrangement for pedestal drawers & standard lock for shutters
(Note: Access flap box without switches)

EXECUTIVE TABLE

Size (in MM): 900(W)x600(D)x750(H)
1050(W)x600(D)x750(H)
1200(W)x600(D)x750(H)
1350(W)x600(D)x750(H)
1500(W)x750(D)x750(H)
1800(W)x750(D)x750(H)

Features

Top & Gable End: 25mm thick PLPB, edges sealed with PVC edge banding
Modesty & Cabinetry: 18mm thick PLPB, edges sealed with PVC edge banding
Drawer Fascia & Shutter: 18mm thick PLPB, edges sealed with PVC edge banding
Drawer Body: 15mm thick PLPB, edges sealed with PVC edge banding
Back: 9mm thick PLPB
Lock: Central locking arrangement for pedestal drawers & standard lock for shutters



1 Drawer

Size (in MM): 1200(W)x600(D)x750(H)



2 Drawer

Size (in MM): 1200(W)x600(D)x750(H)



3 Drawer

Size (in MM): 1200(W)x600(D)x750(H)



1 Shutter

Size (in MM): 1200(W)x600(D)x750(H)



1 Drawer & 1 Shutter

Size (in MM): 1500(W)x750(D)x750(H)
1800(W)x750(D)x750(H)



3 Drawer & 1 Shutter

Size (in MM): 1500(W)x750(D)x750(H)
1800(W)x750(D)x750(H)

PEDESTAL



Mobile
3 Drawer

Size (in MM):
400(W)x450(D)x650(H)



3 Drawer

Size (in MM):
400(W)x450(D)x650(H)



4 Drawer

Size (in MM):
400(W)x450(D)x650(H)



1 Drawer
& Shutter

Size (in MM):
400(W)x450(D)x650(H)



1 Shutter

Size (in MM):
400(W)x450(D)x650(H)

LOW HEIGHT STORAGE



2 Drawer
& 2 Shutter

Size (in MM):
900(W)x450(D)x750(H)



3 Shutter

Size (in MM):
1200(W)x450(D)x750(H)



3 Drawer
& 2 Shutter

Size (in MM):
1200(W)x450(D)x750(H)

MEDIUM HEIGHT STORAGE



2 Door

Size (in MM):
900(W)x450(D)x1200(H)



3 Door

Size (in MM):
1200(W)x450(D)x1200(H)

Features

Top: 25mm thick PLPB, edges sealed with PVC edge banding

Cabinetry: 18mm thick PLPB, edges sealed with PVC edge banding

Shutter: 18mm thick PLPB, with SS handle

Back: 9mm thick PLPB

Lock: Central locking arrangement for pedestal drawers & standard lock for shutters

FULL HEIGHT STORAGE



4 Door

Size (in MM):
900(W)x450(D)x1800(H)

*Note: 18 mm Top for Full Height Storage



6 Door

Size (in MM):
1200(W)x450(D)x1800(H)

MEETING TABLE (ROUND)

Size (in MM): 900(Dia)x750(H)
1050(Dia)x750(H)
1200(Dia)x750(H)



MEETING TABLE (RECTANGULAR)

Size (in MM): 1500(W)x750(D)x750(H)
1500(W)x900(D)x750(H)
1800(W)x750(D)x750(H)
1800(W)x900(D)x750(H)



CONFERENCE TABLE

Size (in MM): 2400(W)x1200(D)x750(H)
3000(W)x1200(D)x750(H)
3600(W)x1500(D)x750(H)



Features

Top & Gable End: 25mm thick PLPB, edges sealed with PVC edge banding

Modesty: 18mm thick PLPB, edges sealed with PVC edge banding

Integrated wire management system through access flap/wire manager

(Note: Access flap box without switches)





DESK BENCH

Size (in MM): 1050(W)x850(D)x750(H)
1200(W)x850(D)x750(H)
1350(W)x850(D)x750(H)
1500(W)x850(D)x750(H)

Features

Top/ Seat / Back: 18mm Thick PLPB edges sealed with PVC edge banding
Modesty: 1.6mm thick, perforated & CRCA powder coated/18mm thick PLPB
Metal Understructure: Knockdown/Fixed Structure, CRCA powder coated
End Caps: PVC



Non Sharing Work Pods

Features

To be made with 25mm & 18mm thick PLPB, edges sealed with PVC edge banding



Sharing Work Pods

WORK PODS

Size (in MM): 900(W)x600(D)x750/1200(H)
1050(W)x600(D)x750/1200(H)
1200(W)x600(D)x750/1200(H)

COMPUTER TABLE



PIXEL

Size (in MM): 1200(W)x600(D)x750(H)
1500(W)x600(D)x750(H)



FLUX

Size (in MM): 1200(W)x600(D)x750(H)
1500(W)x600(D)x750(H)
1800(W)x600(D)x750(H)



MATRIX

Size (in MM): 1500(W)x600(D)x750(H)



PULSE

Size (in MM): 1200(W)x600(D)x750(H)

Features

Top & Gable End: 25mm thick PLPB, edges sealed with PVC edge banding
Cabinetry & Modesty: 18mm thick PLPB, edges sealed with PVC edge banding
Drawer Facia & Shutter: 18mm thick PLPB, edges sealed with PVC edge banding
Drawer Body: 15mm thick PLPB, edges sealed with PVC edge banding
Back: 9mm thick PLPB
Lock: Central locking arrangement for drawers & standard lock for shutters



Size (in MM): 900(W)x450(D)x1800(H)



Size (in MM): 1350(W)x450(D)x1800(H)

LOCKER SYSTEM

Features

To be made with 18mm thick PLPB, edges sealed with PVC edge banding
Back: 9mm thick PLPB
(Unit provided with lock and knob)

RECEPTION TABLE



Size (in MM): 1500/1500(W)x600/450(D)x750/1050(H)



Size (in MM): 1800(W)x750(D)x750/1100(H)



Size (in MM): 2100(W)x900(D)x750/1000(H)



Size (in MM): 2100(W)x600(D)x750/1050(H)

Features

Top & Gable End: 25mm thick PLPB, edges sealed with PVC edge banding
Modesty: 18mm thick PLPB, edges sealed with PVC edge banding
Cabinetry & Shelf: 18mm thick PLPB, edges sealed with PVC edge banding

PODIUM



Size (in MM): 600(W)x600(D)x1200(H)



Size (in MM): 600(W)x450(D)x1200(H)



Features

To be made with 18mm thick PLPB, edges sealed with PVC edge banding



OFFICE CHAIR



Shine (HB)



Shine Grey (HB)



Shine Black (HB)

Features

- 2D Headrest
- Synthetic PU Leather / Mesh on Back
- Lock auto weight mechanism
- Eco-friendly engineered plastic seat
- Arms with PU Pads
- Ergonomic lumbar support with vertical function
- Seat with Inbuilt Slider
- Class 4 Samhonsa gaslift
- Chrome base with 60mm castors



Addie (HB)



Addie (MB)

Features

- Synthetic PU Leather upholstery
- Aluminium dye cast Back & Fix Arms
- 4 Point Lock & Auto weight mechanism
- Class 4 Samhonsa gaslift
- Chrome base with 60mm castors
- Aluminium base
- Available in 4 colors: Tan, Beige, Gray, Black
(Chair colour are subject to availability)



Tira (HB)



Tira (MB)

Features

- Synthetic PU Leather upholstery
- Aluminium dye cast Back & Fix Arms
- 4 Point Lock & Auto weight mechanism
- Class 4 Samhonsa gaslift
- Chrome base with 60mm castors
- Aluminium base
- Available in 4 colors: Tan, Beige, Gray, Black
(Chair colour are subject to availability)



Apex (HB)



Apex (MB)

Features

- 2D headrest
- Korean wire mesh on the back
- Armrest with PU pad
- 3 Point Sychro Locking Mechanism
- Eco-friendly engineered plastic seat
- Ergonomic lumbar support with vertical function
- Seat with Inbuilt Slider
- Class 4 Samhonsa gaslift
- Chrome base with 60mm castors

OFFICE CHAIR



Ice (HB)



Ice (MB)

Features

- 2D headrest
- Mesh on the back
- Armrest with PU pad
- 3 Point Sychro Locking Mechanism
- Ergonomic lumbar support with vertical function
- Seat with Inbuilt Slider
- Class 4 Samhonsa gaslift
- Chrome Base with 60mm castors



Rocker (HB)



Rocker (MB)

Features

- 2D headrest
- Mesh on the back
- 1D Ajustable Lumbar
- 2D Arms with PP Pads
- Sychro 1-point locking
- Class 4 Samhonsa gaslift
- Nylon Base base with 60mm castors



Ren (HB)



Ren (MB)



Ren (VC)

Features

- 2D headrest
- Mesh on the back
- 1D Ajustable Lumbar
- 2D Arms with PP Pads
- Sychro 1-point locking
- Class 4 Samhonsa gaslift
- Chrome Base base with 60mm castors
- Fixed tonic arms with PP pad (vc)
- 25mm pipe frame in black powder coat (vc)



Zip (HB)



Zip (MB)



Zip (VC)

Features

- 2D headrest
- Mesh on the back
- 1D Ajustable Lumbar
- 2D Arms with PP Pads
- Sychro 1-point locking
- Class 4 Samhonsa gaslift
- Chrome Base base with 60mm castors
- Fixed tonic arms with PP pad (vc)
- 25mm Dia cantilever under structure (vc)

OFFICE CHAIR



Duke (HB)



Duke (MB)



Duke (VC)

Features

- 2D headrest
- Mesh on the back
- 1D Adjustable Lumber
- 2D Arms with PP Pads
- Synchro 1-point locking
- Class 4 Samhongsas gaslift
- Nylon Base base with 60mm castors
- Fixed tonic arms with PP pad (vc)
- 25mm Dia cantilever under structure (vc)



Buzz (HB)



Buzz (MB)



Buzz (VC)

Features

- 2D headrest
- Mesh on the back
- 1D Adjustable Lumber
- 2D Arms with PP Pads
- Synchro 1-point locking
- Class 4 Samhongsas gaslift
- Nylon Base base with 60mm castors
- Fixed tonic arms with PP pad (vc)
- 25mm Dia cantilever under structure (vc)



Rome (HB)



Rome (MB)



Rome (VC)

Features

- 2D headrest
- Mesh on the back
- 1D Adjustable Lumber
- 2D Arms with PP Pads
- Synchro 1-point locking
- Class 4 Samhongsas gaslift
- Nylon Base base with 60mm castors
- Fixed tonic arms with PP pad (vc)
- 25mm Dia cantilever under structure (vc)



Omigo (MB)



Omigo (VC)

Features

- 2D headrest
- 1D Adjustable Lumber
- Synchro 1-point locking
- Class 4 Samhongsas gaslift
- Nylon Base base with 60mm castors
- Fixed tonic arms with PP pad (vc)
- 25mm Dia cantilever under structure (vc)

OFFICE CHAIR



Aetle (MB)



Aetle (VC)

Features

- Mesh on Back
- Fixed Arms
- Tilt Lock Mechanism
- Class 4 Samhongsas gaslift
- Sigma Chrome / Nylon Base
- Fixed tonic arms with PP pad (vc)
- 25mm Dia cantilever under structure (vc)



Zom (MB)



Zom (VC)

Features

- Mesh on Back
- Fixed Arms
- Tilt Lock Mechanism
- Class 4 Samhongsas gaslift
- Sigma Chrome / Nylon Base
- Fixed tonic arms with PP pad (vc)
- 25mm Dia cantilever under structure (vc)



Training Chair



Oxford

Features

- Flexible Nylon Back
- Foldable seat for stacking purpose
- Die Caste Aluminium Table with PP Top
- Castors for Mobility
- 25mm round pipe with powder coated (TC)
- Writing flap in 18mm Thick PLPB, edges sealed with PVC edge banding



Arm Chair

Features

- Flexible plywood design
 - Curved backrest with 32-density foam for maximum comfort
 - Standard chrome finish leg/wooden leg
 - Outer Fabric material for high-gloss finish
- Size (in MM):** 820(W)x650(D)x750(H)

OFFICE SOFA SET

PRESTIGE

Size (in MM): Single Seater 930(W)x820(D)x860(H) | Two Seater 1480(W)x820(D)x860(H) | Three Seater 1980(W)x820(D)x860(H)



BLISS

Size (in MM): Single Seater 850(W)x760(D)x870(H) | Two Seater 1330(W)x760(D)x870(H) | Three Seater 1890(W)x760(D)x870(H)



Features

- Sturdy structure combining plywood and pine wood
- Soft, 32-density foam for comfort
- Premium PU Leather upholstery
- Standard chrome finish leg/wooden leg
- All necessary fixtures and fasteners
- Expertly approved shade by Office Cube

OFFICE SOFA SET

ORCHID

Size (in MM): Single Seater 800(W)x760(D)x870(H) | Two Seater 1330(W)x760(D)x870(H) | Three Seater 1890(W)x760(D)x870(H)



WEAVERS

Size (in MM): Two Seater 1530(W)x760(D)x820(H) | Three Seater 2130(W)x760(D)x820(H)



Features

- Sturdy frame made from plywood and pine wood for lasting stability
- Premium synthetic leather upholstery for a rich, leather-like appearance and minimal maintenance
- Soft, 32-density foam for comfort
- Standard chrome finish leg/wooden leg
- Design maximizes comfort, Perfect for those seeking style, substance, and efficiency

MARIGOLD

Size (in MM): Single Seater 860(W)x850(D)x760(H) | Three Seater 1950(W)x850(D)x760(H)



Features

- Sturdy structure combining 18mm plywood and pine wood • Soft, 32-density foam for comfort
- Premium Leatherier upholstery • Sleek, chrome-finished legs • All necessary fixtures and fasteners
- Standard chrome finish leg/wooden leg • Expertly approved shade by Office Cube

CENTER TABLE



VISTA

Size (in MM): 450(W)x450(D)x450(H)
600(W)x600(D)x450(H)



ALPHA

Size (in MM): 900(W)x550(D)x450(H)



BETA

Size (in MM): 900(W)x600(D)x450(H)



SIGMA

Size (in MM): 1000(W)x600(D)x450(H)

Features

Made up of 18mm thick PLPB, edges sealed with PVC edge banding
(Note: Glass 8mm thick toughened glass with SS studs)

FOLDING CAFETERIA TABLE

Size (in MM): 900(W)x600(D)x750(H)
1200(W)x600(D)x750(H)
1500(W)x600(D)x750(H)



RECTANGULAR CAFETERIA TABLE

Size (in MM): 1200(W)x900(D)x750(H)
1500(W)x900(D)x750(H)
1800(W)x900(D)x750(H)

Features

Top: 25mm thick PLPB, edges sealed with PVC edge band.
Metal Understructure: Knockdown/Fixed Structure, CRCA powder coated
End Caps: PVC



ROUND CAFETERIA TABLE

Size (in MM): 900(Dia)x750(H)
1050(Dia)x750(H)
1200(Dia)x750(H)

CAFETERIA CHAIR



Rise CC



Uber CC



Cossete CC



Qubix CC



Regal CC



HOSTEL FURNITURE



STUDY TABLE

Size (in MM): 1200(W)x675(D)x750(H)



PEDESTAL

Size (in MM):
400(W)x450(D)x650(H)



OVERHEAD BOOKCASE

Size (in MM): 1200(W)x450(D)x600(H)

GUEST HOUSE FURNITURE



BED

Size: Single Bed, Queen Size & King Size



ROUND TABLE

Size (in MM): 900(Dia)x750(H)



WARDROBE

Size (in MM): 900(W)x450(D)x1800(H)



ACCESSORIES



ACCESS FLAP



METAL RISER



OVAL VERTEBRAE



SAFE DRAWER



SAFE DRAWER MINI DOUBLE



FOOT REST



STATIONARY HOLDER



KEYBOARD TRAY WITH
SOFT PAD



LAPTOP STAND





TABLE MAT



TABLE PARTITION
CLAMP TOP MOUNT



TABLE PARTITION CLAMP
EDGE MOUNT



PAPER/TELEPHONE
TRAY




PEN HOLDER

ACCESSORIES



MODULE ELECTRIC BOX



ELECTRIC BOX CEILING MOUNT



ELECTRIC BOX EDGE MOUNT



CABLE ORGANIZER



MONITOR ARM



MONITOR ARM DOUBLE SCREEN



FLAT SCREEN HOLDER



SMART LIFT SINGLE GAS LIFT
CENTER POLE TILT (WITH TABLE TOP)





CPU STAND



TELESCOPIC CPU STAND

PROJECT AT A GLANCE



EXPERIENCE CENTER (A SNEAK PEAK)



OFFICE CUBE
Modular Office Furniture Solutions

Come and experience
YOUR DREAM OFFICE!

