Haier

MADE IN INDIA

SPEED YOU NEED
PERFORMANCE YOU TRUST



GLOBAL NO.1

Deep Freezer Brand



Licence No: 7500250809 as per IS 78722020

No.1 Company Globally In Freezers

Source Euromotion International Limited.

Best Innovation Award in Product Design For Visi Cooler By Business Innovation Awards

MADE IN INDIA

Awarded India's Most

Energy Efficient Appliance,

For Two Consecutive Years

By Bureau Of Energy Efficiency (BEE).



2024: For Model No. HFC-588D | 2025: For Model No. HFC-175S

— REASONS TO BUY —
HAIER DEEP FREEZERS

- 5D Uniform Freezing
- Operates upto 50° Temperature
- Dual Condenser
- Heavy Duty Compressor
- Wide Voltage Range (160v-270v)
- 70mm Puff Thickness
- **4 Years** Comprehensive Warranty*



*Source Euromonitor volume sales data.

HARD TOP COMMERCIAL

HFC-320DPW4| HFC-355DPW5 | HFC-410DPW5 | HFC-500DPW5
HFC-588DPW5 | HFC-788DPW4



PRISTINE SERIES

Model Number	HFC-320DPW4	HFC-355DPW5	HFC-410DPW5	HFC-500DPW5	HFC-588DPW5	HFC-788DPW4
Star Rating	4	5	5	5	5	4
Energy Consumption Kwh/yr	705	580	680	770	890	1515
Storage Capacity (Ltr)	301	318	377	431	515	722
Convertible	Yes	Yes	Yes	Yes	Yes	Yes
Condensor Type	Skin	Skin + WOT	Skin + WOT	Skin + WOT	Skin + WOT	Skin + WOT
Temperature range	≤-26°c / 0~10°c	≤-26°c / 0~10°c	≤-26°c / 0~10°c	≤-26°c / 0~10°c	≤-26°c / 0~10°c	≤-26°c / 0~10°c
Wide Voltage range	160-270V	160-270V	160-270V	160-270V	160-270V	160-270V
Five Side cooling	Yes	Yes	Yes	Yes	Yes	Yes
Net Dimension (mm)	1105x635x905	1105x745x905	1235x745x905	1405x745x905	1645x745x905	1860x855x905
Outer cabinet material	White Plain PCM	White Plain PCM	White Plain PCM	White Plain PCM	White Plain PCM	White Plain PCM v
Basket	1 Wire Basket	1 Wire Basket	1 Wire Basket	1 Wire Basket	1 Wire Basket	1 Wire Basket
No. of Doors	2	2	2	2	2	2
Door Lock	Inbuilt Lock	Inbuilt Lock	Inbuilt Lock	Inbuilt Lock	Inbuilt Lock	Inbuilt Lock
Refrigerant type	R290a	R290	R290	R290	R290	R290
Gross Weight (kg)	56	61	66	66	79	105

- 5 SIDE FREEZING
- 2X DUAL CONDENSER*
- HEAVY DUTY COMPRESSOR
- 2 IN 1 CONVERTIBLE
- 50° OPERATES UPTO 50°C AMBIENT TEMP.
- TRAPEZOID DOOR DESIGN
- 160V-270V WIDE VOLTAGE RANGE
- EMBOSSED PCM INNER LINER

All Features may vary model to model



HARD TOP COMMERCIAL

HFC-335DET4 | HFC-365DET5 | HFC-510DET5
HFC-595DETN5

TITANIUM SERIES

Model Number	HFC-335DET4	HFC-365DET5	HFC-510DET5	HFC-595DETN5
Star Rating	4	5	5	5
Energy Consumption Kwh/yr	705	580	770	890
Storage Capacity	301	318	431	515
Convertible	Yes	Yes	Yes	Yes
Condensor Type	Skin	Skin + WOT	Skin + WOT	Skin + WOT
Temperature range	≤-26°c / 0~10°c	≤-26°c / 0~10°c	≤-26°c / 0~10°c	≤-26°c / 0~10°c
Wide Voltage range	160-270V	160-270V	160-270V	160-270V
Five Side cooling	Yes	Yes	Yes	Yes
Net Dimension	1105x635x905	1105x745x905	1405x745x905	1645x745x905
Outer cabinet material	Grey Embo PCM	Grey Embo PCM	Grey Embo PCM	Grey Embo PCM
Basket	1 Wire Basket	1 Wire Basket	1 Wire Basket	1 Wire Basket
No. of Doors	2	2	2	2
Door Lock	Inbuilt Lock	Inbuilt Lock	Inbuilt Lock	Inbuilt Lock
Refrigerant type	R290a	R290	R290	R290
Gross Weight (kg)	56	61	72	79

- 5 SIDE FREEZING
- 2X DUAL CONDENSER*
- HEAVY DUTY COMPRESSOR
- 2 IN 1 CONVERTIBLE
- 50° OPERATES UPTO 50°C AMBIENT TEMP.
- TRAPEZOID DOOR DESIGN
- 160V-270V WIDE VOLTAGE RANGE
- EMBOSSED PCM INNER LINER

All Features may vary model to model



COMBO CHEST FREEZER

HFC-350 CET | HFC-400 CET | HFC-550 CPW

Description	HFC-350 CET	HFC-400 CET	HFC-550 CPW
Chiller Storage (Ltr)	153	186	271
Freezer Storage (Ltr)	136	155	237
Total Storage (Ltr)	289	341	508
Condenser type	Skin	Skin + WOT	Skin + WOT
Temp range (Cooler)	0~10 °C	0~10 °C	0~10 °C
Temp range (Freezer)	≤ -26 °C	≤ -26 °C	≤ -26 °C
Dimension (mm)	1105*635*905	1235*745*905	1645*745*905
Outer Cabinet material	Grey Embo PCM	Grey Embo PCM	White Plain PCM
Wide voltage range	160V-270V	160V-270V	160V-270V
Refrigerant	R290a	R290a	R290a
Gross weight (Kg)	56	68	76

- TWO SEPARATE COMPARTMENT
- 55:45 BETTER STORAGE RATIO
- 2X DUAL CONDENSER*
- EMBOSSED PCM INNER LINER
- HEAVY DUTY COMPRESSOR
- 50° OPERATES UPTO 50°C
- 160V-270V WIDE VOLTAGE RANGE

All Features may vary model to model



SINGLE DOOR HARD TOP

HFC-145SPW4 | HFC-175SPW5
HFC-230SPW4 | HFC-300SPW5

PRISTINE SERIES

Model Number	HFC-145SPW4	HFC-175SPW5	HFC-230SPW4	HFC-300SPW5
Star Rating	4	5	4	5
Energy Consumption Kwh/yr	265	291	430	470
Storage Capacity (Ltr)	101	145	201	247
Convertible	Yes	Yes	Yes	Yes
Temperature range	≤-26°c / 0~10°c	≤-26°c / 0~10°c	≤-26°c / 0~10°c	≤-26°c / 0~10°c
Wide Voltage range	160-270V	160-270V	160-270V	160-270V
Deo Fresh*	Yes	Yes	No	No
Net Dimension (mm)	543x575x875	700x575x875	790x635x905	935x635x905
Outer Cabinet material	White Plain PCM	White Plain PCM	White Plain PCM	White Plain PCM
Basket	1 Wire Basket	1 Wire Basket	1 Wire Basket	1 Wire Basket
No. of Doors	1	1	1	1
Door Lock	Inbuilt Lock	Inbuilt Lock	Inbuilt Lock	Inbuilt Lock
Refrigerant type	R600a	R600a	R600a	R600a
Gross Weight (kg)	31	35	38	45

- SINGLE MOULD FRAME
- HEAVY DUTY COMPRESSOR
- 2 IN 1 CONVERTIBLE
- MOST ENERGY EFFICIENT FREEZER AWARDED BY BEE*
- 50° OPERATES UPTO 50°C AMBIENT TEMP.
- TRAPEZOID DOOR DESIGN
- 160V-270V WIDE VOLTAGE RANGE
- EMBOSSED PCM INNER LINER

All Features may vary model to model



GLASS TOP FREEZER

HFC-325G3 | HFC-325GL3| HFC-425G4
HFC-425GL4 | HFC-575G3 | HFC-575GL3

Model Number	HFC-325G3 HFC-325GL3	HFC-425G4 HFC-425GL4	HFC-575G3 HFC-575GL3
Star Rating	3	4	3
Energy Consumption Kwh/yr	1100	1200	1938
Storage Capicity	246	340	465
Temperature range	≤-26˚C	≤-26˚C	≤-26˚C
Net Dimension (mm) WxDxH	1050x650x836	1355x650x836	1690x650x886
PUF thickness (mm)	70	70	70
Refrigerant	R 290	R 290	R 290
Basket	3 (Mesh/Wire)	3 (Mesh/Wire)	4 (Mesh/Wire)
Cabinet light (LED)	No/Yes	No/Yes	No/Yes
Castors	Lockable Wheels*	Lockable Wheels*	Lockable Wheels*
Gross Weight (kg)	60	64	86

- SINGLE MOULD GLASS FRAME & DOOR
- LED HIGH LUMEN LED LIGHT (OPTIONAL)
- EDGE TO EDGE METAL BASKET
- ANTI RODENT BOTTOM PLATE AND WIRE
- LOCKABLE WHEELS
- HEAVY DUTY COMPRESSOR
- INTEGRATED DOOR LOCK
- 2X DUAL CONDENSER*

All Features may vary model to model

SINGLE DOOR HARD TOP

HFC-150SET4 | HFC-235SET4



TITANIUM SERIES

Model Number	HFC-150SET4	HFC-235SET4
Star Rating	4	4
Energy Consumption Kwh/yr	265	430
Storage Capacity (Ltr)	101	201
Convertible	Yes	Yes
Temperature range	≤-26°c / 0~10°c	≤-26°c / 0~10°c
Wide Voltage range	160-270V	160-270V
Deo Fresh*	Yes	Yes
Net Dimension (mm)	543x575x875	790x635x905
Outer Cabinet material	Grey Embo PCM	Grey Embo PCM
Basket	1 Wire Basket	1 Wire Basket
No. of Doors	1	1
Door Lock	Inbuilt Lock	Inbuilt Lock
Refrigerant type	R600a	R600a
Gross Weight (kg)	31	38

- SINGLE MOULD FRAME
- HEAVY DUTY COMPRESSOR
- 2 IN 1 CONVERTIBLE
- MOST ENERGY EFFICIENT FREEZER AWARDED BY BEE*
- 50° OPERATES UPTO 50°C AMBIENT TEMP.
- TRAPEZOID DOOR DESIGN
- 160V-270V WIDE VOLTAGE RANGE
- EMBOSSED PCM INNER LINER

All Features may vary model to model

INCLINED GLASSTOP

HFC-375GIL3 | HFC-475GIL4 | HFC-595GIL4



Model Number	HFC-375GIL3	HFC-475GIL4	HFC-595GIL4
Star Rating	3	4	4
Energy Consumption Kwh/yr	1229	1280	1490
Storage Capicity (Ltr)	257	353	458
Net Dimension (mm) WxDxH	1050x650x836	1355x650x836	1690x650x836
PUF thickness (Cabinet) mm	70	70	70
Door type	Sliding Glass	Sliding Glass	Sliding Glass
No. of Doors	2	2	2
Door shape	Inclined Flat Glass	Inclined Flat Glass	Inclined Flat Glass
Cabinet light (LED)	Yes	Yes	Yes
Castors	Yes	Yes	Yes
Gross Weight (kg)	63	70	90
Basket (Metal)	3 (Mesh/Wire)	3 (Mesh/Wire)	4 (Mesh/Wire)

- 1M VISIBILITY FROM A METER
- HEATER ON FRAME
- DRAIN PIPE
- LED FULL LENGTH LED
- ANTI RODENT SHEET
- FULL BASKET SET
- INBUILT BRANDING SPACE
- INTEGRATED DOOR LOCK

All Features may vary model to model



VISI COOLER

HVC-305GT5 | HVC-405GT5
HVC-505GT5 | HVC-1005GT5*

Description	HVC-305GT5	HVC-405GT5	HVC-505GT5	HVC-1005GT5*
Net capacity (Ltr)	285	365	445	829
Temperature	0~10 °C	0~10 °C	0~10 °C	0~10 °C
Wide Voltage range	160V-270V	160V-270V	160V-270V	160V-270V
No. of Doors	1	1	1	2
Refrigerant	R290a	R290a	R290a	R290a
No. of shelves	4	5	6	10
Dimension (W x D x H) (mm)	579*672*1486	579*672*1766	579*672*2066	1025*620*2105
LED type (Full vertical)	Touch LED	Touch LED	Touch LED	Touch LED
Gross weight (Kg)	74	84	96	140

- NEXT GEN DUAL DC FAN TECHNOLOGY
- 360°C UNIFORM COOLING
- HEAVY DUTY COMPRESSOR
- MORE CLEARANCE, MORE STORAGE
- ADJUSTABLE FEET AND CASTORS
- HIGH LUMEN TOUCH LED LIGHT
- METAL INNER LINER
- WIDE VOLTAGE RANGE (160V-270V)

All Features may vary model to model



WATER DISPENSER

HWD-3MPFMR| HWD-3MPFS | HWD-3MPTT
HWD-3BPFMR | HWD-3BPFS | HWD-3BPTT

Description	HWD-3MPFMR HWD-3BPFMR	HWD-3MPFS HWD-3BPFS	HWD-3MPTT HWD-3BPTT
Type	Floor Mounted Refrigerator	Floor Standing	Table top
Colour	Black & White/Black	Black & White/Black	Black & White/Black
Dimension (W*D*H) (mm)	320*390*1000	320*390*1000	320*390*510
Tank Capacity	3.35 Ltrs.	3.35 Ltrs.	3.35 Ltrs.
No. of Taps	3	3	3
Gross weight (Kg)	18.5 kg	15.7 kg	12.20 kg
Child lock option (Hot Water Tap)	Yes	Yes	Yes

- LARGE DISPENSING SPACE
- EASY TO USE
- ENERGY EFFICIENT
- TROPICALIZED COMPRESSOR
- ANTI RODENT
- STAINLESS STEEL FOOD GRADE WATER TANK

All Features may vary model to model



UNDER COUNTER/REACH IN-CHILLER/FREEZER

HCK-1350UCC2 | HCK-1350UCF2 | HCK-1800UCC3
HCK-1800UCF3 | HCK-680RC2 | HCK-680RF2
HCK-1220RC4 | HCK-1220RF4

Description	HCK-1350UCC2/ HCK-1350UCF2	HCK-1800UCC3/ HCK-1800UCF3	HCK-680RC2/ HCK-680RF2	HCK-1220RC4/ HCK-1220RF4
Category	Under counter chiller/Freezer	Under counter chiller/Freezer	Under counter chiller/Freezer	Under counter chiller/Freezer
Dimension (mm)	1350*700*850	1800*700*850	730*765*2000	1220*765*1965
No. of Doors	2	3	2	4
Temperature range	+2~+8 / -18~-22	+2~+8 / -18~-22	+2~+8 / -15~-20	+2~+8 / -15~-20
Refrigeration Type	Ventilated	Ventilated	Ventilated	Ventilated
No. of Shelves	2	3	3	6
Gross volume (Ltr)	260	400	500	1000
Controller Type	Digital	Digital	Digital	Digital
Castors	Lockable Wheels*	Lockable Wheels*	Lockable Wheels*	Lockable Wheels*

VENTILATED COOLING

DIGITAL CONTROLLER

SELF CLOSING DOOR

AUTO DEFROST

REMOVABLE GASKET

COPPER PIPING

All Features may vary model to model



PASTRY COUNTER

HCK-900CDC | HCK-1200CDC | HCK-1500CDC

Description	HCK-900CDC	HCK-1200CDC	HCK-1500CDC
Dimension (mm)	900*680*1235	1200*680*1235	1500*680*1235
Front Heated Glass	Yes	Yes	Yes
No. of shelf	Base + 3	Base + 3	Base + 3
LED	Warm White	Warm White	Warm White
Temperature range	+2~+8	+2~+8	+2~+8
Refrigeration Type	Ventilated	Ventilated	Ventilated
Controller Type	Digital	Digital	Digital
Castors	Yes	Yes	Yes
Gross Volume (Ltr)	380	475	569
Gross weight (Kg)	140	162	190

UNIFORM COOLING

ELECTRONIC TEMPERATURE CONTROLLER


CASTOR WHEELS

IN BUILT LED

FRONT HEATED GLASS

VENTILATED COOLING

All Features may vary model to model



Haier

WHAT WE OFFER?

- 1000+ Service Centres
- 19000+ Pin Codes Coverage Across India
- 4400+ Certified Engineers
- Installation Within 24 Hours

www.haier.com/in HaierIndia IndiaHaier HaierIndia

Haier Appliances India Pvt. Ltd. Plot No H-6, DMIC Integrated Industrial Township, Greater Noida, Uttar Pradesh – 201308. Ph: 0120-5174000, 5174100. | Email: info@haierindia.com

Source Euromonitor volume series data. *T & C Apply.

Haier CUSTOMER CARE

24x7 1800-419-9999 1800-102-9999

8553049999