

ELECTRIFY YOUR
HOUSE WITH **ULTIMATE**
Safety



I N D E X

ITEMS	PG. NO.
COMPANY PROFILE	01
ALUMINIUM SLIM & SURFACE PANEL LED ANTI-GLARE DOWNLIGHT	02
LED SLIM PANEL DUAL CCT / RAINBOW MODEL	03
PC LED BACKLIT PANEL MOVEABLE COB DOWNLIGHT	04
CONCEAL DOWN LIGHTS SPOT / STRIKER	05
DEEP / JUNCTION & MOON SURFACE HI-BAY / UFO	06
BULBS / EMERGENCY BULBS CROMA HAMMER (LED BULB)	07
TUBLIGHTS (T-5 & T-8)	08
LED LENS FLOOD LIGHT LED FLOOD LIGHT GLASS MODEL	09
LED FLOOD LIGHT ECO MODEL LED FLOOD LIGHT FULL LENS	10
FLOOD LIGHT BACK CHOWK STREET LIGHT LENSE SERIES	11
STREET LIGHT GLASS MODEL (BACK DRIVER) LENO SMART (LED STREET LIGHT WITH LENS)	12
LED STREET LIGHT (SLIM MODEL) WELL GLASS FIXTURE	13
COB SURFACE CYLINDER COB LIGHTS	14
COB SPOT LIGHT OUTDOOR WALL LIGHTS OUTDOOR WALL LIGHTS	15
COB TRACK / SPOT LIGHT STRIP LIGHT	16



We @ Kozon

INTRODUCTION

At Kozon, We offer Wide Range of Led Lighting Products. Our Portfolio Includes General Lighting, Commercial Lighting, Industrial Lighting Etc.

We Truly Believe in Making Environment Friendly Lighting Solutions and Have Been Focused on Latest Technology and Innovation for Developing Energy Efficient Products.

WHY US

We Follow the Principle of Make in India and Serve the Nation by Processing most of the Raw Material Available In India. Customer Satisfaction is our Prime Objective. In House R&D Lab Helps us in Bringing innovation and Reliability to our Products. Wide Product Range available under one Roof Which Helps in Catering all Kinds of Lighting Requirements for our OEM Buyers. We Make Energy Efficient Yet Economical Products with the Help of Latest Technology and Innovations. Our Latest Product Range offers Principle of "Save Energy-Save the Environment and Enhanced Value for Money".



ALUMINIUM SLIM & SURFACE PANEL



TECHNICAL SPECIFICATION

CODE NO.	TYPE	WATTAGE	LENGTH / DIA (mm)	BREADTH (mm)	HEIGHT (mm)	CUTOUT (mm)
KZN - 3 R/SQ (E)	Recessed	3	85	85	23	70
KZN - 6 R/SQ (E)	Recessed	6	120	120	23	105
KZN - 9 R/SQ (E)	Recessed	9	145	145	23	125
KZN - 12 R/SQ (E)	Recessed	12	170	170	23	155
KZN - 15 R/SQ (E)	Recessed	15	200	200	23	185
KZN - 18 R/SQ (E)	Recessed	18	225	225	23	205
KZN - 24 R/SQ (E)	Recessed	24	300	300	23	280
KZN - 6 R/SQ SM	Surface	6	120	120	35	-
KZN - 9 R/SQ SM	Surface	9	145	145	35	-
KZN - 12 R/SQ SM	Surface	12	170	170	35	-
KZN - 15 R/SQ SM	Surface	15	200	200	35	-
KZN - 18 R/SQ SM	Surface	18	225	225	35	-
KZN - 24 R/SQ SM	Surface	24	300	300	35	-

Operating Voltage : 100-440vac | IP Rating : IP 20 |

Power Factor : > 0.95 | Colour Temp. : 6000K / 4000K / 3in1

LED ANTI-GLARE DOWLIGHT



TECHNICAL SPECIFICATION

CODE NO.	POWER	PF	LIGHT FLUX	DIMENSION	CUT. DIA.	ANGLE
KZN - 15R	12	>0.9	1080-1200lm	115	80	120
KZN - 15S	12	>0.9	1080-1200lm	105	80	120
KZN - 15R	12	>0.9	1620-1800lm	150	80	120
KZN - 15S	12	>0.9	1620-1800lm	135	80	120
KZN - 15R	12	>0.9	2160-2400lm	170	80	120
KZN - 15S	12	>0.9	2160-2400lm	160	80	120

LED SLIM PANEL



TECHNICAL SPECIFICATION

CODE NO.	SHAPE	POWER	CCT	CUT SIZE	OUTER SIZE	HEIGHT
KZN-SP	Square (1X1)	24 watt	2400 lm	95x95 mm	118x118 mm	10 mm
KZN-SP	Square (2X2)	36 watt	3600 lm	560x560 mm	590x590 mm	10 mm
KZN-SP	Square (2X2)	48 watt	4800 lm	560x560 mm	590x590 mm	10 mm
KZN-SP	Square (1X4)	48 watt	4800 lm	472x300 mm	460x108 mm	10 mm

DUAL CCT / RAINBOW MODEL



TECHNICAL SPECIFICATION

CODE NO.	WATTAGE	DIA (mm)	CUT OUT (mm)	HEIGHT (mm)	CCT TUNEABLE
KZN - CCTR	9	85	45	45	NA
KZN - CCTR	6+3	85	45	45	AVAILABLE
KZN - CCTR	12+4	120	35-88	35	AVAILABLE

Operating Voltage : 100-440vac | IP Rating : IP 20 |

Power Factor : >0.95 | CRI : <80 | Colour Temp. : 6000K + R/G/B/P/ PBG

PC LED BACKLIT PANEL



TECHNICAL SPECIFICATION

CODE NO.	TYPE	WATTAGE	LENGTH / DIA (mm)	BREADTH (mm)	HEIGHT (mm)	CUTOUT (mm)	SURFACE RING
KZN - 5 R/SQ	Recessed	5	82	82	35	65	Available
KZN - 8 R/SQ	Recessed	8	115	115	35	100	Available
KZN - 12 R/SQ	Recessed	12	145	145	35	126	Available
KZN - 15 R/SQ	Recessed	15	165	165	35	150	Available
KZN - 22 R/SQ	Recessed	22	220	220	35	200	Available
KZN - 8 R/SQ	Surface	8	115	115	35	100	Available
KZN - 15 R/SQ	Surface	15	165	165	35	150	Available
KZN - 22 R/SQ SM	Surface	22	220	220	35	200	Available

Operating Voltage : 100-440vac | IP Rating : IP 20 |

Power Factor : > 0.95 | Colour Temp. : 6000K / 4000K / 3000K / 3in1

MOVEABLE COB DOWNLIGHT



TECHNICAL SPECIFICATION

CODE NO.	WATTAGE	DIA (mm)	CUTOUT (mm)	HEIGHT (mm)
KZN - COB	4	70	55	40
KZN - COB	7	105	80	50
KZN - COB	12	140	113	56

Colour Temp. : 6000K / 4000K / 3000K / R / G / B

CONCEAL DOWN LIGHTS



TECHNICAL SPECIFICATION

Product Code	Wattage	Dia (mm)	Cut Out (mm)	Height (mm)	Housing Material	CCT Tuneable
--------------	---------	----------	--------------	-------------	------------------	--------------

CODE NO.	WATTAGE	DIA (mm)	CUTOUT (mm)	HEIGHT (mm)	HOUSING MATERIAL	CCT TUNEABLE
KZN - CDL	7	110	75	60	PC + AL	Available
KZN - CDL	7	110	75	50	PC + AL	Available
KZN - CDL	7	110	75	50	PC + AL	Available
KZN - CDL	7	112	75	50	PC + AL	Available
KZN - CDL	9	110	75	45	AL	Available
KZN - CDL	9	110	75	50	AL-CASTED	Available
KZN - CDL	9	123	75	42	AL-CASTED	Available

Operating Voltage : 100-440vac | IP Rating : IP 20 |

Power Factor : >0.80 | Colour Temp. : W/WW/R/G/B/P

SPOT / STRIKER



TECHNICAL SPECIFICATION

CODE NO.	WATTAGE	DIA (mm)	CUTOUT (mm)	HEIGHT (mm)
KZN - S/S	2	44	34	16
KZN - S/S	3	70	-	15
KZN - S/S	5	62	-	24

Operating Voltage : 100-440vac | Colour Temp. : W/WW/R / G / B / P

DEEP / JUNCTION & MOON SURFACE



TECHNICAL SPECIFICATION

CODE NO.	TYPE	WATTAGE	DIA (mm)	CUTOUT (mm)	HEIGHT (mm)	CCT TUNEABLE
KZN - 3N	Deep Junction	3	45	65	40	Available
KZN - 3M	Deep Junction	3	45	100	40	Available
KZN - 8SH	Deep Junction	8	45	126	65	Available
KZN - 15SH	Deep Junction	15	45	150	58	Na
KZN - 8 GL	Moon Surface	8	-	200	45	Available
KZN - 15 GL	Moon Surface	15	-	100	45	NA
KZN - 8 TWISTER	Surface	8	-	150	50	NA
KZN - 15 TWISTER	Surface	15	-	200	50	NA

Operating Voltage : 100-440vac | IP Rating : IP 20 |

Power Factor : > 0.95 | CRI : > 80 | Colour Temp. : W / WW / R / G / B / P

HI-BAY /UFO



TECHNICAL SPECIFICATION

CODE NO.	WATTAGE	LENGTH / DIA	BREADTH	HEIGHT (mm)
KZN - HBY	50W	345 mm	345 mm	200 mm
KZN - HBY	100W	345 mm	345 mm	230 mm
KZN - HBY	150W	345 mm	345 mm	260 mm
KZN - HBY	200W	390 mm	390 mm	250 mm
KZN - HBY	250W	390 mm	390 mm	280 mm

BULBS / EMERGENCY BULBS



TECHNICAL SPECIFICATION

CODE NO.	WATTAGE	HOUSING	BASE	SURGE PROTECTION
KZN - BEB	7	A-57	B22 / E27	4 KV / 440V
KZN - BEB	9	A-57 / 240 ⁺	B22 / E27	4 KV / 440V
KZN - BEB	12	A-65	B22 / E27	4 KV / 440V
KZN - BEB	15	A-65	B22 / E27	4 KV / 440V
KZN - BEB	18	A-75	B22 / E27	4 KV / 440V
KZN - BEB	9 ACDC	A-70	B22D	4 KV / 440V
KZN - BEB	12 ACDC	A-70	B22D	4 KV / 440V
KZN - BEB				

Operating Voltage : 100-440vac | Power Factor : >0.95 | CRI : >80 | Colour Temp. : 6000K / 3000K / Red / Green / Blue / Pink

CROMA HAMMER (LED BULB)



CODE NO.	SHAPE	POWER	SYSTEM LUMEN	SIZE
KZN - CHLB	Round	20 Watt	White	80 mm
KZN - CHLB	Round	30 Watt	White	100 mm
KZN - CHLB	Round	40 Watt	White	120 mm
KZN - CHLB	Round	50 Watt	White	120 mm

TUBLIGHTS (T-5 & T-8)



TECHNICAL SPECIFICATION

CODE NO.	POWER	SYSTEM LUMEN	SIZE
KZN - T5-T8	5 Watt	500 lm	320x20 mm
KZN - T5-T8	10 Watt	1000 lm	570x20 mm
KZN - T5-T8	20 watt	2000 lm	1145x20 mm
KZN - T5-T8	24 WATT	2400 lm	1170x20 mm
KZN - T5-T8	36 WATT	3600 lm	1170x20 mm

SOLAR STREET LIGHT

Using the latest LED and solar technology our powerful solar street light range offers exceptional lighting with substantial energy savings, reduce maintenance costs and carbon emission.

For use in range of situations from street lighting, car parks, public spaces, security area, exterior retail environment and general area lighting.

Easy fixing points to connect to your light column make it easier than ever to update your current lighting.



LED LENS FLOOD LIGHT



TECHNICAL SPECIFICATION

CODE NO.	WATTAGE	DIMENSION			WEIGHT (KG.)	SURGE
		Length (mm)	Breadth (mm)	Height (mm)		
KZFL-30	30	200	190	40	0.75	4KV / 440V
KZFL-50	50	240	230	40	1.11	6KV / 440V
KZFL-100	100	295	285	55	1.74	6KV / 440V
KZFL-200	200	360	350	60	3.35	6KV / 440V

Operating Voltage : 100-440vac | IP RATING : IP65 | Power Factor : > 0.95 | CRI : > 80 | Colour Temp. : 6000K / 3000K

LED FLOOD LIGHT GLASS MODEL



CODE NO.	SHAPE	POWER	SYSTEM LUMEN	OUTER SIZE	HEIGHT
KZFG-20	Square	20 watt	1800 lm	185x180 mm	45 mm
KZFG-30	Square	30 watt	2700 lm	185x180 mm	45 mm
KZFG-50	Square	50 watt	4500 lm	225x220 mm	55 mm
KZFG-100	Square	100 watt	9000 lm	282x272 mm	60 mm
KZFG-150	Square	150 watt	12000 lm	287x287 mm	80 mm
KZFG-200	Square	200 watt	16000 lm	332x318 mm	90 mm

LED FLOOD LIGHT ECO MODEL



TECHNICAL SPECIFICATION

CODE NO.	WATTAGE	LENGTH / DIA	BRADTH	HEIGHT
KZNFLE - 10	10W	105 mm	100 mm	34 mm
KZNFLE - 20	20W	145 mm	116 mm	34 mm
KZNFLE - 30	30W	214 mm	160 mm	42 mm
KZNFLE - 50	50W	230 mm	197 mm	50 mm
KZNFLE - 100	100W	290 mm	243mm	53mm
KZNFLE - 150	150W	352 mm	285mm	70mm
KZNFLE - 200	200W	430 mm	325mm	80mm

LED FLOOD LIGHT FULL LENS



TECHNICAL SPECIFICATION

CODE NO.	WATTAGE	LENGTH / DIA	BREADTH	HEIGHT
KZNFFL - 50	50	180	180	50
KZNFFL - 100	100	210	210	50
KZNFFL - 200	200	350	350	60

FLOOD LIGHT BACK CHOWK



TECHNICAL SPECIFICATION

CODE NO.	WATTAGE	LENGTH / DIA	BRADTH	HEIGHT
KZNFLBC	200-250W	380 mm	280 mm	145 mm
KZNFLBC	300-350W	425 mm	325 mm	145 mm
KZNFLBC	400-450W	440 mm	340 mm	180 mm

STREET LIGHT LENSE SERIES



TECHNICAL SPECIFICATION

CODE NO.	WATTAGE	DIMENSION				WEIGHT (KG.)	SURGE
		Length (mm)	Breadth (mm)	Height (mm)	Pole Dia (mm)		
KZN-SL	20	280	108	55		50	4KV / 440V
KZN-SL	25	280	108	55		50	4KV / 440V
KZN-SL	30	330	128	55		50	4KV / 440V
KZN-SL	40	330	128	55		50	6KV / 440V
KZN-SL	50	375	165	55		54	6KV / 440V
KZN-SL	60	375	165	55		54	6KV / 440V
KZN-SL	100	445	190	55		58	6KV / 440V

Operating Voltage : 100-440vac | IP RATING : IP65 | Power Factor : >0.95 | CRI : >80 | Colour Temp. : 6000K / 3000K

STREET LIGHT GLASS MODEL (BACK DRIVER)



KOZON[®]
LIGHTING



TECHNICAL SPECIFICATION

CODE NO.	WATT	LENGTH/DIA	BREADTH	HEIGHT
KZN-SL	30-40W	340 mm	105 mm	60 mm
KZN-SL	40-50W	372 mm	146 mm	65 mm
KZN-SL	40-50W	372 mm	146 mm	65mm
KZN-SL	40-50W	406 mm	170 mm	55 mm
KZN-SL	40-50W	285 mm	142 mm	56 mm
KZN-SL	50-60W	392 mm	146 mm	70 mm
KZN-SL	60-80W	452 mm	213 mm	67 mm
KZN-SL	80-110W	452 mm	213 mm	73 mm

LENO SMART (LED STREET LIGHT WITH LENS)



TECHNICAL SPECIFICATION

CODE NO.	POWER	SYSTEM LUMEN	OUTER SIZE	MOUNTING DIA
KZN-SL	20 watt	1800 lm	270x110x53 mm	40 mm
KZN-SL	24 watt	2160 lm	270x110x53 mm	40 mm
KZN-SL	30 watt	2700 lm	330x127x57 mm	40 mm
KZN-SL	36 watt	3240 lm	330x127x57 mm	40 mm
KZN-SL	50 watt	4500 lm	401x159x55 mm	40 mm
KZN-SL	60 watt	5400 lm	401x159x55 mm	40 mm
KZN-SL	72 watt	6480 lm	445x190x55 mm	40 mm
KZN-SL	100 watt	9000 lm	445x190x55 mm	40 mm
KZN-SL	120 watt	12000 lm	445x190x55 mm	40 mm

LED STREET LIGHT (SLIM MODEL)



TECHNICAL SPECIFICATION

CODE NO.	WATT	PCB AREA	DRIVER AREA	BODY DIMENSION
KZN-SSL	20 W	101x59	108x44x22	281x112x38
KZN-SSL	30 W	119x77	118x61x29	307x123x47
KZN-SSL	50 W	205x190	136x93x40	400x139x58
KZN-SSL	100 W	272x122	527x182x63	527x182x63

WELL GLASS FIXTURE



TECHNICAL SPECIFICATION

CODE NO.	Watt	PCB Area	Driver Area	Body Dimension
KZN-WGL	30-36 W	95 X 95	99 X 50 X 45	Ø132 X 116



COB SURFACE CYLINDER



TECHNICAL SPECIFICATION

CODE NO.	WATTAGE	DIA (mm)	HEIGHT
KZN-CSC	6	60	90
KZN-CSC	12	60	140
KZN-CSC	18	100	125

Operating Voltage : 100-440vac | IP Rating : IP 20

Power Factor : >0.95 | CRI : >80 | Colour Temp. : 6000K / 4000K / 3000K

COB LIGHTS



TECHNICAL SPECIFICATION

CODE NO.	WATTAGE	DIA (mm)	CUT OUT (mm)	HEIGHT (mm)	HOUSING OPTION
KZN - COB	6	90	75	60	White
KZN - COB	10	90	75	75	White
KZN - COB	18	115	95	85	White
KZN - COB	24	135	115	100	White
KZN - COB	30	160	140	110	White
KZN - COB	40	160	140	120	White
KZN - COB	50	160	140	130	White
KZN - COB (DEEP)	7	63	50	60	White / Black
KZN - COB (DEEP)	12	85	75	80	White / Black
KZN - COB (DEEP)	18	90	80	93	White / Black
KZN - COB (DEEP)	7	75	75	60	Black / Rose Gold Reflector
KZN - COB (DEEP)	12	85	75	77	Black/Rose Gold Reflector

Operating Voltage : 100-440vac | IP Rating : IP 20 | Power Factor : >0.95 | CRI : >80

COB SPOT LIGHT



TECHNICAL SPECIFICATION

CODE NO.	WATTAGE	PF	SHAPE	SIZE	CUTOUT	LUMEN
KZN-CSL	7	>0.5 2.5KV	ROUND	70 mm	65 mm	630 lm
KZN-CSL	12	>0.9 2.5KV	ROUND	85 mm	75 mm	1080 lm
KZN-CSL	18	>0.9 2.5KV	ROUND	90 mm	80 mm	1620 lm

Operating Voltage : 100-380v | CRI : >80 | Colour Temp. : WH / NW / WW

OUTDOOR WALL LIGHTS



TECHNICAL SPECIFICATION

CODE NO.	WATTAGE	SIZE / DIA (mm)	CUTOUT / LENGTH (mm)	DEPTH (mm)
KZN-OL	3	110X90	90X70	60
KZN-OL	6	160X95	140X75	65
KZN-OL	3	40	220	-
KZN-OL	5	60	260	-
KZN-OL	9	70	130	-
KZN-OL	12	75	162	-
KZN-OL	6	65	150	-
KZN-OL	18	90	270	-
KZN-OL	10	80	160	-

OUTDOOR WALL LIGHTS



TECHNICAL SPECIFICATION

CODE NO.	LED	COLOUR TEMP.	MATERIAL	BODY COLOUR	SIZE
KZN-OL	4x3W	3000K,6000K	Die-Casting Aluminium with Toughened Glass	Graphite Gray, Black	57x77 mm
KZN-OL	4x3W	3000K,6000K	Die-Casting Aluminium with Toughened Glass	Graphite Gray, Black	100x98 mm
KZN-OL	2X3, 2X5W (Cob)	3000K,6000K	Die-Casting Aluminium with Toughened Glass	Graphite Gray, Black	140x80 mm
KZN-OL	1X3, 1X5W (Cob)	3000K,6000K	Die-Casting Aluminium with Toughened Glass	Graphite Gray, Black	75x80 mm

COB TRACK / SPOT LIGHT



TECHNICAL SPECIFICATION

CODE NO.	WATTAGE	DIA (mm)	HEIGHT (mm)	HOUSING OPTIONS
KZN-COB	10	60	105	White / Black
KZN-COB	20	80	150	White / Black
KZN-COB	30	100	175	White / Black
KZN-COB (S)	10	60	105	White / Black
KZN-COB (S)	20	80	150	White / Black
KZN-COB (S)	30	100	175	White / Black
KZN-COB	10	50	130	White / Black
KZN-COB	20	65	160	White / Black
KZN-COB	30	75	180	White / Black

Operating Voltage : 100-440vac | IP Rating : IP 20

Power Factor : >0.95 | CRI : >80 | Colour Temp. : 6000K / 4000K / 3000K

STRIP LIGHT



2835 | 60 LED | 12V DC



2835 | 120 LED | 12V DC



2835 | 240 LED | 12V DC



12V LED DRIVER



OUR CERTIFICATE



Certificate of Compliance

ROHS Directive (2012/19/EU) of the European Parliament and of the Council on the restriction of use of certain Hazardous Substances in Electric and Electronic Equipment (EEE)

Certificate No.: QCS-2020-KSPL-22375

Name : KOZON INDIA SOLUTIONS (OPC) PVT. LTD.

Address : B - 20 & 21, JOSHI COLONY, MANDAWALL I. P. EXTENSION, DELHI - 110092 (INDIA)

Product Description: LED & SOLAR PRODUCTS

Product List : "AS PER APPENDIX ATTACHED / PROCESSED"

- LED LIGHTS
- TUBE LIGHTS
- LED PANEL LIGHT
- STREET LIGHT
- FLOOD LIGHT
- SOLAR STREET LIGHTS

RoHS compliant

Authorized Signatory

QCS

Validity of this Certificate is subject to Annual Surveillance audits done successfully. This certificate remains the property of QCS and must be returned whenever demanded. QCS is an independent system product and personal assessment body QCS is accredited by Global Accreditation Certification Board (GACB).
US OFFICE: Maryland Avenue, SW Washington, D.C. - 20002
info@qacertgroup.com, www.qacertgroup.com

Certificate of Compliance

We hereby declare that the technical file of product complied with the requirement of Directive 2014/53/EU on Low Voltage Directive (LVD)

Certificate No.: QCS-2020-KSPL-22376

Manufacturer:

NAME : KOZON INDIA SOLUTIONS (OPC) PVT. LTD.

ADDRESS : B - 20 & 21, JOSHI COLONY, MANDAWALL I. P. EXTENSION, DELHI - 110092 (INDIA)

PRODUCT DESCRIPTION: LED & SOLAR PRODUCTS

PRODUCT LIST : AS PER ATTACHED / PROCESSED ARE FOLLOWS

- LED LIGHTS
- TUBE LIGHTS
- LED PANEL LIGHT
- STREET LIGHT
- FLOOD LIGHT
- SOLAR STREET LIGHTS

The Certification body has performed an audit of the above testing and verified the design system, manufacture and final inspection of the certified product. The Product registration has been assessed, approved and is subject to continuous surveillance according to the Directive 2014/53/EU on Low Voltage Directive (LVD)

This certificate is issued under the following conditions:

1. Fulfilled standard requirements as per implementation of suggested standards.
2. The certificate remains valid until the manufacturing conditions are changed.
3. The certificate validity is conditioned by positive results or surveillance audits.
4. The CE mark as shown can be used, under the responsibility of the manufacturer, after completion of a EU Declaration of conformity and compliance with all relevant EU Directive. The statement is based on a single evaluation of one sample of above mentioned product. It does not imply an assessment of the whole production.

Validity of this certificate can be verified www.qacb.us

Date of Certification: 22nd Sep 2020 1st Surveillance Due: 22nd Sep 2021

Date of Recertification: 21st Sep 2023 2nd Surveillance Due: 21st Sep 2022

(Subject to the company maintaining its system To the required standard)

CE

Authorized Signatory

QCS

Validity of this Certificate is subject to Annual Surveillance audits done successfully. This certificate remains the property of QCS and must be returned whenever demanded. QCS is an independent system product and personal assessment body QCS is accredited by Global Accreditation Certification Board (GACB).
US OFFICE: Maryland Avenue, SW Washington, D.C. - 20002
info@qacertgroup.com, www.qacertgroup.com

Certificate of Compliance

ROHS Directive (2012/19/EU) of the European Parliament and of the Council on the restriction of use of certain Hazardous Substances in Electric and Electronic Equipment (EEE)

Certificate No.: QCS-2020-KSPL-22375

Name : KOZON INDIA SOLUTIONS (OPC) PVT. LTD.

Address : B - 20 & 21, JOSHI COLONY, MANDAWALL I. P. EXTENSION, DELHI - 110092 (INDIA)

Product Description: LED & SOLAR PRODUCTS

Product List : "AS PER APPENDIX ATTACHED / PROCESSED"

This is to state that the above mentioned products are in compliance with ROHS Directive of the European Parliament and Commission Directive (2011/65/EU) on the restriction of use of certain Hazardous Substances (Lead (Pb), Mercury (Hg), Cadmium (Cd), Hexavalent Chromium (Cr+6), Polybrominated biphenyls (PBBs) and Polybrominated Diphenyl Ethers (PBDEs)) in Medical Device and Personal Protective Equipment Directive Statement.

This certificate declares that the product type/model described above complies with the mentioned above European Standard(s).

Remarks:

This certificate of compliance is based on the evaluation of a sample of the above mentioned products. It does not imply an assessment of the mass-production of the product. This certificate holder may use this certificate in connection with the test certification body should be informed (technical file) for any modification or alterations made to the aforementioned product type(s), including design and manufacture and/or extension to the existing scope of application.

The certificate is valid for three years if the company applies the technical construction file which has been stored QCS office. This certificate includes declaration of manufacturer. Certificate remains property of QCS to whom it must be returned upon request. The certificate validity is conditioned by positive results or surveillance audits.

Validity of this certificate can be verified at www.qacb.us

Date of Certification: 22nd Sep 2020 1st Surveillance Due: 22nd Sep 2021

Date of Recertification: 21st Sep 2023 2nd Surveillance Due: 21st Sep 2022

(Subject to the company maintaining its system To the required standard)

RoHS compliant

Authorized Signatory

QCS

Validity of this Certificate is subject to Annual Surveillance audits done successfully. This certificate remains the property of QCS and must be returned whenever demanded. QCS is an independent system product and personal assessment body QCS is accredited by Global Accreditation Certification Board (GACB).
US OFFICE: Maryland Avenue, SW Washington, D.C. - 20002
info@qacertgroup.com, www.qacertgroup.com

Certificate of Registration

ISO 9001:2015

for the following scope :

MANUFACTURING & SUPPLY OF LED LIGHTS, TUBE LIGHTS, LED PANEL LIGHTS, STREET LIGHT, FLOOD LIGHT, SOLAR STREET LIGHTS.

Certificate No : 200QHQ17

Initial Registration Date : 22/09/2020

Date of Expiry* : 21/09/2023

Issuance Date : 22/09/2020

2nd Surve. Due : 22/09/2022

1st Surve. Due : 22/08/2021

2nd Surve. Due : 22/08/2022

QCS

Director

ROHS Certification Pvt. Ltd.

408, Middle Street, 11, Tollymore Park, New Delhi - 110 017 India.

Phone : +91 11 26100111 / 26100112 / 26100113 / 26100114 / 26100115 / 26100116 / 26100117 / 26100118 / 26100119 / 26100120 / 26100121 / 26100122 / 26100123 / 26100124 / 26100125 / 26100126 / 26100127 / 26100128 / 26100129 / 26100130 / 26100131 / 26100132 / 26100133 / 26100134 / 26100135 / 26100136 / 26100137 / 26100138 / 26100139 / 26100140 / 26100141 / 26100142 / 26100143 / 26100144 / 26100145 / 26100146 / 26100147 / 26100148 / 26100149 / 26100150 / 26100151 / 26100152 / 26100153 / 26100154 / 26100155 / 26100156 / 26100157 / 26100158 / 26100159 / 26100160 / 26100161 / 26100162 / 26100163 / 26100164 / 26100165 / 26100166 / 26100167 / 26100168 / 26100169 / 26100170 / 26100171 / 26100172 / 26100173 / 26100174 / 26100175 / 26100176 / 26100177 / 26100178 / 26100179 / 26100180 / 26100181 / 26100182 / 26100183 / 26100184 / 26100185 / 26100186 / 26100187 / 26100188 / 26100189 / 26100190 / 26100191 / 26100192 / 26100193 / 26100194 / 26100195 / 26100196 / 26100197 / 26100198 / 26100199 / 26100200 / 26100201 / 26100202 / 26100203 / 26100204 / 26100205 / 26100206 / 26100207 / 26100208 / 26100209 / 26100210 / 26100211 / 26100212 / 26100213 / 26100214 / 26100215 / 26100216 / 26100217 / 26100218 / 26100219 / 26100220 / 26100221 / 26100222 / 26100223 / 26100224 / 26100225 / 26100226 / 26100227 / 26100228 / 26100229 / 26100230 / 26100231 / 26100232 / 26100233 / 26100234 / 26100235 / 26100236 / 26100237 / 26100238 / 26100239 / 26100240 / 26100241 / 26100242 / 26100243 / 26100244 / 26100245 / 26100246 / 26100247 / 26100248 / 26100249 / 26100250 / 26100251 / 26100252 / 26100253 / 26100254 / 26100255 / 26100256 / 26100257 / 26100258 / 26100259 / 26100260 / 26100261 / 26100262 / 26100263 / 26100264 / 26100265 / 26100266 / 26100267 / 26100268 / 26100269 / 26100270 / 26100271 / 26100272 / 26100273 / 26100274 / 26100275 / 26100276 / 26100277 / 26100278 / 26100279 / 26100280 / 26100281 / 26100282 / 26100283 / 26100284 / 26100285 / 26100286 / 26100287 / 26100288 / 26100289 / 26100290 / 26100291 / 26100292 / 26100293 / 26100294 / 26100295 / 26100296 / 26100297 / 26100298 / 26100299 / 26100300 / 26100301 / 26100302 / 26100303 / 26100304 / 26100305 / 26100306 / 26100307 / 26100308 / 26100309 / 26100310 / 26100311 / 26100312 / 26100313 / 26100314 / 26100315 / 26100316 / 26100317 / 26100318 / 26100319 / 26100320 / 26100321 / 26100322 / 26100323 / 26100324 / 26100325 / 26100326 / 26100327 / 26100328 / 26100329 / 26100330 / 26100331 / 26100332 / 26100333 / 26100334 / 26100335 / 26100336 / 26100337 / 26100338 / 26100339 / 26100340 / 26100341 / 26100342 / 26100343 / 26100344 / 26100345 / 26100346 / 26100347 / 26100348 / 26100349 / 26100350 / 26100351 / 26100352 / 26100353 / 26100354 / 26100355 / 26100356 / 26100357 / 26100358 / 26100359 / 26100360 / 26100361 / 26100362 / 26100363 / 26100364 / 26100365 / 26100366 / 26100367 / 26100368 / 26100369 / 26100370 / 26100371 / 26100372 / 26100373 / 26100374 / 26100375 / 26100376 / 26100377 / 26100378 / 26100379 / 26100380 / 26100381 / 26100382 / 26100383 / 26100384 / 26100385 / 26100386 / 26100387 / 26100388 / 26100389 / 26100390 / 26100391 / 26100392 / 26100393 / 26100394 / 26100395 / 26100396 / 26100397 / 26100398 / 26100399 / 26100400 / 26100401 / 26100402 / 26100403 / 26100404 / 26100405 / 26100406 / 26100407 / 26100408 / 26100409 / 26100410 / 26100411 / 26100412 / 26100413 / 26100414 / 26100415 / 26100416 / 26100417 / 26100418 / 26100419 / 26100420 / 26100421 / 26100422 / 26100423 / 26100424 / 26100425 / 26100426 / 26100427 / 26100428 / 26100429 / 26100430 / 26100431 / 26100432 / 26100433 / 26100434 / 26100435 / 26100436 / 26100437 / 26100438 / 26100439 / 26100440 / 26100441 / 26100442 / 26100443 / 26100444 / 26100445 / 26100446 / 26100447 / 26100448 / 26100449 / 26100450 / 26100451 / 26100452 / 26100453 / 26100454 / 26100455 / 26100456 / 26100457 / 26100458 / 26100459 / 26100460 / 26100461 / 26100462 / 26100463 / 26100464 / 26100465 / 26100466 / 26100467 / 26100468 / 26100469 / 26100470 / 26100471 / 26100472 / 26100473 / 26100474 / 26100475 / 26100476 / 26100477 / 26100478 / 26100479 / 26100480 / 26100481 / 26100482 / 26100483 / 26100484 / 26100485 / 26100486 / 26100487 / 26100488 / 26100489 / 26100490 / 26100491 / 26100492 / 26100493 / 26100494 / 26100495 / 26100496 / 26100497 / 26100498 / 26100499 / 26100500 / 26100501 / 26100502 / 26100503 / 26100504 / 26100505 / 26100506 / 26100507 / 26100508 / 26100509 / 26100510 / 26100511 / 26100512 / 26100513 / 26100514 / 26100515 / 26100516 / 26100517 / 26100518 / 26100519 / 26100520 / 26100521 / 26100522 / 26100523 / 26100524 / 26100525 / 26100526 / 26100527 / 26100528 / 26100529 / 26100530 / 26100531 / 26100532 / 26100533 / 26100534 / 26100535 / 26100536 / 26100537 / 26100538 / 26100539 / 26100540 / 26100541 / 26100542 / 26100543 / 26100544 / 26100545 / 26100546 / 26100547 / 26100548 / 26100549 / 26100550 / 26100551 / 26100552 / 26100553 / 26100554 / 26100555 / 26100556 / 26100557 / 26100558 / 26100559 / 26100560 / 26100561 / 26100562 / 26100563 / 26100564 / 26100565 / 26100566 / 26100567 / 26100568 / 26100569 / 26100570 / 26100571 / 26100572 / 26100573 / 26100574 / 26100575 / 26100576 / 26100577 / 26100578 / 26100579 / 26100580 / 26100581 / 26100582 / 26100583 / 26100584 / 26100585 / 26100586 / 26100587 / 26100588 / 26100589 / 26100590 / 26100591 / 26100592 / 26100593 / 26100594 / 26100595 / 26100596 / 26100597 / 26100598 / 26100599 / 26100600 / 26100601 / 26100602 / 26100603 / 26100604 / 26100605 / 26100606 / 26100607 / 26100608 / 26100609 / 26100610 / 26100611 / 26100612 / 26100613 / 26100614 / 26100615 / 26100616 / 26100617 / 26100618 / 26100619 / 26100620 / 26100621 / 26100622 / 26100623 / 26100624 / 26100625 / 26100626 / 26100627 / 26100628 / 26100629 / 26100630 / 26100631 / 26100632 / 26100633 / 26100634 / 26100635 / 26100636 / 26100637 / 26100638 / 26100639 / 26100640 / 26100641 / 26100642 / 26100643 / 26100644 / 26100645 / 26100646 / 26100647 / 26100648 / 26100649 / 26100650 / 26100651 / 26100652 / 26100653 / 26100654 / 26100655 / 26100656 / 26100657 / 26100658 / 26100659 / 26100660 / 26100661 / 26100662 / 26100663 / 26100664 / 26100665 / 26100666 / 26100667 / 26100668 / 26100669 / 26100670 / 26100671 / 26100672 / 26100673 / 26100674 / 26100675 / 26100676 / 26100677 / 26100678 / 26100679 / 26100680 / 26100681 / 26100682 / 26100683 / 26100684 / 26100685 / 26100686 / 26100687 / 26100688 / 26100689 / 26100690 / 26100691 / 26100692 / 26100693 / 26100694 / 26100695 / 26100696 / 26100697 / 26100698 / 26100699 / 26100700 / 26100701 / 26100702 / 26100703 / 26100704 / 26100705 / 26100706 / 26100707 / 26100708 / 26100709 / 26100710 / 26100711 / 26100712 / 26100713 / 26100714 / 26100715 / 26100716 / 26100717 / 26100718 / 26100719 / 26100720 / 26100721 / 26100722 / 26100723 / 26100724 / 26100725 / 26100726 / 26100727 / 26100728 / 26100729 / 26100730 / 26100731 / 26100732 / 26100733 / 26100734 / 26100735 / 26100736 / 26100737 / 26100738 / 26100739 / 26100740 / 26100741 / 26100742 / 26100743 / 26100744 / 26100745 / 26100746 / 26100747 / 26100748 / 26100749 / 26100750 / 26100751 / 26100752 / 26100753 / 26100754 / 26100755 / 26100756 / 26100757 / 26100758 / 26100759 / 26100760 / 26100761 / 26100762 / 26100763 / 26100764 / 26100765 / 26100766 / 26100767 / 26100768 / 26100769 / 26100770 / 26100771 / 26100772 / 26100773 / 26100774 / 26100775 / 26100776 / 26100777 / 26100778 / 26100779 / 26100780 / 26100781 / 26100782 / 26100783 / 26100784 / 26100785 / 26100786 / 26100787 / 26100788 / 26100789 / 26100790 / 26100791 / 26100792 / 26100793 / 26100794 / 26100795 / 26100796 / 26100797 / 26100798 / 26100799 / 26100800 / 26100801 / 26100802 / 26100803 / 26100804 / 26100805 / 26100806 / 26100807 / 26100808 / 26100809 / 26100810 / 26100811 / 26100812 / 26100813 / 26100814 / 26100815 / 26100816 / 26100817 / 26100818 / 26100819 / 26100820 / 26100821 / 26100822 / 26100823 / 26100824 / 26100825 / 26100826 / 26100827 / 26100828 / 26100829 / 26100830 / 26100831 / 26100832 / 26100833 / 26100834 / 26100835 / 26100836 / 26100837 / 26100838 / 26100839 / 26100840 / 26100841 / 26100842 / 26100843 / 26100844 / 26100845 / 26100846 / 26100847 / 26100848 / 26100849 / 26100850 / 26100851 / 26100852 / 26100853 / 26100854 / 26100855 / 26100856 / 26100857 / 26100858 / 26100859 / 26100860 / 26100861 / 26100862 / 26100863 / 26100864 / 26100865 / 26100866 / 26100867 / 26100868 / 26100869 / 26100870 / 26100871 / 26100872 / 26100873 / 26100874 / 26100875 / 26100876 / 26100877 / 26100878 / 26100879 / 26100880 / 26100881 / 26100882 / 26100883 / 26100884 / 26100885 / 26100886 / 26100887 / 26100888 / 26100889 / 26100890 / 26100891 / 26100892 / 26100893 / 26100894 / 26100895 / 26100896 / 26100897 / 26100898 / 26100899 / 26100900 / 26100901 / 26100902 / 26100903 / 26100904 / 26100905 / 26100906 / 26100907 / 26100908 / 26100909 / 26100910 / 26100911 / 26100912 / 26100913 / 26100914 / 26100915 / 26100916 / 26100917 / 26100918 / 26100919 / 26100920 / 26100921 / 26100922 / 26100923 / 26100924 / 26100925 / 26100926 / 26100927 / 26100928 / 26100929 / 26100930 / 26100931 / 26100932 / 26100933 / 26100934 / 26100935 / 26100936 / 26100937 / 26100938 / 26100939 / 26100940 / 26100941 / 26100942 / 26100943 / 26100944 / 26100945 / 26100946 / 26100947 / 26100948 / 26100949 / 26100950 / 26100951 / 26100952 / 26100953 / 26100954 / 26100955 / 26100956 / 26100957 / 26100958 / 26100959 / 26100960 / 26100961 / 26100962 / 26100963 / 26100964 / 26100965 / 26100966 / 26100967 / 26100968 / 26100969 / 26100970 / 26100971 / 26100972 / 26100973 / 26100974 / 26100975 / 26100976 / 26100977 / 26100978 / 26100979 / 26100980 / 26100981 / 26100982 / 26100983 / 26100984 / 26100985 / 26100986 / 26100987 / 26100988 / 26100989 / 26100990 / 26100991 / 26100992 / 26100993 / 26100994 / 26100995 / 26100996 / 26100997 / 26100998 / 26100999 / 26101000 / 26101001 / 26101002 / 26101003 / 26101004 / 26101005 / 26101006 / 26101007 / 26101008 / 26101009 / 26101010 / 26101011 / 26101012 / 26101013 / 26101014 / 26101015 / 26101016 / 26101017 / 26101018 / 26101019 / 26101020 / 26101021 / 26101022 / 26101023 / 26101024 / 26101025 / 26101026 / 26101027 / 26101028 / 26101029 / 26101030 / 26101031 / 26101032 / 26101033 / 26101034 / 26101035 / 26101036 / 26101037 / 26101038 / 26101039 / 26101040 / 26101041 / 26101042 / 26101043 / 26101044 / 26101045 / 26101046 / 26101047 / 26101048 / 26101049 / 26101050 / 26101051 / 26101052 / 26101053 / 26101054 / 26101055 / 26101056 / 26101057 / 26101058 / 26101059 / 26101060 / 26101061 / 26101062 / 26101063 / 26101064 / 26101065 / 26101066 / 26101067 / 26101068 / 26101069 / 26101070 / 26101071 / 26101072 / 26101073 / 26101074 / 26101075 / 26101076 / 26101077 / 26101078 / 26101079 / 26101080 / 26101081 / 26101082 / 26101083 / 26101084 / 26101085 / 26101086 / 26101087 / 26101088 / 26101089 / 26101090 / 26101091 / 26101092 / 26101093 / 26101094 / 26101095 / 26101096 / 26101097 / 26101098 / 26101099 / 26101100 / 26101101 / 26101102 / 26101103 / 26101104 / 26101105 / 26101106 / 26101107 / 26101108 / 26101109 / 2

NETWORK STATES



Mfd. By :

KOZON INDIA SOLUTIONS

Address: B-20&21, Joshi Colony Mandawali, IP Extension, Delhi-110092

Mobile No.: 8595235765, 9310319701,

7428076492, 7011494740, 9319707278

E-Mail: arvind.kozon@gmail.com

Website: www.kozon.co.in

DEALER / DISTRIBUTOR

Follow Us :



Kozon India Solution -
Led Lights Manufacturer



Kozon Official



Kozon Official