

MPH

PRICE LIST
21 June 2022

MULTI-TECH PNEUMATIC & HYDRAULICS

TEKKO Brass Compression Fitting



TEKKO Pneumatics Products



BRRIT PNEUMATIC SYSTEM Low Cost Productivity Solutions



ELECTRO PNEUMATICS




IMPORTER

THB

TAIWAN

Techno™

Industrial Products





Authorised Distributor

	DESCRIPTION	SIZE	LIST PRICE
	2/2 External Pilot Operated	1/2"	5800
	2/2 External Pilot Operated	3/4"	7000
	2/2 External Pilot Operated	1"	7500
	5/2 Single Solenoid Valve	1/4"	5000
	5/2 Single Solenoid Valve	1/2"	7300
	5/2 Single Solenoid Valve	3/4"	10000
	5/2 Single Solenoid valve	1"	13800
	5/2 Double Solenoid Valve	1/4"	6400
	5/2 Double Solenoid Valve	1/2"	8800
	5/2 Double Solenoid Valve	3/4"	12500
	5/2 Double Solenoid Valve	1"	16000
	5/3 Double Solenoid valve	1/2"	13500
	3/2 Poppet Valve	1/2"	5000
	3/2 Poppet Valve	3/4"	7300
	3/2 Poppet Valve	1"	9800
	Dual Sensing	1/2"	13800
	Dual Sensing	3/4"	25200
	Dual Sensing	1"	26000
	Roller Lever	1/4"	2500
	Roller Lever	1/2"	4000
	Quick Exhaust	1/2"	2600
	Quick Exhaust	3/4"	3500
	Quick Exhaust	1"	5200
	Rotary Seal	1/2"	4900
	Rotary Seal	3/4"	6000
	Rotary Seal	1"	8500
	EP Plunger / Coil (220 AC / 24 DC / 110 AC)		1550

TEKKO

Brass Compression Fitting



Male PU Connector
(BSP Thread x Pipe OD size)

Size	Rate
1/8" x 6 OD	38
1/4" x 6 OD	38
3/8" x 6 OD	84
1/8" x 8 OD	38
1/4" x 8 OD	38
3/8" x 8 OD	84
1/2" x 8 OD	92
1/4" x 10 OD	76
3/8" x 10 OD	90
1/2" x 10 OD	100
1/4" x 12 OD	88
3/8" x 12 OD	100
1/2" x 12 OD	112
1/4" x 14 OD	180
3/8" x 14 OD	180
1/2" x 14 OD	180
1/2" x 16 OD	180



PU Connector Female
(BSP Thread x Pipe OD size)

Size	Rate
1/8" x 6 OD	72
1/4" x 6 OD	72
1/8" x 8 OD	72
1/4" x 8 OD	72



Male PU Elbow
(BSP Thread x Pipe OD size)

Size	Rate
1/8" x 6 OD	80
1/4" x 6 OD	80
1/8" x 8 OD	80
1/4" x 8 OD	80
1/4" x 10 OD	170
1/4" x 12 OD	180
3/8"x12 OD	180



PU TEE Assembly (OD Size)
(Pipe OD size)

Size	Rate
6 x 6 x 6	140
8 x 8 x 8	140
10 x 10 x 10	350
12 x 12 x 12	450



PU Connector Assembly (OD Size)
(Pipe OD size)

Size	Rate
6mm x 6mm	84
8mm x 8mm	90



Bulk Head Union

Size	Rate
1/8"	54
1/4"	76
5/16"	76
3/8"	140
1/2"	180



Male PU TEE (OD-Size)
(BSP Thread x Pipe OD size)

Size	Rate
1/8" x 6 x 6 OD	140
1/4" x 6 x 6 OD	140
1/8" x 8 x 8 OD	140
1/4" x 8 x 8 OD	140



Male Tee

Size	Rate
1/8"	64
1/4"	70
5/16"	72
3/8"	110
1/2"	184
3/4"	320



Female Tee

Size	Rate
1/8"	68
1/4"	90
3/8"	130
1/2"	220
3/4"	520
1"	900

TEKKO

Brass Compression Fitting



Male Nozzle

(Male X Hose)

Size	Rate
1/8" x 1/8"	30
1/8" x 1/4"	30
1/8" x 5/16"	30
1/8" x 3/8"	30
1/8" x 1/2"	40
1/4" x 1/8"	28
1/4" x 1/4"	28
1/4" x 5/16"	28
1/4" x 3/8"	30
1/4" x 1/2"	40
3/8" x 1/4"	40
3/8" x 5/16"	40
3/8" x 3/8"	40
3/8" x 1/2"	50
1/2" x 1/4"	54
1/2" x 5/16"	54
1/2" x 3/8"	54
1/2" x 1/2"	54
1/2" x 5/8"	70
1/2" x 3/4"	90
1/2" X 1"	140
3/4" x 3/8"	90
3/4" x 1/2"	90
3/4" x 5/8"	90
3/4" x 3/4"	90
3/4" x 1"	130
1" x 3/8"	160
1" x 1/2"	160
1" x 3/4"	160
1" x 1"	150
1.1/4" x 1.1/4"	320
1.1/2" x 1.1/2"	400
2" x 2"	700



Reducing Elbow

(Male X Male)

Size	Rate
1/8" x 1/4"	54
1/4" x 3/8"	94
1/4" x 1/2"	150
3/8" x 1/2"	150



Female Nozzle

(Female X Hose)

Size	Rate
1/8" x 1/8"	32
1/8" x 1/4"	32
1/8" x 5/16"	32
1/4" x 1/8"	46
1/4" x 1/4"	46
1/4" x 5/16"	46
1/4" x 3/8"	50
1/4" x 1/2"	54
3/8" x 1/4"	58
3/8" x 5/16"	58
3/8" x 3/8"	58
3/8" x 1/2"	58
1/2" x 1/4"	80
1/2" x 5/16"	66
1/2" x 3/8"	66
1/2" x 1/2"	66



Reducing Elbow

(Male X Female)

Size	Rate
1/8"	54
1/4"	90
3/8"	150
1/2"	300
1/4" x 3/8"	150
1/2" x 1/4"	160



Male Elbow

Size	Rate
1/8"	46
1/4"	54
5/16"	54
3/8"	90
1/2"	140
3/4"	350
1"	700



Female Elbow

Size	Rate
1/8"	56
1/4"	72
3/8"	110
1/2"	200
3/4"	440
1"	750



Hose Elbow

(Male X Hose)

Size	Rate
1/8" x 1/4"	80
1/8" x 5/16"	80
1/4" x 1/4"	100
1/4" x 5/16"	100
1/4" x 3/8"	100
3/8" x 1/4"	150
3/8" x 5/16"	150
3/8" x 3/8"	150
1/2" x 1/2"	230
1/2" x 3/8"	230



Hose Union Joint

Size	Rate
1/4"	24
5/16"	34
3/8"	38
1/2"	60



Hose Tee Joint

Size	Rate
1/4"	56
5/16"	62
3/8"	70
1/2"	110



Hose Y Joint

Size	Rate
1/4"	60
5/16"	76
3/8"	100
1/2"	120



Hose Cross Joint

Size	Rate
1/4"	80
5/16"	88
3/8"	110
1/2"	170

TEKKO

Brass Compression Fitting



Hex/Union Olive

Size	Rate
1/8"	22
1/4"	30
5/16"	30
3/8"	48
1/2"	74
3/4"	140
1"	230



Hex/Union-Olive Reducing

Size	Rate
1/8" x 1/4"	30
1/8" x 3/8"	48
1/8" x 1/2"	74
1/4" x 3/8"	46
1/4" x 1/2"	74
1/4" x 3/4"	150
3/8" x 1/2"	74
3/8" x 3/4"	160
1/2" x 3/4"	140
1/2" x 1"	230
3/4" x 1"	230



Female Cross

Size	Rate
1/8"	120
1/4"	150
1/2"	360



Bush (Male x Female)

Size	Rate
1/4" x 1/8"	20
3/8" x 1/8"	38
3/8" x 1/4"	28
1/2" x 1/8"	70
1/2" x 1/4"	54
1/2" x 3/8"	46
3/4" x 1/4"	124
3/4" x 3/8"	130
3/4" x 1/2"	80
1" x 1/4"	230
1" x 3/8"	230
1" x 1/2"	180
1" x 3/4"	180



Connector OD x NPT

Size	Rate
1/8" x 1/8"	23
1/4" x 1/4"	40
1/4" x 1/2"	100
3/8" x 1/4"	80
3/8" x 1/2"	100
1/2" x 3/8"	100
1/2" x 1/2"	100



Male Cross

Size	Rate
1/4"	130
1/2"	260



Socket

Size	Rate
1/8"	25
1/4"	36
3/8"	64
1/2"	86
3/4"	200
1"	340
1/4" x 1/8"	48
1/4" x 3/8"	74
1/4" x 1/2"	100
3/8" x 1/2"	100
3/4" x 1/2"	220



Adopter (Male x Female)

Size	Rate
1/8"	24
1/4"	34
3/8"	60
1/2"	90
3/4"	200
1"	320
1/8" x 1/4"	34
1/8" x 3/8"	60
1/4" x 1/8"	34
1/4" x 3/8"	52
1/4" x 1/2"	90
3/8" x 1/8"	66
3/8" x 1/4"	54
3/8" x 1/2"	90
1/2" x 1/4"	110
1/2" x 3/8"	110
1/2" x 3/4"	170
3/4" x 1/2"	190



Hex Head Plug-Male

Size	Rate
1/8"	18
1/4"	26
3/8"	56
1/2"	90
3/4"	180



Hex Head Plug-Female

Size	Rate
1/8"	18
1/4"	22
3/8"	42
1/2"	64
3/4"	130



Forging Plug

Size	Rate
1/4"	46
1/2"	90

TEKKO

Brass Compression Fitting



Olive Nut

Size	Rate
1/8"	14
3/16"	16
1/4"	17
5/16"	16
3/8"	30
1/2"	44
3/4"	90
1"	180



Ferrul

Size	Rate
4 MM	3
5 MM	3
6 MM	3
8 MM	6
10 MM	9
12 MM	12
1/8"	2
3/16"	3
1/4"	4
5/16"	4
3/8"	6
1/2"	9
3/4"	26
1"	44



Check Nut

Size	Rate
1/8"	8
1/4"	10
3/8"	18
1/2"	24
3/4"	56



Car Washing Nozzle

Size	Rate
1/2"	200



Air Cock/ Drain cock

Size	Rate
1/4"	50
3/8"	80
1/2"	110



Compressor Safety Valve

Size	Rate
1/4" Heavy Duty	260
3/8" Heavy Duty	260
1/2" Heavy Duty	400
1/4" Light Duty	90
3/8" Light Duty	120



Cooling Tower Nozzle

Size	Rate
3/8" Male	150
1/2" Male	160



Fountain Nozzle

Size	Rate
1/8"	70
1/4"	90
3/8"	200
1/2"	280



Syphon Cork

Size	Rate
1/4"	180
3/8"	210
1/2"	310



Gas Cock

Size	Rate
1/4" x 5/16"	130
3/8" x 3/8"	130
1/2" x 3/8"	240
1/2" x 1/2"	240



Needle Valve

Size	Rate
1/4" Female	250
3/8" Female	400
1/2" Female	500
1/4" Male	300
3/8" Male	300
1/2" Male	400



Spray Gun Nut Nipple Set

Size	Rate
5/16"	90



Hose Nut Nipple

Size	Rate
1/4" x 1/4"	44
1/4" x 5/16"	44
3/8" x 5/16"	70
3/8" x 3/8"	70
1/2" x 3/8"	100
1/2" x 1/2"	100

M

P

H

TEKKO

Hydraulic Fitting



Pipe Clamps

Size	L	H
OD-06	66	180
OD-08	66	180
OD-10	66	180
OD-12	66	180
OD-15	80	180
OD-16	80	180
OD-18	80	180
OD-20	90	240
OD-22	90	240
OD-25	90	240
OD-28	110	240
OD-30	110	240
OD-33.7	130	330
OD-35	130	330
OD-38	130	330
OD-32	130	330
OD-42	130	330
OD-48	180	-
OD-60	400	-
OD-76	400	-



Dowty Seals (Hydraulic)

Size	Rate
D 1/8"	8
D 1/4"	8
D 3/8"	9
D 1/2"	10
D 3/4"	12
D 1"	18
D 1.1/4"	28
D 1.1/2"	32
D 2"	42
D 2.1/2"	80



MS HEX

Size	Rate
1/8"	21
1/4"	21
1/4" x 1/8"	21
3/8"	28
3/8" x 1/4"	28
1/2"	33
1/2" x 1/4"	33
1/2" x 3/8"	33
3/4"	70
3/4" x 1/4"	70
3/4" x 3/8"	70
3/4" x 1/2"	70
1"	90
1" x 1/4"	90
1" x 3/8"	90
1" x 1/2"	90
1" x 3/4"	90
1-1/4"	220
1-1/4" x 1/2"	220
1-1/4" x 1"	220
1-1/4" x 3/4"	220
1-1/2"	240
1-1/2" x 1/2"	240
1-1/2" x 3/4"	240
1-1/2" x 1"	240
1-1/2" x 1-1/4"	240
2"	460
2" x 1-1/2"	460



HYDRAULIC HEX

Hex (mm)	Size	Rate
19	1/4	40
22	3/8	44
22	3/8 x 1/4	44
27	1/2	72
27	1/2 x 1/4	72
27	1/2 x 3/8	72
32	3/4	100
32	3/4 x 3/8	100
32	3/4 x 1/2	100
41	1	200
41	1 x 1/2	200
41	1 x 3/4	200
46	1-1/4	270
50	1-1/2	300
50	1-1/2 x 1	300
50	1-1/2 x 1-1/4	300
65	2	600



Hydraulic Socket

Size	Rate
1/4"	26
3/8"	38
1/2"	54
3/4"	94
1"	170



Hydraulic Female Tee

Size	Rate
1/4	150



Hydraulic Female Elbow

Size	Rate
1/2	300



Die Nipple

Size	Rate
1/4 x 1/2	20
3/8 x 1/2	20
1/2 x 1/2	20



Hydraulic Nozzle

Size	Rate
1/4 x 5/16	32
3/8x 3/8	48
3/8 5/16	48
1/2 x 1/2	54
1/2 x 5/16	54
1/2 x 3/8	54
3/4 x 3/4	110
3/4 x 1/2	110
1 x 1	140
1-1/4 x 1-1/4	320
1-1/2 x 1-1/2	350



HYDRAULIC MALE ELBOW

Size	Rate
1/4	100
3/8	120
1/2	140
3/4	270



HYDRAULIC MALE TEE

Size	Rate
1/4	110
3/8	140
1/2	170
3/4	300

Size	Equal to
1/8" =	4 mm
1/4" =	6 mm
5/16" =	8 mm
3/8" =	10 mm

Size	Equal to
1/2" =	12 mm
5/8" =	15 mm
3/4" =	20 mm
1" =	25 mm



Aluminium Connectors (Male)
(BSP Threat x Pipe OD size)

Size	Rate
APC M5x 3x4	36
APC 1/8 x 2.5x4	28
APC 1/4 x 2.5x4	28
APC M5x 4x6	36
APC 1/8x 4x6	28
APC 1/4x 4x6	28
APC 3/8x 4x6	46
APC 1/2x 4x6	56
APC M5x6x8	36
APC 1/8x6x8	28
APC 1/4x6x8	28
APC 3/8x6x8	44
APC 1/2x6x8	56
APC 1/4x8x10	38
APC 3/8x8x10	52
APC 1/2x8x10	62
APC 1/4x8x12	54
APC 3/8x8x12	56
APC 1/2x8x12	66
APC 1/2x12x16	120



Aluminium Connectors (Female)
(BSP Threat x Pipe OD size)

Size	Rate
APCF 1/8x4x6	34
APCF 1/4x4x6	34
APCF 1/8x6x8	34
APCF 1/4x6x8	34
APCF 1/4x8x10	42



Aluminium PU Connector Ass.
(Pipe ID X OD Size)

Size	Rate
APUC2.5 x 4	70
APUC 4 x 6	80
APUC6 x 8	90
APUC8 x 10	112
APUC8 x 12	164



Aluminium Male PU Tee
(BSP Threat x Pipe OD size)

Size	Rate
APT 1/8 x 2.5x4	138
APT 1/4 x 2.5x4	170
APT 1/8x 4x6	150
APT 1/4x 4x6	190
APT 3/8x 4x6	400
APT 1/2x 4x6	520
APT 1/8x6x8	150
APT 1/4x6x8	190
APT 3/8x6x8	400
APT 1/2x6x8	520
APT 1/4x8x10	220
APT 3/8x8x10	440
APT 1/2x8x10	570
APT 1/4x8x12	240
APT 3/8x8x12	460
APT 1/2x8x12	570
APT 1/4x10x14	470
APT 1/4x12x16	470
APT 3/8x10x14	500
APT 3/8x12x16	500
APT 1/2x10x14	630
APT 1/2x12x16	630



Aluminium PU Tee Assembly
(Pipe ID X OD Size)

Size	Rate
APUT 2.5 x 4	85
APUT 4 x 6	130
APUT 6 x 8	140
APUT 8 x 10	200
APUT 8 x 12	240



Aluminium Bulk Head
(Pipe ID X OD Size)

Size	Rate
2.5 x 4	80
4 x 6	100
6 x 8	110
8 x 10	160
8 x 12	210



Flow Control

Size	Rate
GRL1/8	360
GRL1/4	400
GRL3/8	1000
GRL1/2	1200



Aluminium Male PU Elbow
(BSP Threat x Pipe OD size)

Size	Rate
APL M5x 3x4	74
APL 1/8 x 2.5x4	120
APL 1/4 x 2.5x4	140
APL M5x 4x6	74
APL 1/8x 4x6	120
APL 1/4x 4x6	140
APL 3/8x 4x6	300
APL 1/2x 4x6	440
APL 1/8x6x8	120
APL 1/4x6x8	150
APL 3/8x6x8	300
APL 1/2x6x8	440
APL 1/4x8x10	170
APL 3/8x8x10	340
APL 1/2x8x10	460
APL 1/4x8x12	170
APL 3/8x8x12	340
APL 1/2x8x12	470

M

P

H

TEKKO**PNEUMATIC PRODUCTS**

MODEL NO	DESCRIPTION	SIZE	LIST PRICE	
MOISTURE SEPARATOR WITH BOWL			STANDARD	TEKKO
MS-1/2	Moisture Separator 1/2" with drain bowl	1/2"	2500	3500
MS-3/4"	Moisture Separator 3/4" with drain bowl	3/4"	3800	4700
MS-1"	Moisture Separator 1" with drain bowl	1"	4000	4900
MS-1-1/2"	Moisture Separator 1-1/2" with drain bowl	1-1/2"	7000	7000
MS-2"	Moisture Separator 2" P with drain bowl	2"	9000	9000
MS-Bowl	Spare Moisture Separator bowl		900	-



MODEL NO	DESCRIPTION	SIZE	LIST PRICE
Hand Lever			
HL502	5/2 Hand Lever Valve - Mercury type	1/4"	480
HL302	3/2 Hand Lever Valve	1/4"	480
DHL502	5/2 Hand Lever Valve - Die Casted body	1/4"	730
HL504	5/2 Hand Lever Valve	1/2"	1300
PP502	5/2 Push pull	1/4"	480



	Foot Pedal	Size	List price
FP502 (M Type)	5/2 Foot Pedal Valve - M- Type	1/4"	1150
DFP502	5/2 Foot Pedal Valve - M- Type Die Casted	1/4"	1750
FP504	5/2 Foot Pedal Valve - M- Type	1/2"	2500



	Single Solenoid Valve	Size	List price
SS-502	5/2 Single Solenoid Valve	1/4"	2000
SS-504	5/2 Single Solenoid Valve	1/2"	2800
SS-506	5/2 Single Solenoid Valve	3/4"	3000



	Double Solenoid Valve	Size	List price
DS-502	5/2 Double Solenoid Valve	1/4"	2700
DS-504	5/2 Double Solenoid Valve	1/2"	3500



	Quick Exhaust	Size	List price
QE-02	Quick Exhaust Valve	1/4"	300
QE-03	Quick Exhaust Valve	3/8"	500
QE-04	Quick Exhaust Valve	1/2"	500
QE-06	Quick Exhaust Valve	3/4"	600



	Flow Control Valve	Size	List price
FCV 02	Flow Control Valve	1/4"	500
FCV 04	Flow Control Valve	1/2"	750



	Disc Rotary	Size	List price
DR-04B	Disc Rotary (Sub Base)	1/2"	2400
DR-04S	Disc Rotary (Side Mounting)	1/2"	2500



	Rotor Coupling (Left./ Right Thread Movement)	Size	List price
RC 02	Rotor Coupling	1/4"	720
RC 03	Rotor Coupling	3/8"	720
RC 04	Rotor Coupling	1/2"	1000
RC 06	Rotor Coupling	3/4"	1300
RC 08	Rotor Coupling	1"	1950
RC 32	Rotor Coupling	1-1/4"	4100
RC 40	Rotor Coupling	1-1/2"	4700

Spare Coils



Y1



Y-1(PIN)



Y3



PH 01



PH 03



V 01



V 02



AT



RL



SR



AV



ST/G

MODEL NO	DESCRIPTION	HEIGHT	VOLTAGE	PRICE
Y1	20 mm or 19mm Bore	51mm	220 AC, 24 DC, 110 AC, 12 DC	760
Y-1 (PIN)	20 mm Bore	52mm	220 AC, 24 DC, 110 AC, 12 DC	1050
Y3	26 mm or 28mm Bore	47mm	220 AC, 24 DC, 110 AC, 12 DC	1050
PH 01	22.5 mm Bore	51mm	220 AC, 24 DC, 110 AC, 12 DC	1040

PH 03	31 mm Bore	75mm	220 AC, 24 DC	2200
V 01	21 mm Bore	41mm	220 AC, 24 DC, 110 AC, 12 DC	1000
V 02	23 mm Bore	44mm	220 AC, 24 DC, 110 AC, 12 DC	1000
AT	18 mm Bore	39mm	220 AC, 24 DC, 110 AC, 12 DC	1050
RL	Red Coil - 13 mm Bore	44mm	220 AC, 24 DC, 110 AC, 12 DC, 24 AC, 42 DC	320
SR	Steel Coil - 14mm Bore	44mm	220 AC, 24 DC, 110 AC, 12 DC, 24 AC, 42 DC	500
AV	15 mm Bore	33mm	220 AC, 24 DC, 110 AC, 12 DC, 24 AC	600
AV - BIG	16 mm Bore	43mm	220 AC, 24 DC, 110 AC, 12 DC	2500
ST	13 mm Bore	38mm	220 AC, 24 DC, 110 AC, 12 DC	900



MR-19	ID 19mm-220AC/ 24 DC	44mm	220VAC	950
MR-22	ID 22mm-220AC/ 24DC	42mm	220VAC	950
MR-25.5	ID 25.5mm-220AC	45mm	220VAC	1500



Shubhnerg Single Solenoid Valve 'EP' Type

Code	DESCRIPTION	SIZE	PRICE
EPSS52-02	5/2 Single Solenoid Valve	1/4"	3650
EPSS52-04	5/2 Single Solenoid Valve	1/2"	5200
EPSS52-06	5/2 Single Solenoid Valve	3/4"	9000
EPSS52-08	5/2 Single Solenoid Valve	1"	11500



Shubhnerg Double Solenoid Valve 'EP' Type

EPDSV52-02	5/2 Double Solenoid Valve	1/4"	4800
EPDSV52-04	5/2 Double Solenoid Valve	1/2"	6600
EPDSV52-06	5/2 Double Solenoid Valve	3/4"	11000
EPDSV52-08	5/2 Double Solenoid Valve	1"	14000



Shubhnerg Poppet Valve 'SN' Type

EPPV32-15	3/2 Poppet Valve	1/2"	3400
EPPV32-20	3/2 Poppet Valve	3/4"	5000
EPPV32-25	3/2 Poppet Valve	1"	7200
EPPV32-40	3/2 Poppet Valve	1-1/2"	12000



Shubhnerg Solenoid Valve Mercury Type

SNDA	2/2 Direct Acting Valve	1/4"	775
SNDA	3/2 Direct Acting Valve	1/4"	775
SNSS-502	5/2 Single Solenoid Valve	1/4"	2100
SNSS-504	5/2 Single Solenoid Valve	1/2"	3650

PRESSURE SWITCHES

IPS SERIES




IPS-70 (PSM-520-70)	1700
IPS-100 (PSM-520-100)	1700
IPS-200 (PSM-520-200)	1700
IPS-400 (PSM-520-400)	1700
IPSD-50	5000



PS SERIES

PS-4B	1400
PS-9B	1400
PSU-9B	1600
PS-15B	1400
PSU-15B	1600

MP SERIES



MP-1	2550
MP-5	5400
MP-15	6100

RT SERIES



RT-110PB (PSM-550-B2-11)	3600
RT-110SB (PSM-550-B2-41)	4000
RT-112PB (PSM-550-B1-11)	3600
RT-112SB (PSM-550-B1-41)	4000
RT-113 (PSM-550-M1)	4000
RT-116PB (PSM-550-B4-11)	3600
RT-116SB (PSM-550-B4-41)	4000
RT-117PB (PSM-550-B7-11)	3900
RT-117SB (PSM-550-B7-41)	4250
RT-121PB (PSM-550-V1-11)	4250
RT-121SB (PSM-550-V1-41)	4650
RT-1PB (PSM-550-C1-11)	4250
RT-1SB (PSM-550-C1-41)	4650
RT-200PB (PSM-550-B3-11)	3600
RT-200SB (PSM-550-B3-41)	4000
RT-5PB (PSM-550-B6-11)	3600
RT-5SB (PSM-550-B6-41)	4000



PR-15	1350
PRV-15	1550
PRV-15X	1650



KP-35	1750
KP-36	1750

								
	SMA	SFA	SHA	SPA	PMA	PFA	PHA	PPA
20	340	350	370	385	80	125	125	140
30	360	360	370	410	140	140	140	156
40	360	400	400	420	170	188	150	188
50	-	-	-	950	-	-	-	480

JAPANESE STYLE-High Flow Type

			Size	PMA	PHA	SMA
SHA	PHA	PFA	400 - 1/2	350	450	1200
			600 - 3/4	450	550	1300
SFA	SMA	PMA	800 - 1	600	850	1500

JAPANESE STYLE-One Touch Self Locking Plastic Quick Coupler

					SPA	SMA	SHA	SFA
SPA	SMA	SHA	SFA	20	400	400	400	400
				30	400	400	400	-
PMA	PFA	PHA	PPA	40	400	-	-	-
					PMA	PPA	PFA	PHA
				20	90	90	90	90
				30	90	90	-	90
				40	-	90	-	-

JAPANESE STYLE - UNIVERSAL COUPLER

					Socket-SM (U)	Socket-SF (U)	Socket-SH (U)	Socket-SP (U)
SM(U)	SF(U)	SH(U)	SP(U)	20	400	400	400	400
				30	400	400	400	400
PM(U)	PF(U)	PH(U)	PP(U)	40	400	400	400	400
					Plug-PM (U)	Plug-PF (U)	Plug-PH (U)	Plug-PP (U)
				20	110	110	110	110
				30	150	150	150	150
				40	130	130	130	130

SOLENOID VALVE



MODEL NO.	DESCRIPTION	SIZE	LIST PRICE
NA202-AC220-E1	5/2 Single Solenoid	1/4"	2200
NA202-AC220-E2	5/2 Double Solenoid	1/4"	4400

ROTARY VALVE



NR332	Disc Rotary	1/4"	2000
NR333	Disc Rotary	3/8"	2000
NR334	Disc Rotary	1/2"	2400



B-13



B-80




B-80E



B-90



B-90E



B-60



B-61



B-08



B-40A

AIR GUNS



B-20



BG-22



Air Chuck


B-13	8mm Nozzle (OD), 175 PSI	330
B-80	1/4" Nozzle, 213 PSI. Nylon-Steel Body. High Flow Adjustable Blower	800
B-80E	Air Blow Gun with Rubber Nozzle	1000
B-90	8mm Nozzle (OD), 213 PSI	330
B-90E	Air Blow Gun with Rubber Nozzle	750
B-60	3/8" Nozzle, 230 PSI. Aluminium Body. High Flow	1750
B-61	10" Steel Tube Length, 232 PSI. High Flow Air Blower	2100
B-08	1/4" Nozzle, 200 PSI. Air Blower	550
B-40A	1.5metre Hose Length, 225 PSI. Engine Cleaning Gun	2100
B-20	3-Function Tire Inflator. 232 PSI	3000
BG-22	1/4" Nozzle. Aluminium Body. Adjustable Nozzle+Rubber Nozzle+Safety Nozzle	1200
Air Chuck	Air Tool Accessory (1/4" Thread)	330



Pu Tube 100 metre Role Packed in Plastic Cage make THB Made Taiwan (with Metre Marking)

TUBE (ID X OD)

MODEL NO	LIST PRICE
TUBE (4 X 6)	3200
TUBE (5 X 8)	6400
TUBE (5.5 X 8)	5800
TUBE (6 X 8)	4800
TUBE (8 X 12)	12,000
TUBE (9 X 12)	10,000
TUBE (12 X 16)	9400
TUBE (6.5 X 10)	8800



COIL HOSE

SIZE	5 METRE	10 METRE
6 x 4	240	480
8 x 5	400	800
12 x 8	680	1360
12 x 9	580	1160
Hose Reel (8x12) - 8 Metre : 8,000		
Hose Reel (8x12) - 15 Metre : 15,000		

Available 240AC/110/24DC/12DC



HYDRAULIC VALVE	
SIZE	RATE
DSG01-2B2	3800
DSG01-3C2	5000
DSG01-3C3	5000
DSG01-3C4	5000
DSG01-3C60	5000
DSG03-2B2	6400
DSG03-3C2	8200
DSG03-3C3	8200
DSG03-3C4	8200
DSG03-3C60	8200



PRESSURE SWITCH	
SIZE	RATE
PS-350	2700



BRRIT PNEUMATIC SYSTEM

Low Cost Productivity Solutions

21 June 2022

Sole Distributor
For Delhi

	MODEL NO	DESCRIPTION	SIZE	LIST PRICE
	Hand Lever			
	BHL - 02	5/2 Hand Lever Valve	1/4"	1550
	BHL -04	5/2 Hand Lever Valve	1/2"	4000
	BHL-02 (SR)	5/2 Hand Lever Valve Spring Return	1/4"	1600
	BHL-02 (SC)	5/3 Hand Lever Valve Spring Centered	1/4"	3000
	Foot Pedal			
	BFP - 02	FOOT PEDAL VALVE 5/2	1/4"	2500
	BFP - 04	FOOT PEDAL VALVE 5/2	1/2"	4600
	Quick Exhaust			
	BQE -02	QUICK EXHAUST VALVE	1/4"	800
	BQE -04	QUICK EXHAUST VALVE	1/2"	950
	Flow Control Valve			
	BFC -02	FLOW CONTROL VALVE	1/4"	700
	BFC -04	FLOW CONTROL VALVE	1/2"	1100
	Push Button Valve			
	BPB-G	3/2 PUSH BUTTON GREEN	1/8"	1150
	BPB-R	3/2 PUSH BUTTON RED	1/8"	1150
	Hand draw and Roller Lever Valve			
	BHD -02	HAND DRAW VALVE	1/4"	1550
	BRL -02	ROLLER LEVER VALVE	1/4"	1600
	BHSV-02	Hand Slide Valve	1/4"	700
	BHSV-04	Hand Slide Valve	1/2"	800
	MODEL NO	DESCRIPTION	SIZE	LIST PRICE
	Pilot Valves			
	BSP-02 (502)	5/2 SINGLE PILOT	1/4"	1550
	BDP-02 (502)	5/2 DOUBLE PILOT	1/4"	1700
	BSP-04 (502)	5/2 SINGLE PILOT	1/2"	4100
	BDP-04 (502)	5/2 DOUBLE PILOT	1/2"	4600



BRRIT PNEUMATIC SYSTEM

Low Cost Productivity Solutions

21 June 2022
Sole Distributor
For Delhi

	MODEL NO	DESCRIPTION	SIZE	LIST PRICE
		Single Solenoid Valve		
	BSSV-02	5/2 SINGLE SOLENOID VALVE	1/4"	2800
	BSSV-04	5/2 SINGLE SOLENOID VALVE	1/2"	5500
		Double Solenoid Valve		
	BDSV -02	5/2 DOUBLE SOLENOID VALVE	1/4"	4200
	BDSV -04	5/2 DOUBLE SOLENOID VALVE	1/2"	6800
		Double Solenoid Valve (5/3)		
	BDSV3 - 02	5/3 DOUBLE SOLENOID VALVE	1/4"	4700
	BDSV3 -04	5/3 DOUBLE SOLENOID VALVE	1/2"	8000
	DIRECT ACTING			
	BDA 2-2	2/2 DIRECT ACTING (In- out)	1/4"	1250
	BDA 3-2	3/2 DIRECT ACTING (In- Cylinder)	1/4"	1250
	BDA N/0	3/2 DIRECT ACTING (Normally Open)	1/4"	1500
		Single Solenoid Valve (Dancal Type)		
	BDT- 02	5/2 SINGLE SOLENOID (DANCAL TYPE)	1/4"	3400
	BDT-04	5/2 SINGLE SOLENOID (DANCAL TYPE)	1/2"	5600
		Power Stroke Valve		
	BAV 3 - 02	Power Stroke VALVE 3 PORT	1/4"	4400
	BAV 3 - 04	Power Stroke Valve 3 PORT	1/2"	6400
		PRESS /APPROACH Valve		
	BAV 5 -02	APPROACH VALVE 5 PORT	1/4"	4400
	BAV 5 -04	APPROACH VALVE 5 PORT	1/2"	6400
	High Pressure and Low Pressure - Series			
	BHP 15-02	HIGH PRESSURE (15 KG)	1/4"	3400
	BHP 30-04	HIGH PRESSURE (30 KG)	1/2"	5200
		Dual Pressure valve		
	BDD -4	DOUBLE DECKER (HIGH AND LOW PRESSURE)	1/2"	8600
	Poppet Valve			
	BPV 3 - 02	3 WAY POPPET VALVE	1/4"	2600
	BPV 4 -02	4 WAY POPPET VALVE	1/4"	4000
	BPV 3 -04	3 WAY POPPET VALVE	1/2"	4800
	BPV 3 -EP	3 WAY POPPET VALVE EP TYPE	1/4"	3500




BRRIT PNEUMATIC SYSTEM

Low Cost Productivity Solutions

21 June 2022
Sole Distributor
For Delhi



DISC ROTARY			
BDR-02 (S)	DISC ROTARY (Side mounting)	1/4"	2600
BDR-02 (B)	DISC ROTARY (Base mounting)	1/4"	2600



Sub Base Mounting Solenoid Valves			
BSSV -02B	SINGLE SOLENOID (SUB BASE) 5 Port	1/4"	3000
BSSV -04B	SINGLE SOLENOID (SUB BASE) 5 Port	1/2"	5700
BSSV -04 3B (3 Port)	SINGLE SOLENOID (SUB BASE) 3Port	1/2"	5700
BDSV -02B	DOUBLE SOLENOID (SUB BASE) 5 Port	1/4"	4200
BDSV -04B	DOUBLE SOLENOID (SUB BASE) 5 Port	1/2"	7000



BM 22	M22	22 MM	5200
BHR -04	HIGH PRESSURE REGULATOR	1/2"	7400



MODEL NO	DESCRIPTION	LIST PRICE
Hydraulic Regulators		
BR 4T	REGULATOR FOR HYDRO PNEUMATIC 4 TON WITHOUT VALVE ACCESSORIES	8500
BR 8T	REGULATOR FOR HYDRO PNEUMATIC 8 TON WITHOUT VALVE ACCESSORIES	10500

Spares

Spare01	Seal Kit for Puppot Valve for 3 Port	600
Spare02	Seal Kit for Puppot Valve for 5 Port	1000
Spare03	Spare Seal Kit for 30 Kg Puppot Valve	1100
Spare04	Spare Seal Kit for High Pressure and Low Press	2700
Spare05	Spare Coil with Wire Lead	950
Spare06	Seal Kit 1/4" Single Solenoid Valve	500
Spare07	Seal Kit 1/4" Double Solenoid Valve	600
Spare08	Seal Kit 1/2" Single Solenoid Valve	800
Spare09	Seal Kit 1/2" Double Solenoid Valve	800
Spare10	Seal Kit 1/2" 5/3 Double Solenoid Valve	800

DISTRIBUTOR

JANATICS Pneumatic



Note : All items are available, except for cylinders that are on order basis only.

FESTO






MPH

MULTI-TECH PNEUMATIC & HYDRAULICS

**AUTHORISED
DISTRIBUTOR**

TechnoTM
Industrial Products



IMPORTER

THB

TAIWAN



DEALER

Multi-Tech Pneumatics & Hydraulics

4056, Gali Mustafa Beigh, Ajmeri Gate, Main Road, Delhi-110006

Tel. : 011-47920000, 9999006121, 9212191500 E-mail : multitechvivek@gmail.com

AIRCO INDUSTRIAL PRODUCTS LLP

FITTINGS (All Blue in Color)

FITTING						
MODEL	MALE CONNECTOR MOQ- 1000	MALE ELBOW MOQ - 500	MALE TEE BRANCH MOQ - 500	FLOW CONTROL MOQ - 200	FEMALE CONNECTOR MOQ - 500	MALE CONNECTOR (G THREAD) Black Sleeve MOQ - 500
SIZE	PC	PL	PT	NSE	PCF	PC (G)
M5-4	-	-	-	70	-	-
M5-6	-	-	-	70	-	-
4-02	17	-	-	-	-	-
6-01	17	29	32	72	28	27
6-02	16	29	37	116	38	27
6-03	34	-	-	-	-	40
6-04	43	-	-	-	-	72
8-01	17	29	40	72	30	27
8-02	16	29	42	116	38	27
8-03	30	40	-	200	-	44
8-04	42	56	-	280	-	70
10-01	29	-	-	-	-	-
10-02	28	33	-	120	54	40
10-03	34	42	-	195	-	55
10-04	42	54	-	270	-	75
12-01	42	-	-	-	-	56
12-02	40	50	-	125	72	56
12-03	42	54	-	200	-	64
12-04	42	60	-	270	-	75
16-04	86	-	-	-	-	-

FITTING					
MODEL	EQUAL UNION MOQ - 1000	EQUAL ELBOW MOQ - 1000	EQUAL TEE MOQ - 1000	EQUAL Y MOQ - 500	UNION CROSS MOQ - 500
SIZE	PUC	PUL	PUT	PY	PZA
4 MM	9	-	14	-	-
5 MMM	12	-	-	-	-
6 MM	10	12	16	18	-
7 MM	12	-	-	-	-
8 MM	10	13	17	21	29
9 MM	18	-	-	-	-
10 MM	15	19	25	30	40
12 MM	19	22	30	34	42
13MM	44	-	-	-	-
14 MM	42	-	48	-	-
15 MM	42	-	48	-	-
16 MM	42	-	-	-	-

FITTING	
MODEL	UNEQUAL TEE MOQ - 500
SIZE	PGT
8-4-4	22
8-6-6	22
8-8-4	22
8-8-6	22
10-8-8	28
10-10-8	28
12-8-8	38
12-10-10	38
12-12-8	38
12-12-10	38


FITTING		
MODEL	IN LINE FLOW CONTROL MOQ - 200	BULK HEAD UNION MOQ - 200
SIZE	NSF	PMM
6 MM	82	70
8 MM	105	78

FITTING	
MODEL	UNEQUAL UNION MOQ - 1000
SIZE	PG
6-4	11
8-4	11
8-6	11
10-6	15
10-8	15
12-6	20
12-8	20
12-10	20

AIR GUNS

 MOQ - 100 ABG-06 Rs. 200	 MOQ - 50 TG-07 Rs. 650	 MOQ - 100 DG-10 Rs. 215
--	--	--

SOLENOID VALVES

MODEL	DESCRIPTION	MOQ - 50	SIZE	LIST PRICE	
3V-210-08	3/2 Single Solenoid Valve		1/4"	610	
3V-410-15	3/2 Single Solenoid Valve		1/2"	1350	
4V-110-06	5/2 Single Solenoid Valve		1/8"	720	
4V-210-08	5/2 Single Solenoid Valve		1/4"	610	
4V-310-10	5/2 Single Solenoid Valve		3/8"	950	
4V-410-15	5/2 Single Solenoid Valve		1/2"	1480	
4V-310-08B NAMUR	5/2 Single (Namur fit Actuator)		1/4"	1100	
4V-220-08	5/2 Double Solenoid Valve		1/4"	1000	
4V-320-10	5/2 Double Solenoid Valve		3/8"	1350	
4V-420-15	5/2 Double Solenoid Valve		1/2"	1850	
2V-025-08	2/2 Valve - Direct Acting Aluminium Body		1/4"	550	
3V-106	3/2 Solenoid Valve Direct Acting		1/8"	580	
4A-210-08	5/2 Single Pilot Valve		1/4"	520	
4F-210-08	5/2 Foot Pedal (Festo Type)		1/4"	1450	
4H-210-08	5/2 Hand Lever Valve With Nut		1/4"	610	
4H-310-10	5/2 Hand Lever Valve		3/8"	775	
4H-410-15	5/2 Hand Lever Valve		1/2"	1400	
4R-210-08	5/2 Hand Draw Valve		1/4"	500	
FV 320	5/2 Foot Valve		1/4"	840	
FV 420	5/2 Foot Valve		1/4"	965	

MODEL	DESCRIPTION	MOQ - 50	SIZE	LIST PRICE	
2W-025-08	2/2 Direct Operating Solenoid Valve Copper Coil		1/4"	920	
2W-040-10	2/2 Direct Operating Solenoid Valve Copper Coil		3/8"	1410	
2W-160-15	2/2 Diaphragm Valve Copper Coil		1/2"	1825	
2W-200-20	2/2 Diaphragm Valve Copper Coil		3/4"	2000	
2W-250-25	2/2 Diaphragm Valve Copper Coil		1"	2750	
2W-400-40	2/2 Diaphragm Valve Copper Coil		1-1/4"	6000	
2W-500-50	2/2 Diaphragm Valve Copper Coil		2"	7400	

FRL

MODEL	DESCRIPTION	MOQ - 50	SIZE	LIST PRICE	
AC 2010-02	FRL with Gauge	WITHOUT GUARD	1/4"	1550	
AC 3010-03	FRL with Metal Guard and Gauge		3/8"	2450	
AC 4010-04	FRL with Metal Guard and Gauge		1/2"	3350	
AC 4010-06	FRL with Metal Guard and Gauge		3/4"	3500	
AFC 2000	FR+L (AIRTECH TYPE) with Gauge		1/4"	825	
AFR 2000	FR (AIRTECH TYPE) with Gauge		1/4"	560	
AF 4000-04	FILTER Metal Guard		1/2"	1030	
AR 2000	REGULATOR (AIR TECH TYPE) with Gauge		1/4"	410	
AR 2000-02	REGULATOR with Gauge		1/4"	665	
AR 3000-03	REGULATOR with Gauge		3/8"	1130	
AR 4000-04	REGULATOR with Gauge		1/2"	1830	
AW 2000-02	FR with Gauge	WITHOUT GUARD	1/4"	920	
AW 3000-03	FR with Gauge	METAL GUARD	3/8"	1500	
AW 4000-04	FR with Gauge	METAL GUARD	1/2"	2225	

CYLINDERS

SC (Non-Magnetic Double Acting) Cylinder							MOQ - 20
BORE/STROKE	32	40	50	63	80	100	125
25	850	1000	1300	1600	2200	2850	-
40	925	1230	-	-	2550	2700	-
50	1000	1230	1350	1700	2700	3250	6000
80	1140	1230	1550	1900	2850	3600	6300
100	1150	1250	1550	1950	2850	3650	6600
125	1200	1400	1700	1950	3000	3750	7000
150	1250	1475	1775	1950	3150	-	-
160	1300	1550	1850	2150	3300	4100	7500
200	1350	1600	1900	2150	3500	4300	7800
250	1380	1650	2100	2350	3750	4600	8100
300	1450	1800	2200	2800	4000	4900	8400
600	-	-	-	-	5800	-	-

SDA FEMALE (Non-Magnetic Double Acting, Long Full Body) Cylinder



MOQ - 20

BORE/STROKE	12	16	20	25	32	40	50	63
10	400	450	450	535	650	775	-	1500
15	-	-	-	-	650	-	1150	1550
20	-	-	-	-	675	-	1200	-
25	-	-	-	575	700	850	1275	-
30	-	-	-	600	-	-	-	-
40	-	-	-	-	775	1000	1400	-
50	-	-	-	-	-	-	1550	-

SDA MALE (Non-Magnetic Double Acting, Long Full Body) Cylinder



MOQ - 20

BORE/STROKE	12	16	20	25	32	40	50	63
10	-	525	575	650	750	-	-	1650
15	-	-	-	-	775	925	-	1700
20	-	-	-	675	775	-	-	-
25	-	-	600	675	825	950	-	1800
40	-	-	-	-	875	-	-	-

MAL (Non-Magnetic Double Acting Aluminium Body) Cylinder



MOQ - 20

BORE/STROKE	16	20	25	32	40
25	460	650	700	850	-
50	525	700	775	875	1575
80	-	-	900	1000	1600
100	-	775	920	1025	-

MA (Magnetic Double Acting Stainless Steel) Cylinder



MOQ - 20

BORE/STROKE	16	20	25
10	630	-	950
25	630	875	950
50	700	-	1025

Box Packing only!

P&F EXTRA + TAX
 PAYMENT ADVANCE
 DELIVERY TWO TO THREE DAYS
 ITEM WITHOUT NAME

