

SAUMYA INTERNATIONAL

RAGHVENDRA KAYATHWAL

(M) 9825-140025

99250-18125

GST NO: 24BQSPK8139B1ZP

EMAIL: saumyainternational@yahoo.com / sales.saumya@gmail.com

G-112 UDHNA UDHYOG SANGH,
COMMERCIAL COMPLEX OPP.

BANK OF BARODA, UDHNA

SURAT-394210

Saumya International was established in the year 2011, based at Surat, Gujarat, INDIA.

We have been successfully established a renowned position in the market by supplying and trading of premium quality **Industrial Oil, Grease & Lubrications** in the Domestic level of Gujarat, which are ideal to be used in various applications across the market. These are procured from reliable and well-known manufacturers and vendors who ensure that these are as per highest quality standards and perfect to be used in the most difficult working environments.

Our range of offering includes:

- ☑ ITW Chemin India (Aerosols Range)
- ☑ Pidilite Industries (Rustolene)
- ☑ Dow Corning (Molykote Grease & Paste)
- ☑ GS Caltex (Hydraulic Oil, Industrial Gear Oil, Industrial Greases, Turbine Oil, Coolants)
- ☑ SKF Bearings and Tools
- ☑ Loctite / Henkel (Adhesives)
- ☑ OKS / Kluber Products

We have gained specialization of offering an unmatched quality range of Industrial Hardware Items that are procured from reliable and reputed Manufacturers, OEMs and vendors who are known for their high quality standards. We make sure that the products we buy from our vendors have distinct features such as **Design, Corrosion Resistance and Durability**.

We are having rich industry experience and domain expertise that has helped us to grow tremendously in the industry. Our networking skills and business acumen has helped us in maintain strong relationship with all our partners and stakeholders – our employees, our customers, our vendors and our dealers.

Quality Standard

All our efforts are aimed towards providing products that help the customers in a positive manner to optimize their operations and cater to all their industrial needs and requirements. We are a quality conscious organization and take all steps possible to ensure that our products are at par with various quality standards. To achieve the same, we have developed various quality polices which are -

- ☑ Carefully selecting the vendors
- ☑ ensuring all products are checked on various quality and performance parameters
- ☑ Proper storage of products
- ☑ Quality packaging

SAUMYA INTERNATIONAL

Application Areas

We have developed good reputation in the market due to prompt and very urgent services, which are rendering to our customers & subsequently with most competitive rates.

Our customer base includes Engineering Industries, Textile Industries & Petrochemical Plants.

Client Satisfaction

We have been able to achieve overwhelming success in the market and gain the confidence of our customers. Being a customer oriented organization, we have developed various customer support policies that are aimed at ensuring optimal customer satisfaction levels. To assure the same, we make sure that all the requirements of the customers are met in an efficient and timely manner. Further, these products are offered in customized form as per the specific requirements of the clients.

SAUMYA INTERNATIONAL

Products Details & Catalogue.

DOW CORNING MOLYKOTE:-

1. MOLYKOTE 1000 PASTE.



Solid lubricant paste for bolted metal Joints; contains no lead or nickel.

Applications:-

Suitable for bolted joints that are subjected to high temperature up to 650c (1202F) and to corrosive effects, and which, after assembling and the initial operation, have to be re-tightened or disconnected.

2. MOLYKOTE BR2 PLUS.



High performance grease with solid lubricant for metal/metal combinations involving slow to fast movements, particularly with medium to high loads.

Application:-

Used successfully on roller bearings, plain bearings, sliding guides, roller guides, ball-and socket joints, splined shafts and threaded spindles.

SAUMYA INTERNATIONAL

3. MOLYKOTE G-N PLUS PASTE.



Extreme pressure lubricant for assembly, press fitting, threaded connections, running-in and maintenance.

Application:-

Running-in lubricant- for new or rebuilt equipment, such as gears, splines, journal bearings, cams and ways.

4. MOLYKOTE P-37 PASTE.



Extremely pure, solid lubricant paste for bolted joints. It contains no lead, nickel, sulphur, chlorine or fluorine.

Application:-

Suitable for screws, nuts and bolts that are subjected to extremely high temperatures and which are made of heat-resistant or extremely heat resistant steels, e.g. those made from nickel base alloys.

5. MOLYKOTE G-0102 HIGH LOAD BEARING GREASE.



Heavy duty bearing grease for application in presence of water and moisture.

Application:-

- Water processing.
- Water gates and sluices.
- Chemical Industries
- Steel mills and mining industries.

SAUMYA INTERNATIONAL

6. DOW CORNING SILICONE RTV 732.

General purpose silicone adhesive /sealant (specified)



Application:-

General industrial sealing and bonding applications. Complies with MIL-A-46106 and FDA 177.2600

7. DOW CORNING SILICONE RTV 736- Heat Resistant Sealant.



Non-Slumping sealant designed for sealing and bonding applications exposed to temperature as high as 315c (600F)

Application:-

- Sealing and encapsulating heating elements in appliances.
- Aerospace gasketing.
- Moving oven belts.
- Industrial Ovens.
- Other Critical bonding, sealing, potting, and protective coatings where parts must perform at high temperature.

SAUMYA INTERNATIONAL

8. DOW CORNING 1080 NEUTRAL CURE SEALANT.

One part neutral sealant UL approved. Will adhere to clean metal, painted surfaces, glass ceramics, most plastics, non-oily woods and concrete surfaces.



Application:-

- Sealing access doors in glass to metal, vehicle windscreens, attaching signs and sign letters to metal, masonry and concrete surfaces.

9. MOLYKOTE MULTILUBE HIGH PERFORMANCE GREASE.



High performance grease with solid lubricant for metal/metal combinations involving slow to fast movements, particularly with medium to high loads.

10. MOLYKOTE LONG-TERM 00 FLUID GREASE.



Fluid grease for the highly stressed transmissions with metal gears.

Application:-

Closed gears that are subjected to high stresses, frictional corrosion and moisture.

SAUMYA INTERNATIONAL

11. MOLYKOTE FB-180 GREASE.



High performance grease with solid lubricant for metal/metal combinations involving slow to fast movements, particularly with medium to high loads.

Application:-

Used successfully on plain and roller bearings of conveyor installation in drying kilns, vulcanizing plants, heating installations, fans and electric motors.

SAUMYA INTERNATIONAL

PIDILITE PRODUCTS:

1. RUSTOLENE RUST DISINTEGRATOR



In industries like chemical, mines, power plant, Refinery, fertilizer etc., the product can be used for opening of jammed nuts-bolts, cleaning of various components like bearing, gearbox, generator. It also is used for maintenance of pumps, heat exchangers, boilers, cooling towers, farm equipment etc.

2. HOLDTITE PTFE THREAD SEAL TAPE:-



Used for joining and sealing of threaded pipes in industrial pipe lines which carry hot water, steam, gases, acid, alkali and various solvents. It can also be used for connecting glass fitting for laboratory experiments.

3. STEELGRIP PVC ELECTRICAL INSULATION TAPE:-



Conforms to IS: 7809 (Part 3, Sec 1), Self Extinguishing, Protects from electrolytic corrosion, Excellent water resistance, Suitable to primary insulation up to 440V.

4. WD-40 MULTIPLE MAINTENANCE SPRAY:-



Protects metal from rust and corrosion. Penetrates stuck parts and loosens it, Displaces moisture and lubricants almost anything. Removes grease, grime and more from most surfaces.

SAUMYA INTERNATIONAL

5. M-SEAL PHATAPHAT- EPOXY COMPOUND:-



Two component epoxy putty sets in 30 minutes.
Excellent chemical resistance & insulation resistance.
It can be machined to desired shape.

SAUMYA INTERNATIONAL



GS CALTEX SMART LUBRICANTS:-

Globally Proven Lubricants System for All your Industrial Applications.



GS Caltex Yeosu Complex, Yeosu-South Korea.
Among Top 5 Refineries in the World.

1. GS HYDRO ANTIWEAR HYDRAULIC OIL

32/46/68/100/150/220/320/460



Premium quality hydraulic fluid, made from Group II + base oils, used in anti-wear applications.

Effective protection of components, Reduced downtime, Trouble-free operation.

2. GS GEAR EP OIL 100/150/220/320/460



All types of industrial and mobile equipment requiring mild EP gear lubricants. High performance, mild EP industrial gear lubricant based on sulfur-phosphorous additives.

Extends gear life due to high load carrying capacity and outstanding ability to keep gear surface free of deposits.

SAUMYA INTERNATIONAL

3. GS COMPRESSOR OIL 68



Screw and compressors like ELGI and ATLAS COPCO make etc. Sliding vane & reciprocating compressors.

Excellent oxidation and thermal stability, improved ash-less technology.

4. GS INDUSTRIAL GREASES – EP-0,1,2,3/ MOLY EP2/ GS LIPLIX 2



Automotive wheel bearing, chassis grease point lubrication, construction equipment bearings, earthmoving, quarrying and mining.

Save on maintenance, long service life, ease of application, minimizes inventory costs.

5. GS HEAVY DUTY DIESEL ENGINE OILS – 15W-40/20W-40



Kixx
Lubricante en Ventas N° 1 en COREA
Somos LA ENERGIA para tu motor

100% GS Lubricantes
Fully Synthetic
Made in Korea



www.kixxperu.com.pe

TATA Motors, Ashok Leyland, Cummins, Caterpillar, Mahindra, Eicher, Force Motors etc. Naturally aspirated and turbocharged four-stroke diesel engines and four-stroke gasoline engines. Enhanced emission control system life, minimizes inventory costs, reduced maintenance and operating costs, extent engine life to overhaul.

SAUMYA INTERNATIONAL

ITW CHEMIN AEROSOLS.

1. RUSTLICK 631



LOSSENS – LUBRICATES – MAINTAINS – INSANT RUST FIGHTER.

Loosens: - Loosens rust from bolts, knobs, hinges, bearings, castors, printers and other moving mechanical parts.

Lubricates: - Helps in lubrication of operating controls and linkages like sprockets, chains, pulleys and cams.

Maintains: - Protects against corrosion. Removes caked battery terminals. Effective insulator, **Rustlick631** prevents moisture-induced short circuits in motors.

2. CHAINLICK- DESIGNED FOR CHAIN LUBRICATION.



Chainlick is specially designed to extend the chain life.

Adhesive film which does not fling off at high speeds, protects the chain from rust, reduces the wear caused by friction.

3. ZINCBRITE – SHINY COLD GALVANIZING COATING.



Zincbrite is a specially formulated rust protection coating, which offers excellent mechanical toughness. It is a perfect solution for application viz towers, exhaust stack, heating and air conditioning equipment

SAUMYA INTERNATIONAL

4. EC CLEAN – ELECTRO COMPONENT CLEANER.




EC Clean is an excellent rapid acting solvent specifically formulated for easier, maintenance of electrical and electronic components and equipment.

SAUMYA INTERNATIONAL



Champion sealants & Gaskets:-

1. Champion CAF jointing Sheet.



“Champion” jointing sheets technology is based on a tradition which stretches back over few decades. With close co-operation with our customers, by constant development of composition of materials and by use of high quality raw materials, the company has produced reliable gasketing products which always correspond to the latest state of technology.

Sheet size: 2Mx1.5M up to 6MM, 2Mx2M, 2Mx3M, 2Mx6M, 1Mx1M, 1Mx1.5M, 1.5Mx1.6M (variation \pm 5%)

Nominal sheet thickness Approx.: 0.4/0.5, 0.75/0.8, 1.0, 1.5, 2.0, 3.0mm up to 6.0mm

2. Champion PTFE Thread Seal Tape:-




ZERO LEAKAGE- CLEAN & EFFECTIVE.

“Champion” PTFE Thread sealant tape, due to the special nature of the thread seal will be lasting and resistant to high temperatures and corrosive chemicals.

The seal will not harden or become brittle but will remain flexible enough when the seal is opened for maintenance.

SAUMYA INTERNATIONAL

3. Champion Mechanical Gland Packing.



Advanced development in all areas of industry demands high-tech packings. Through continuous research and experience of more than 40 years with most modern technique and materials, we are able to master all the fields of application while giving highest functional reliability.

RAGHVENDRA KAYATHWAL

M: 9825140025, 9925018125

EMAIL: saumyainternational@yahoo.com , sales.saumya@gmail.com