

# PROTECTION WITH **PERFECTION**



PF-PL-PVC CP-v11  
w.e.f. 21<sup>st</sup> May 2026



**The Choice of  
Smart Engineers!**

## PVC Conduit Pipes

IS:9537 (Part III)  
  
 CML 0007257880

| Light Mechanical Stress |          |          |             | LMS   |
|-------------------------|----------|----------|-------------|-------|
| SIZE                    | LP (₹/m) | PKG. (m) | WT (mm)     | CODE# |
| 19 mm*                  | 25.50    | 300      | 1.15 - 1.30 | 24022 |
| 20 mm                   | 28.50    | 300      | 1.15 - 1.30 | 21003 |
| 25 mm                   | 36.50    | 300      | 1.25 - 1.45 | 21004 |
| 32 mm                   | 55.00    | 150      | 1.50 - 1.70 | 21005 |
| 40 mm                   | 93.00    | 150      | 1.90 - 2.10 | 21006 |
| 50 mm                   | 134.00   | 75       | 2.20 - 2.45 | 21007 |



|       |        |                        |        |
|-------|--------|------------------------|--------|
| 20 mm | 350.00 | Bending Spring         | 293010 |
| 25 mm | 424.00 | Suitable for LMS Pipes | 293020 |

| Medium Mechanical Stress |          |          |             | MMS   |
|--------------------------|----------|----------|-------------|-------|
| SIZE                     | LP (₹/m) | PKG. (m) | WT (mm)     | CODE# |
| 19 mm*                   | 30.00    | 300      | 1.40 - 1.55 | 24023 |
| 20 mm                    | 32.50    | 300      | 1.40 - 1.55 | 22003 |
| 25 mm                    | 45.00    | 300      | 1.60 - 1.80 | 22004 |
| 32 mm                    | 70.00    | 150      | 1.90 - 2.10 | 22005 |
| 40 mm                    | 102.00   | 150      | 2.10 - 2.30 | 22006 |
| 50 mm                    | 156.00   | 75       | 2.60 - 2.85 | 22007 |



|       |        |                        |        |
|-------|--------|------------------------|--------|
| 20 mm | 350.00 | Bending Spring         | 293030 |
| 25 mm | 424.00 | Suitable for MMS Pipes | 293040 |

| Heavy Mechanical Stress |          |          |             | HMS   |
|-------------------------|----------|----------|-------------|-------|
| SIZE                    | LP (₹/m) | PKG. (m) | WT (mm)     | CODE# |
| 19 mm*                  | 39.00    | 300      | 1.95 - 2.10 | 24024 |
| 20 mm                   | 45.00    | 300      | 1.95 - 2.10 | 23003 |
| 25 mm                   | 56.00    | 300      | 2.00 - 2.20 | 23004 |
| 32 mm                   | 93.00    | 150      | 2.50 - 2.70 | 23005 |
| 40 mm                   | 124.00   | 150      | 2.60 - 2.80 | 23006 |
| 50 mm                   | 186.00   | 75       | 3.15 - 3.40 | 23007 |



|       |        |                        |        |
|-------|--------|------------------------|--------|
| 20 mm | 350.00 | Bending Spring         | 293050 |
| 25 mm | 424.00 | Suitable for HMS Pipes | 293060 |



Std. Length: 3 metres

**Note:** LP for ISI conduit pipes are per metre and LP for Non-ISI conduit pipes are per piece i.e. per 3 metres.

**#Product Codes:** Product codes are 6 digits long. The last digit stands for the colour: 0 - Black 1 - White 2 - Grey 3 - Ivory  
 For e.g. The code for 25 mm MMS (Black) Conduit Pipe will be - 22004 + 0 = 220040.

**HSN:** Conduit Pipe: 39172310, Bending Spring: 73201019

\*19 mm as per IS Standard, Non-ISI

**Important:** For best results during Spring-Bending and application, use Pressfit's Bending Springs and uPVC Solvent Cement only.

## | Light-Duty PVC Conduit Pipes

| Badshah |           |            | WT 1.85 - 2.0 mm |
|---------|-----------|------------|------------------|
| SIZE    | LP (₹/pc) | PKG. (pcs) | CODE             |
| 19 mm   | 117.00    | 100        | 24402            |
| 20 mm   | 122.00    | 100        | 24403            |
| 25 mm   | 148.00    | 100        | 24404            |

| Nawab |           |            | WT 1.4 - 1.5 mm |
|-------|-----------|------------|-----------------|
| SIZE  | LP (₹/pc) | PKG. (pcs) | CODE            |
| 19 mm | 89.00     | 150        | 24302           |
| 20 mm | 92.00     | 150        | 24303           |
| 25 mm | 126.00    | 100        | 24304           |

| Nano  |           |            | WT 1.1 - 1.2 mm |
|-------|-----------|------------|-----------------|
| SIZE  | LP (₹/pc) | PKG. (pcs) | CODE            |
| 19 mm | 76.00     | 150        | 24202           |
| 20 mm | 84.00     | 150        | 24203           |
| 25 mm | 103.00    | 100        | 24204           |

| Commercial |           |            | WT 0.9 - 1.0 mm |
|------------|-----------|------------|-----------------|
| SIZE       | LP (₹/pc) | PKG. (pcs) | CODE            |
| 19 mm      | 77.00     | 150        | 24102           |
| 20 mm      | 80.00     | 150        | 24103           |
| 25 mm      | 101.00    | 100        | 24104           |



## | Miscellaneous

| uPVC Solvent Cement |        |            |        |
|---------------------|--------|------------|--------|
| SIZE                | LP (₹) | PKG. (pcs) | CODE   |
| <b>Plastic Can</b>  |        |            |        |
| 100 ml              | 100.00 | 25         | 293160 |
| 250 ml              | 173.00 | 12         | 293170 |
| <b>Metal Can</b>    |        |            |        |
| 100 ml              | 117.00 | 24         | 293110 |
| 250 ml              | 187.00 | 12         | 293120 |
| 500 ml              | 324.00 | 12         | 293130 |
| 1 Litre             | 555.00 | 6          | 293140 |



**Std. Length:** 3 metres

**Note:** LP for ISI conduit pipes are per metre and LP for Non-ISI conduit pipes are per piece i.e. per 3 metres.

**Product Codes:** Product codes are 6 digits long. The last digit stands for the colour: 0 - Black 1 - White 2 - Grey 3 - Ivory  
For e.g. The code for 19 mm Nano 1.2 mm (Black) will be - 24202 + 0 = 242020.

**HSN:** Conduit Pipe: 39172310, Solvent Cement: 35061000

**Important:** For best results during Spring-Bending and application, use Pressfit's Bending Springs and uPVC Solvent Cement only.

## Heavy Conduit Fittings



Without Lid and Screw



| Description                 | LP (₹) | PKG. |     | CODE                 |
|-----------------------------|--------|------|-----|----------------------|
| 1 Way J. Box                |        |      |     |                      |
| 20 mm                       | 27.50  | 20   | 320 | 27021                |
| 25 mm                       | 31.50  |      |     | 27031                |
| 2 Way J. Box - Through      |        |      |     | Angle also available |
| 20 mm                       | 29.00  | 20   | 360 | 27022                |
| 25 mm                       | 36.50  |      | 360 | 27032                |
| 3 Way J. Box                |        |      |     |                      |
| 20 mm                       | 32.00  | 20   | 720 | 27024                |
| 25 mm                       | 39.50  | 20   | 360 | 27034                |
| 4 Way J. Box                |        |      |     |                      |
| 20 mm                       | 33.50  | 20   | 360 | 27025                |
| 25 mm                       | 45.50  | 10   | 240 | 27035                |
| 1 Way Deep J. Box           |        |      |     |                      |
| 20 mm                       | 46.50  | 10   | 160 | 27121                |
| 25 mm                       | 47.50  | 10   | 160 | 27131                |
| 2 Way Deep J. Box - Through |        |      |     | Angle also available |
| 20 mm                       | 49.00  | 10   | 180 | 27122                |
| 25 mm                       | 50.00  |      | 180 | 27132                |
| 3 Way Deep J. Box           |        |      |     |                      |
| 20 mm                       | 50.00  | 10   | 180 | 27124                |
| 25 mm                       | 56.00  |      | 360 | 27134                |
| 4 Way Deep J. Box           |        |      |     |                      |
| 20 mm                       | 52.00  | 10   | 180 | 27125                |
| 25 mm                       | 60.00  |      | 180 | 27135                |



With Lid and Screw

| Description                 | LP (₹) | PKG. |     | CODE                 |
|-----------------------------|--------|------|-----|----------------------|
| 1 Way J. Box                |        |      |     |                      |
| 20 mm                       | 33.50  | 20   | 960 | 27221                |
| 25 mm                       | 38.50  |      |     | 27231                |
| 2 Way J. Box - Through      |        |      |     | Angle also available |
| 20 mm                       | 36.50  | 20   | 360 | 27222                |
| 25 mm                       | 43.00  |      | 720 | 27232                |
| 3 Way J. Box                |        |      |     |                      |
| 20 mm                       | 38.50  | 20   | 360 | 27224                |
| 25 mm                       | 47.50  |      |     | 27234                |
| 4 Way J. Box                |        |      |     |                      |
| 20 mm                       | 41.00  | 20   | 360 | 27225                |
| 25 mm                       | 50.00  |      |     | 27235                |
| 1 Way Deep J. Box           |        |      |     |                      |
| 20 mm                       | 52.00  | 10   | 480 | 27321                |
| 25 mm                       | 54.00  |      |     | 27331                |
| 2 Way Deep J. Box - Through |        |      |     | Angle also available |
| 20 mm                       | 56.00  | 10   | 180 | 27322                |
| 25 mm                       | 57.00  |      | 360 | 27332                |
| 3 Way Deep J. Box           |        |      |     |                      |
| 20 mm                       | 59.00  | 10   | 180 | 27324                |
| 25 mm                       | 64.00  |      |     | 27334                |
| 4 Way Deep J. Box           |        |      |     |                      |
| 20 mm                       | 60.00  | 10   | 180 | 27325                |
| 25 mm                       | 67.00  |      | 270 | 27335                |



## | Heavy Conduit Fittings



| Description                    | LP (₹) | PKG. |      | CODE  |
|--------------------------------|--------|------|------|-------|
| Bend                           |        |      |      |       |
| 20 mm (IF85)                   | 28.00  | 50   | -    | 27528 |
| 20 mm (NF75)*                  | 18.00  | 50   | 1200 | 27529 |
| 25 mm (IF120)                  | 33.00  | 25   | -    | 27538 |
| Coupling*                      |        |      |      |       |
| 20 mm                          | 8.70   | 100  | 1600 | 27523 |
| 25 mm                          | 11.75  | 100  | 1600 | 27533 |
| Saddle Base with Screw*        |        |      |      |       |
| 20 mm                          | 13.50  | 100  | 1600 | 27520 |
| 25 mm                          | 17.50  | 100  | 1600 | 27530 |
| Elbow*                         |        |      |      |       |
| 20 mm                          | 13.50  | 100  | 1800 | 27521 |
| 25 mm                          | 19.00  | 100  | 1800 | 27531 |
| Tee*                           |        |      |      |       |
| 20 mm                          | 22.00  | 100  |      | 27522 |
| 25 mm                          | 28.50  | 100  |      | 27532 |
| Extra Lid w/Screws for J. Box* |        |      |      |       |
| 20 - 25 mm                     | 8.00   | 10   |      | 27501 |



For Medium-Duty Galaxy Conduit Fittings and Light-Duty PT Conduit Fittings, check Combined Accessories Price List.

**Note:** The code in the product name indicates the length of the bend. For e.g., IF85 means the bend is 8.5" long.  
**Product Codes:** Product codes are 6 digits long. The last digit stands for the colour: 0 - Black 1 - White 2 - Grey 3 - Ivory  
 For e.g. The code for 20 mm Coupling (Ivory) will be- 27523 + 3 = 275233.  
**HSN:** Conduit Pipe Fittings: 39174000 \*Non-ISI  
**Important:** For best results during application, use Pressfit's uPVC Solvent Cement only.



# 34 Years of Quality Solutions

We continuously upgrade our products and technology to provide our customers with the best experience. Due to this, the product design, specifications, or packaging, may change without prior notice.

#### Terms & Conditions:

- 1) Discounted prices (if any) on LP above are exclusive of all taxes.
- 2) This cancels all previous price lists.

---

Press Fit Pipe And Profile, S. No. 127, Raj Rajeshwari Compound,  
Sonale, Bhiwandi, Dist. Thane. Maharashtra - 421 302.  
Customer Care: 1800-2121-770  
Email: [sales@pressfitindia.com](mailto:sales@pressfitindia.com)

Copyright © 2021 Press Fit Pipe And Profile. All Rights Reserved.

[www.pressfitindia.com](http://www.pressfitindia.com)



Get Pressfit Price Lists Easily

