



Product catalogue
2025

ABOUT US

At SHRI GANESH LIGHTING, we are redefining the way the world experiences light. As a trusted name in the lighting industry, we specialize in high-quality, energy-efficient LED solutions that combine innovation, durability, and style. Our extensive range of LED lighting products is designed to meet diverse needs

be it for homes, offices, commercial spaces, or industrial environments. With a strong focus on advanced technology and sustainability, we create lighting solutions that enhance spaces while reducing energy consumption. At SHRI GANESH LIGHTING,

our mission is simple: to brighten lives with brilliance, efficiency, and reliability. Join us in illuminating a smarter, greener future!



INDEX

02

COB LIGHT

12

CYLINDER LIGHT

15

MOVABLE LIGHT

17

DEEP DOWN LIGHT

19

PANEL LIGHT

20

STRIKER

24

DRIVER

31

TRACK LIGHT

33

FLOOD LIGHT

POLO

COB LIGHT



Power Up Your Space with
COB Glow


POLO

COB LIGHT


WATT	DIMENSION	CUTOUT	LUMENS	BEAM ANGLE	MASTER PACKING
7W 12W	65*45MM 80*50MM	34MM 54MM	>90° >90°	32°	50 PC 40 PC

BODY COLOUR:    



ENERGY SAVING



EXTERNAL DRIVER



OVERVOLTAGE
PROTECTION



FLICKER
FREE

ALPHA


COB LIGHT

WATT	OUTER DIA	CUTOUT	LUMENS	BEAM ANGLE	MASTER PACKING
7W	70*55MM	60MM	>90°	 23°	50 PC
12W	80*66MM	72MM	>90°		40 PC
18W	90*80MM	82MM	>90°		30 PC

BODY COLOUR:  

REFLECTOR:    

3K 4K 5K 6K 3IN1 D&T



ENERGY SAVING



EXTERNAL DRIVER



OVERVOLTAGE
PROTECTION



FLICKER
FREE

VEGA

COB LIGHT

WATT	DIMENSION	CUTOUT	LUMENS	BEAM ANGLE	MASTER PACKING
7W 12W	70*60MM 82*66MM	60MM 74MM	>90° >90°	32°	50 PC 40 PC

BODY COLOUR:  










BEAT COB LIGHT

WATT	DIMENSION	CUTOUT	LUMENS	CHIP DIA	BEAM ANGLE	MASTER PACKING
7W	70*50MM	60MM	>90°	13*13*11	23°	50 PC
12W	85*66MM	75MM	>90°	13*13*11		40 PC
18W	95*76MM	85MM	>90°	13*13*11		30 PC


BODY COLOUR:  

REFLECTOR:    



ENERGY SAVING



EXTERNAL DRIVER



OVERVOLTAGE
PROTECTION



FLICKER
FREE

SHINE COB LIGHT

WATT	DIMENSION	CUTOUT	LUMENS	BEAM ANGLE	MASTER PACKING
7W	67*55MM	67MM	>90°	23°	50 PC
12W	82*60MM	72MM	>90°		40 PC
18W	97*68MM	85MM	>90°		30PC

BODY COLOUR:  

REFLECTOR:    



ENERGY SAVING



EXTERNAL DRIVER



OVERVOLTAGE
PROTECTION



FLICKER
FREE

DELTA

COB LIGHT



WATT	DIMENSION	CUTOUT	LUMENS	CHIP DIA	BEAM ANGLE	MASTER PACKING
7W	63*60MM	60MM	>90°	13*13*8	 23°	50 PC
12W	82*75MM	75MM	>90°	13*13*11		40 PC
18W	95*97MM	97MM	>90°	23*23*20		30 PC

BODY COLOUR:  

3K 4K 5K 6K 3IN1 D&T



ENERGY SAVING



EXTERNAL DRIVER



OVERVOLTAGE
PROTECTION



FLICKER
FREE

DELTA RING COB LIGHT



WATT	DIMENSION	CUTOUT	LUMENS	CHIP DIA	BEAM ANGLE	MASTER PACKING
7W 12W 18W	65*58MM 84*68MM	55MM 72MM	>90° >90°	13*13*11 13*13*11	23°	50 PC 40 PC 30 PC


BODY COLOUR:  

REFLECTOR:    



ENERGY SAVING



EXTERNAL DRIVER



OVERVOLTAGE
PROTECTION



FLICKER
FREE


LOTUS COB LIGHT

WATT	DIMENSION	CUTOUT	LUMENS	BEAM ANGLE	MASTER PACKING
3W	63MM	55MM	>90°	23°	100 PC
6W/12W	85MM	80MM	>90°		40 PC
18W	108MM	100MM	>90°		30 PC
24W	135MM	120MM	>90°		30 PC
30W	135MM	120MM	>90°		30 PC
50W	160MM	145MM	>90°		30 PC

BODY COLOUR: 

BODY TYPE: ALUMINIUM

3K 4K 5K 6K 3IN1 D&T



ENERGY SAVING



EXTERNAL DRIVER



OVERVOLTAGE
PROTECTION




FLICKER
FREE

MOVABLE COB LIGHT

WATT	CUTOUT	LUMENS	BEAM ANGLE	MASTER PACKING
3W 12W	57MM 75MM	>90° >90°	120°	100 PC 100 PC

BODY COLOUR: 



CYLINDER LIGHT



NIYO SURFACE



CYLINDER LIGHT

WATT	DIMENSION	LUMENS	BEAM ANGLE	MASTER PACKING
7W	58*66MM	>90°	 32°	50 PC
12W	68*80MM	>90°		40 PC
18W	76*96MM	>90°		30 PC

BODY COLOUR:  

REFLECTOR:    

3K 4K 5K **6K** 3IN1



BEAT SURFACE CYLINDER LIGHT



WATT	DIMENSION	LUMENS	BEAM ANGLE	MASTER PACKING
7W	55*75MM	>90°	32°	50 PC
12W	55*100MM	>90°		40 PC
18W	72*100MM	>90°		30 PC

BODY COLOUR:  

REFLECTOR:    

3K 4K 5K **6K** 3IN1





MOVABLE CYLINDER LIGHT

MOVABLE CYLINDER LIGHT

WATT	DIMENSION	LUMENS	BEAM ANGLE	MASTER PACKING
7W	62*78MM	>90°	 32°	50 PC
12W	78*95MM	>90°		40 PC
18W	86*110MM	>90°		30 PC

BODY COLOUR:  
 REFLECTOR:    
 3K 4K 5K **6K** 3IN1





DEEP DOWN *Light*

DEEP DOWN LIGHT

WATT	DIMENSION	CUTOUT	LUMENS	MASTER PACKING
12W	120*50MM	105MM	>100°	50 PC
18W	155*50MM	140MM	>100°	40 PC

BODY COLOUR:  



ENERGY SAVING



INBUILT DRIVER



OVERVOLTAGE
PROTECTION



FLICKER
FREE



2.5KV
surge



METAL SLIM & SURFACE PANEL LIGHT

SLIM PANEL LIGHT

WATT	DIMENSION	CUTOUT	LUMENS	MASTER PACKING
8W	120MM	100MM	>100°	40 PC
15W	170MM	150MM	>100°	40 PC
22W	225MM	200MM	>100°	20 PC

SURFACE PANEL LIGHT

WATT	DIMENSION	HEIGHT	LUMENS	MASTER PACKING
8W	120MM	35MM	>100°	40 PC
15W	170MM	35MM	>100°	40 PC
22W	225MM	35MM	>100°	20 PC

BODY COLOUR: 

3K 4K 6K 3IN1 D&T



MOON SURFACE

PC BODY LIGHT

WATT	DIMENSION	LUMENS	MASTER PACKING
8W	100MM	>100°	40 PC
15W	125MM	>100°	40 PC
22W	150MM	>100°	40 PC

BODY COLOUR:  



ENERGY SAVING



INBUILT DRIVER



OVERVOLTAGE
PROTECTION



FLICKER
FREE



2.5KV
surge




NON
ISOLATED
HIGH PF
DRIVER

PC PANEL LIGHT

WATT	DIMENSION	CUTOUT	LUMENS	BEAM ANGLE	MASTER PACKING
8W	115MM	100MM	>190°	120°	40 PC
12W	145MM	130MM	>100°		40 PC
15W	165MM	145MM	>100°		40 PC
22W	165MM	150MM	>100°		40 PC

BODY COLOUR: 

3K 4K 6K 3IN1



ENERGY SAVING



OVERVOLTAGE
PROTECTION



4KV
surge

SIDE RING ADJUSTABLE JUNCTION LIGHT

WATT	CUTOUT	LUMENS	MASTER PACKING
8W+8W 12W+12W	50MM TO 80MM 50MM TO 110MM	>110° >110°	60 PC 60 PC

BODY COLOUR: 



ENERGY SAVING



INBUILT DRIVER



OVERVOLTAGE
PROTECTION



FLICKER
FREE



2.5KV
surge



DOUBLE COLOUR PANEL LIGHT

SLIM PANEL LIGHT

WATT	DIMENSION	CUTOUT	LUMENS	MASTER PACKING
3+3W	105MM	70MM	>100°	50 PC
6+4W	145MM	100MM	>100°	40 PC
12+4W	195MM	150MM	>100°	40 PC

SURFACE PANEL LIGHT


WATT	DIMENSION	HEIGHT	LUMENS	MASTER PACKING
3+3W	105MM	32MM	>100°	50 PC
6+4W	150MM	32MM	>100°	40 PC
12+4W	195MM	32MM	>100°	40 PC

BODY COLOUR: 

WH+BL WH+PK WH+PG WH+WW




DRIVER



Watt	Iso/non Iso	Power Factor	Output Current	Output Voltage Range	Surge Protection
1-3W	ISOLATED	LPF	110mA/300mA		1KV
4-7W	ISOLATED	LPF	300mA	12-26V	2.5KV
8-12W	ISOLATED	LPF	300mA	26-42V	2.5KV
13-18W	ISOLATED	LPF	300mA	42-64V	2.5KV
19-24W	ISOLATED	LPF	300mA		2.5KV
30W	ISOLATED	LPF	600mA/900mA	40-60V	4KV
50W	ISOLATED	LPF	1500mA	300-36V	4KV/6KV
8-22W	NON ISO	HPF	300mA		4KV
10-24W	NON ISO	HPF	300mA		4KV



BINI ISOLATED DRIVER



Watt	Iso/non Iso	Power Factor	Output Current	Output Voltage Range	Surge Protection
4-7W	ISOLATED	LPF	300mA	12-26V	2.5kV
8-12W	ISOLATED	LPF	300mA	26-42V	2.5kV
13-18W	ISOLATED	LPF	300mA	42-64V	2.5kV
8-22W	NON ISO	LPF	300mA		2.5kV

ISOLATED FLICKER FREE DRIVER

Watt	ISOLATED	Power Factor	Output Current	Output Voltage Range	Surge Protection
4-7W	ISO	HPF	300mA	12-26V	2.5KV
8-12W	ISO	HPF	300mA	26-42V	2.5KV
13-18W	ISO	HPF	300mA	42-60V	2.5KV



ENERGY SAVING



OVERVOLTAGE
PROTECTION

HPF ISOLATED WATERPROOF DRIVER

Watt	Dimension	Wattage Range	Transformer size	Output Current	Output Voltage Range	Surge Protection
24W	63*28*20	19-25W	EE16-8	300mA	55-85V	4KV
24W	63*28*20	16-24W	EE16-8	600mA	26-40V	4KV
36W	80*29*20	24-36W	Pq2014	600mA	36-60V	4KV
36W	80*29*20	24-36W	Pq2014	900mA	26-40V	4KV
50W	88*29*24	40-50W	EE 22	1500mA	26-40V	4KV/6KV
50W	88*35*27	40-50W	EE 28	1500mA	26-40V	4KV/6KV
50W	88*29*24	40-50W	EE 22	750mA	58-80V	4KV/6KV
50W	88*35*27	40-50W	EE 28	750mA	58-80V	4KV/6KV
100W	88*29*24*2	40-50W	EE 22	1500mAx2	26-40Vx2	6KV
100W	113*35*26	40-50W	PQ 3220	3000mA	26-36V	6KV
200W	88*29*24*4	160-200W	EE 22	1500mAx4	26-40Vx4	6KV



WATERPROOF

STRIKER LIGHT



WATERPROOF STRIKER LIGHT

WATT	DIMENSION	LUMENS	BEAM ANGLE	MASTER PACKING
5W	60*14MM	<90°	120°	200 PC

BODY COLOUR: 


3K



LENS SURFACE STRIKER

WATT	DIMENSION	HEIGHT	LUMENS	BEAM ANGLE	MASTER PACKING
3W	50MM	17MM	>100°	120°	200 PC


BODY COLOUR: 



TRACK LIGHT



TRACK LIGHT

WATT	DIMENSION	HEIGHT	LUMENS	BEAM ANGLE	MASTER PACKING
10W	50*100MM	125MM	>90°	 36°	40 PC
20W	60*135MM	150MM	>90°		40 PC
30W	80*150MM	165MM	>90°		20 PC
40W	90*180MM	178MM	>90°		20 PC
50W	90*180MM	178MM	>90°		20 PC

BODY COLOUR:  









UNIQUE




FLOOD LIGHT



UNIQUE FLOOD LIGHT

WATT	DIMENSION	LUMENS	BEAM ANGLE	MASTER PACKING
60W	230x195x45MM	130/140LM WATT	120°	20 PC
120W	285x240x55MM	130/140LM WATT		12 PC
150W	340x295x55MM	130/140LM WATT		8 PC
200W	340x295x55MM	130/140LM WATT		8 PC
300W	370x355x55MM	130/140LM WATT		6 PC
400W	370x355x55MM	130/140LM WATT		6 PC



3K 4K 6K RD GR PK BL RGB



LENS FLOOD LIGHT

WATT	DIMENSION	LUMENS	BEAM ANGLE	MASTER PACKING
50W	175x190MM	130/140LM WATT	120°	24 PC
100W	220x235MM	130/140LM WATT		16 PC
150W	285x265MM	130/140LM WATT		12 PC
200W	310x290MM	130/140LM WATT		12 PC



3K 4K 6K RD GR PK BL



STAR FLOOD LIGHT

WATT	DIMENSION	LUMENS	BEAM ANGLE	MASTER PACKING
50W	185x185MM	130/140LM WATT	120°	24 PC
100W	230x230MM	130/140LM WATT		16 PC
150W	285x285MM	130/140LM WATT		12 PC
200W	285x285MM	130/140LM WATT		12 PC

3K 4K 6K RD GR PK BL





GM FLOOD LIGHT

(WITH 180 DEGREE HANDLE)

WATT	DIMENSION	LUMENS	BEAM ANGLE	MASTER PACKING
60W	225x230x50MM	130/140LM WATT	120°	20 PC
120W	275x285x60MM	130/140LM WATT		12 PC
180W	320x340x65MM	130/140LM WATT		8 PC
240W	320x340x65MM	130/140LM WATT		8 PC

3K 4K 6K RD GR PK BL







BACK CHOCK FLOOD LIGHT

WATT	DIMENSION	LUMENS	BEAM ANGLE	MASTER PACKING
200W	385 x 300 MM	130/140LM WATT	15°,25°,60° 90°,120°	6 PC

3K 4K 6K RD GR PK BL



HIGHBAY LIGHT

WATT	DIMENSION	LUMENS	BEAM ANGLE	MASTER PACKING
100W 200W	250x250MM 355x355MM	130/140LM WATT 130/140LM WATT	120°	12 PC 8 PC

3K 4K 6K RD GR PK BL

*2835 LENS ALSO AVAILABLE

*5050 LENS ALSO AVAILABLE

