

B BRIGHT INDUSTRIES

"The New Defination of High-Quality Components."

MFG., TRADER & SERVICE PROVIDER OF INDUSTRIAL AUTOMATION & GARAGE EQUIPMENTS

MADE IN INDIA



ALL TYPES OF HOSE REELS - 1



ISO 9001:2015

STATIC DISCHARGE GROUNDING REEL

"Bright make Static Discharge Grounding Reel Closed and compact model reels are suitable for storage of cable with quick payout and auto spring rewind. Designed for safe and reliable grounding of vehicle Fuel transfer trucks, aircraft and other equipment requiring static bonding. Reels are manufactured with mild steel & also in SS304. These reels are standard supply with 5, 10,15,20,25,30 metre of Yellow/Red PVC coated Galvanised Steel, Stainless Steel, and copper cables with single strand. Finished with powder coated in Grey, Blue, Red and Green.

SPECIFICATION

Model No.	Cable Length (Mtr.)	Material Of Construction
BI-SDR-05-CS	05	Carbon Steel with Powder Coated
BI-SDR-10-CS	10	Carbon Steel with Powder Coated
BI-SDR-15-CS	15	Carbon Steel with Powder Coated
BI-SDR-20-CS	20	Carbon Steel with Powder Coated
BI-SDR-25-CS	25	Carbon Steel with Powder Coated
BI-SDR-30-CS	30	Carbon Steel with Powder Coated
BI-SDR-05-SS	05	Stainless Steel 304
BI-SDR-10-SS	10	Stainless Steel 304
BI-SDR-15-SS	15	Stainless Steel 304
BI-SDR-20-SS	20	Stainless Steel 304
BI-SDR-25-SS	25	Stainless Steel 304
BI-SDR-30-SS	30	Stainless Steel 304

CABLE DETAILS : 1CX 4 & 6 sq.mm COPPER & SINGLE 7X7 STRANDED STEEL

FEATURES

- Fully automatic Spring Rewind
- Reels are supplied with 4 & 6 sq.mm Copper wire & standard 4mm steel rope in 7x7 strand
- 100 amp Earthing ground reel

APPLICATIONS


- Fuel Tank Loading-Unloading Static grounding
- Air plane fuel filling
- Utility vehicle & Maintenance shop
- Any other place where static might build up



DIESEL HOSE REEL

Bright make retractable, Spring Rewind diesel Hose Reel that offers a twin pedestal designs to provide ultimate performance and reliability. Bright Industries offer a wide range of Diesel Fuel Hose Reels in a variety of sizes that come with an option of with or without hose according to the customer requirement.

Bright Retractable Diesel Hose Reel supply standard range of hose reel ideal for your application. Bright Diesel Hose Reel range includes high capacity versions for refueling vehicles that cannot gain immediate access to the tank. Our diesel fuel hose reel also offers to keep the working environment compactly clean and sophisticated.



SPECIFICATION

Model No.	Hose Size ID	Hose Length (mtr.)	Max Working Pressure (Bar)
BI-DR-3405	3/4"	05	20
BI-DR-3410	3/4"	10	20
BI-DR-3415	3/4"	15	20
BI-DR-3420	3/4"	20	20
BI-DR-3425	3/4"	25	20
BI-DR-3430	3/4"	30	20
BI-DR-1005	1"	05	20
BI-DR-1010	1"	10	20
BI-DR-1015	1"	15	20
BI-DR-1020	1"	20	20
BI-DR-1025	1"	25	20
BI-DR-1030	1"	30	20
BI-DR-11210	1 1/2"	10	20
BI-DR-11215	1 1/2"	15	20

Note: Bright also Makes Manual as well as Customized Diesel Hose Reel according to the Customer Requirement.



FEATURES

- Fully automatic Spring Rewind
- Brake system is Supplied with spring actuated pin lock as standard
- Sturdy Structure & Reduced Pressure Loss
- Corrosion Resistance Since powder Coated

APPLICATIONS

- Safe Fuel delivery to required system
- Refueling tank
- Standard Use in Diesel Bowser
- Mobile detailing Vehicles
- Any industry where hoses are kept in chaotic way



Bldg.No.2 Gala no.103 Shubham Ind. Esatate,Dhumal Nagar
waliv Vasai (East), Dist.Palghar, Maharashtra-401202
Mobile No.: 7977632109/8369945962 Email : brightind27@gmail.com

OIL HOSE REEL

Bright make Automatic Oil hose reels specially designed to work to high oil pressures and flow rate. Bright Oil hose reels rapidly become the Workshop Managers choice due to its track record of trouble-free operation. This Reduce clutter and increase workplace safety with hose reels designed for everyday use in service garages, shops and dealerships. With its durable high grade metal construction with powder coating on it improves strength and with rigid dual pedestal frame increases its performance, Bright hose reels are built to last. We produce each range of Oil hose reel that is used in different industries for various application.



SPECIFICATION

Open Model

Model No.	Hose Size ID	Hose Length (mtr.)	Max Press. (Bar)
BI-OR-1410	1/4"	10	300
BI-OR-1415	1/4"	15	300
BI-OR-1420	1/4"	20	300
BI-OR-1425	1/4"	25	300
BI-OR-1430	1/4"	30	300
BI-OR-3810	3/8"	10	240
BI-OR-3815	3/8"	15	240
BI-OR-3820	3/8"	20	240
BI-OR-3825	3/8"	25	240
BI-OR-3830	3/8"	30	240
BI-OR-1210	1/2"	10	200
BI-OR-1215	1/2"	15	200
BI-OR-1220	1/2"	20	200
BI-OR-1225	1/2"	25	200
BI-OR-1230	1/2"	30	200
BI-OR-3410	3/4"	10	140
BI-OR-3415	3/4"	15	140
BI-OR-3420	3/4"	20	140
BI-OR-3425	3/4"	25	140
BI-OR-3430	3/4"	30	140
BI-OR-0110	1"	10	110
BI-OR-0115	1"	15	110
BI-OR-0120	1"	20	110
BI-OR-0125	1"	25	110
BI-OR-0130	1"	30	110

Close Model

Model No.	Hose Size ID	Hose Length (mtr.)	Max Press. (Bar)
BI-OR-C1410	1/4"	10	300
BI-OR-C1415	1/4"	15	300
BI-OR-C1420	1/4"	20	300
BI-OR-C3810	3/8"	10	240
BI-OR-C3815	3/8"	15	240
BI-OR-C3820	3/8"	20	240
BI-OR-C1210	1/2"	10	200
BI-OR-C1215	1/2"	15	200
BI-OR-C1220	1/2"	20	200



Heavy Duty Oil Hose Reel Model

Model No.	Hose Size ID	Hose Length (mtr.)	Max Press. (Bar)
BI-OR-11410	1-1/4"	10	90
BI-OR-11415	1-1/4"	15	90
BI-OR-11210	1-1/2"	10	70
BI-OR-11215	1-1/2"	15	70
BI-OR-0210	2"	10	50



Bldg.No.2 Gala no.103 Shubham Ind. Esatate,Dhumal Nagar waliv Vasai (East), Dist.Palghar, Maharashtra-401202

Mobile No.: 7977632109/8369945962

Email : brightind27@gmail.com

FEATURES

- Spring driven Retractable hose reel
- The hose can be locked at the desired length
- Different Mounting arms enables floor, roof, wall or tank mounting
- Increased strength due to Dual Pedestal frame

APPLICATIONS

- For Garage Equipment
- Construction & Fleet maintenance
- Transfer of oil in various Industrial Applications
- Mining & Logistics Industries
- Service Vehicle

Note: Bright also Makes Manual as well as Customized Oil Hose Reel according to the Customer Requirement.



Bldg.No.2 Gala no.103 Shubham Ind. Esatate,Dhumal Nagar
waliv Vasai (East), Dist.Palghar, Maharashtra-401202

Mobile No.: 7977632109/8369945962

Email : brightind27@gmail.com

Air HOSE REEL

Bright make fully retractable Air Hose Reel with permanently lobed springs, self-locking safety latch, rugged and corrosion resistant finish. Bright Air Hose Reels are durable and compact for a wide range of applications with critical space requirements. A full flow shaft and swivel assures maximum product delivery. Bright Air Hose Reels mountable on floors, walls, ceilings, workbenches or inside your Vehicle. This drum incorporates a powerful torsion spring to ensure a positive movement of the hose when being pulled out or retracted. According to the application and requirement we can supply open as well as closed model with manual operated, with auto rewind function, with motor operated model which covers all ideal and customized air hose reels. Leveraging the skills of our qualified team of professionals, we are instrumental in offering wide range of Bright Auto Rewind Air Hose Reel.



SPECIFICATION

Close Model

Model No.	Hose Size IDxOD (mm)	Hose Length (mtr.)	Max Press. (Bar)
BI-AR-5810	5.5 x 8	10	10
BI-AR-5815	5.5 x 8	15	10
BI-AR-5820	5.5 x 8	20	10
BI-AR-5825	5.5 x 8	25	10
BI-AR-8125	8 x 12	4.5	10
BI-AR-81210	8 x 12	10	10
BI-AR-81215	8 x 12	15	10
BI-AR-81220	8 x 12	20	10
BI-AR-81225	8 x 12	25	10
BI-AR-81230	8 x 12	30	10
BI-AR-101410	10 x 14	10	10
BI-AR-101415	10 x 14	15	10
BI-AR-101420	10 x 14	20	10
BI-AR-101425	10 x 14	25	10
BI-AR-101430	10 x 14	30	10
BI-AR-121610	12 x 16	10	10
BI-AR-121615	12 x 16	15	10
BI-AR-121620	12 x 16	20	10
BI-AR-121625	12 x 16	25	10

Open Model

Model No.	Hose Size ID	Hose Length (mtr.)	Max Press. (Bar)
BI-AR-1410	1/4"	10	30
BI-AR-1415	1/4"	15	30
BI-AR-1420	1/4"	20	30
BI-AR-1425	1/4"	25	30
BI-AR-1430	1/4"	30	30
BI-AR-3810	3/8"	10	30
BI-AR-3815	3/8"	15	30
BI-AR-3820	3/8"	20	30
BI-AR-3825	3/8"	25	30
BI-AR-3830	3/8"	30	30
BI-AR-1210	1/2"	10	30
BI-AR-1215	1/2"	15	30
BI-AR-1220	1/2"	20	30
BI-AR-1225	1/2"	25	30
BI-AR-1230	1/2"	30	30



Note: Bright also Makes Manual as well as Customized Air Hose Reel according to the Customer Requirement.

FEATURES

- Spring driven Retractable Hose reel
- The hose can be locked at the desired length
- Easy and versatile installation through bracket pivots
- Rugged and corrosion resistant finish

APPLICATIONS

- Pneumatic Air Tools
- Tire Services
- Decontamination & Misc. Compressed Air Delivery
- Pressurized Air for Air Blow Guns in Car Services
- Service Bays / Garages / Paint Spraying



Bldg.No.2 Gala no.103 Shubham Ind. Esatate,Dhumal Nagar
waliv Vasai (East), Dist.Palghar, Maharashtra-401202
Mobile No.: 7977632109/8369945962

Email : brightind27@gmail.com



GREASE HOSE REEL

Bright make Spring Driven retractable Grease Hose Reel with durability, performance and value built into every reel. The Bright Grease Hose Reel is specifically designed for use in garage and workshop applications. Garage and workshops often require Grease Hose Reels with a long length of hose that they can pull out to dispense the fluid at multiple bays around the workshop. Our range of Grease Hose Reels includes open and enclosed reels in a variety of different lengths and with or without hose. We also offer high capacity Grease hose reels for applications where a longer length of hose is required.



SPECIFICATION

Open Model

Model No.	Hose Size ID	Hose Length (mtr.)	Max Press. (Bar)
BI-GR-1410	1/4"	10	400
BI-GR-1415	1/4"	15	400
BI-GR-1420	1/4"	20	400
BI-GR-1425	1/4"	25	400
BI-GR-1430	1/4"	30	400
BI-GR-3810	3/8"	10	330
BI-GR-3815	3/8"	15	330
BI-GR-3820	3/8"	20	330
BI-GR-3825	3/8"	25	330
BI-GR-3830	3/8"	30	330
BI-GR-1210	1/2"	10	280
BI-GR-1215	1/2"	15	280
BI-GR-1220	1/2"	20	280
BI-GR-1225	1/2"	25	280
BI-GR-1230	1/2"	30	280

Close Model

Model No.	Hose Size ID	Hose Length (mtr.)	Max Press. (Bar)
BI-GR-C1410	1/4"	10	400
BI-GR-C1415	1/4"	15	400
BI-GR-C1420	1/4"	20	400
BI-GR-C3810	3/8"	10	330
BI-GR-C3815	3/8"	15	330
BI-GR-C3820	3/8"	20	330
BI-GR-C1210	1/2"	10	280
BI-GR-C1215	1/2"	15	280
BI-GR-C1220	1/2"	20	280

Note: Bright also Makes Manual as well as Customized Grease Hose Reel according to the Customer Requirement.



FEATURES

- Fully automatic Spring Rewind
- Brake system is Supplied with spring actuated pin lock as standard
- Sturdy Structure & Reduced Pressure Loss
- Corrosion Resistance Since powder Coated

APPLICATIONS

- Quick Lube Stations
- Fleet Truck Maintenance
- Manufacturing / Fabrication Shops
- Mobile detailing Vehicles
- Auto Mobile servicing center



Bldg.No.2 Gala no.103 Shubham Ind. Esatate,Dhumal Nagar waliv Vasai (East), Dist.Palghar, Maharashtra-401202
Mobile No.: 7977632109/8369945962



Email : brightind27@gmail.com

WATER HOSE REEL

Bright make Auto-Rewind Water Hose Reel which are built with high standard quality and attention to material to provide high performances. You get a professional look, easier fit and faster performing equipment. The spring loaded tension enables the reel to automatically self-retract hose without the need for external power - which makes them a great cost-effective alternative to motor driven reels. Multi-position lock ratchet mechanism secures the hose at the desired length. Bright Water Hose Reel includes wide range of hose reel suitable for all industrial and commercial application.

SPECIFICATION

Open Model

Model No.	Hose Size ID	Hose Length (mtr.)	Max Press. (Bar)
BI-WR-1410	1/4"	10	30
BI-WR-1415	1/4"	15	30
BI-WR-1420	1/4"	20	30
BI-WR-1425	1/4"	25	30
BI-WR-1430	1/4"	30	30
BI-WR-3810	3/8"	10	30
BI-WR-3815	3/8"	15	30
BI-WR-3820	3/8"	20	30
BI-WR-3825	3/8"	25	30
BI-WR-3830	3/8"	30	30
BI-WR-1210	1/2"	10	30
BI-WR-1215	1/2"	15	30
BI-WR-1220	1/2"	20	30
BI-WR-1225	1/2"	25	30
BI-WR-1230	1/2"	30	30
BI-WR-3410	3/4"	10	30
BI-WR-3415	3/4"	15	30
BI-WR-3420	3/4"	20	30
BI-WR-3425	3/4"	25	30
BI-WR-3430	3/4"	30	30
BI-WR-0110	1"	10	30
BI-WR-0115	1"	15	30
BI-WR-0120	1"	20	30
BI-WR-0125	1"	25	30
BI-WR-0130	1"	30	30

Close Model

Model No.	Hose Size ID	Hose Length (mtr.)	Max Press. (Bar)
BI-WR-C1410	1/4"	10	30
BI-WR-C1415	1/4"	15	30
BI-WR-C1420	1/4"	20	30
BI-WR-C3810	3/8"	10	30
BI-WR-C3815	3/8"	15	30
BI-WR-C3820	3/8"	20	30
BI-WR-C1210	1/2"	10	30
BI-WR-C1215	1/2"	15	30
BI-WR-C1220	1/2"	20	30

Heavy Duty Water Hose Reel Model

Model No.	Hose Size ID	Hose Length (mtr.)	Max Press. (Bar)
BI-WR-11410	1-1/4"	10	30
BI-WR-11415	1-1/4"	15	30
BI-WR-11210	1-1/2"	10	30
BI-WR-11215	1-1/2"	15	30
BI-WR-0210	2"	10	30

Note: Bright also Makes Manual as well as Customized water Hose Reel according to the Customer Requirement.

FEATURES

- Increased frame strength with dual pedestal frame
- Brake system is Supplied with spring actuated pin lock
- Sturdy Structure & Reduced Pressure Loss
- Corrosion Resistance Since powder Coated



Bldg.No.2 Gala no.103 Shubham Ind. Esatate,Dhumal Nagar
waliv Vasai (East), Dist.Palghar, Maharashtra-401202
Mobile No.: 7977632109/8369945962 Email : brightind27@gmail.com



APPLICATIONS

- Automobile Service Station
- Construction Industries
- Chemical Industries
- Mobile detailing Vehicles
- Manufacturing & Agriculture Industries



GAS HOSE REEL

Bright make Gas Hose Reel that offers a twin pedestal designs to provide ultimate performance and reliability. Bright Retractable Gas Hose Reel is a professional device to help to handle the oxygen and LPG (or acetylene gas) containers safely at work sites and prevent negligent accidents.

Bright Industries offer a wide range of Gas Hose Reels in a variety of sizes that come with an option of with or without hose reel trolley according to the customer requirement. The open structure allows an easy assembly and replacement of the hose and the control of the rewinding




SPECIFICATION

Auto-Rewind

Model No.	Hose Size ID (MM)	Hose Length (mtr.)	Hose Material
BI-OAR-0610	6	10	Rubber
BI-OAR-0810	8	10	Rubber
BI-OAR-0615	6	15	Rubber
BI-OAR-0815	8	15	Rubber
BI-OAR-0620	6	20	Rubber
BI-OAR-0820	8	20	Rubber
BI-OAR-0625	6	25	Rubber
BI-OAR-0825	8	25	Rubber
BI-OAR-0630	6	30	Rubber
BI-OAR-0830	8	30	Rubber

Manual-Rewind

Model No.	Hose Size ID (MM)	Hose Length (mtr.)	Hose Material
BI-OAR-M0610	6	10	Rubber
BI-OAR-M0810	8	10	Rubber
BI-OAR-M0620	6	20	Rubber
BI-OAR-M0820	8	20	Rubber
BI-OAR-M0630	6	30	Rubber
BI-OAR-M0830	8	30	Rubber
BI-OAR-M0640	6	40	Rubber
BI-OAR-M0840	8	40	Rubber
BI-OAR-M0650	6	50	Rubber
BI-OAR-M0850	8	50	Rubber




Note: Bright also Makes Customized Gas Hose Reel according to the Customer Requirement.

FEATURES

- The sturdy "U" shaped frame and all steel construction make this one tough little reel
- Save time and effort while increasing the safety of your work environment
- Sturdy Structure & Reduced Pressure Loss
- Corrosion Resistance Since powder Coated

APPLICATIONS

- Welding Oxy Acetylene Gas
- Manufacturing / Fabrication Shops
- Aviation / Aerospace Manufacturing
- Railroad / Bridges / Shipyards
- Welding Carts



Bldg.No.2 Gala no.103 Shubham Ind. Esatate,Dhumal Nagar
waliv Vasai (East), Dist.Palghar, Maharashtra-401202

Mobile No.: 7977632109/8369945962

Email : brightind27@gmail.com

ARC WELDING REEL

Bright offers professional grade Arc Welding Reel in spring driven, hand crank, or motorized retraction methods that can handle varying lengths of cable from standard lengths to high capacity depending on the cable required. Bright arc welding reels are the perfect solution to increase efficiency at the worksite by keeping cable off the ground and tidy, which drastically decreases tripping hazards. You will also extend the life of your cables by preventing premature wear and increase ease of use by keeping your welding electrode accessible, to be pulled out on the fly. Ensure protection of your expensive welding equipment by having a solid grounding solution that enhances ease of use, thanks to our reels; which, by the way, are easily mountable in shops, trucks or trailers, or on portable welding cart units.



SPECIFICATION

Auto-Rewind

Model No.	Cable Specifications	Cable Length (mtr.)	Allowable Current (Amp)
BI-AWR-2520	25SQMM X 1C X WELDING HOLDER	20	200
BI-AWR-2530	25SQMM X 1C X WELDING HOLDER	30	200
BI-AWR-3520	35SQMM X 1C X WELDING HOLDER	20	300
BI-AWR-3530	35SQMM X 1C X WELDING HOLDER	30	300
BI-AWR-7020	70SQMM X 1C X WELDING HOLDER	20	500

Manual-Rewind

Model No.	Cable Specifications	Cable Length (mtr.)	Allowable Current (Amp)
BI-AWR-M2520	25SQMM X 1C X WELDING HOLDER	20	200
BI-AWR-M2530	25SQMM X 1C X WELDING HOLDER	30	200
BI-AWR-M3520	35SQMM X 1C X WELDING HOLDER	20	300
BI-AWR-M3530	35SQMM X 1C X WELDING HOLDER	30	300
BI-AWR-M7020	70SQMM X 1C X WELDING HOLDER	20	500



Note: Bright also Makes Manual as well as Customized Gas Hose Reel according to the Customer Requirement.

FEATURES

- Reels are all steel construction and compact design
- Quick connection to your welder.
- Declutching arbor is provided to prevent damage from reverse winding.
- Sturdy Structure & Reduced Pressure Loss
- Corrosion Resistance Since powder Coated

APPLICATIONS

- Aviation / Aerospace / Airports
- Service Bays / Garages
- Manufacturing / Fabrication Shops
- Highway & Street Equipment
- Railroad / Bridges/ Shipyards
- Welding Carts



Bldg.No.2 Gala no.103 Shubham Ind. Esatate,Dhumal Nagar waliv Vasai (East), Dist.Palghar, Maharashtra-401202
Mobile No.: 7977632109/8369945962

Email : brightind27@gmail.com

MFG., TRADER & SERVICE PROVIDER OF INDUSTRIAL AUTOMATION
& GARAGE EQUIPMENTS



"The New Defination of High-Quality Components."

-  Gala No. 103, Bldg. No. 2, Shubham Industrial Estate, Dhumal Nagar, Unique Ind. Complex, Waliv, Vasai East, Palghar, Maharashtra-401202, INDIA
-  7977632109 / 8369945962  info@brightindustries.in / brightind27@gmail.com
-  www.brightindustries.in

WE ARE DEDICATED TO PROVIDE THE BEST QUALITY,
VALUE & SERVICES



ISO 9001:2015