

JETAA GROUP OF COMPANIES

# BEYOND IMAGINATION



*Innovation*  
**Unleashed**

**Effortless Cashew Shelling and Scooping**

# BEST VERTICAL CASHEW SHELLING MACHINE IN INDUSTRY



**VSM  
125**



**VSM  
250**

## Specifications

### VSM125

- Number of cutting head: 4
- Size: L 2.5 x W 2.3 x H 7\* feet
- Capacity: 125\* Kgs per hour  
RCN Grades: A / A+B / C+D / E
- Power Consumption: 0.75Kw\* (1hp\*)
- Whole kernel Ratio: >95%\*
- Uncut Ratio: <5%\*
- Power Supply: 3PH 380-480V 50/60Hz (Optional: 1PH 220-240V 50Hz)
- Note: Depending on the raw material, RCN Boiling, Handling and processing, Nut sizes the cutting ratio may increase or decrease minimally compared to above parameters.

### VSM250

- Number of cutting head: 8
- Size: L 2.5 x W 4.3 x H 7\* feet
- Capacity: 250\* Kgs per hour  
RCN Grades: A / A+B / C+D / E
- Power Consumption: 1.1 Kw\* (1.5hp\*)



## ▬ Specifications

### VSL250 2G

- RCN Grades: AB + CD
- Size: L 31.5 x W 10.5 x H 10.5 \* feet
- Capacity: 250\* Kgs per hour
- Power Consumption: 8.5kw\* (11.5hp\*)
- Whole kernel Ratio: >95%\*
- Uncut Ratio: <5%\*
- Power Supply: 3PH 380-480V 50/60Hz
- Note: Depending on the raw material, RCN Boiling, Handling and processing sizes the cutting ratio may increase or decrease minimally compares to a parameters.

**1ST TIME INTRODUCING TWO  
GRADES IN SINGLE LINE**



## **≡ Specifications**

### **VSL500 2G**

- RCN Grades: AB + CD
- Size: L 42 x W 11 x H 12 \* feet
- Capacity: 500\* Kgs per hour
- Power Consumption: 16kw\* (21.5hp\*)
- Whole kernel Ratio: >95%\*
- Uncut Ratio: <5%\*
- Power Supply: 3PH 380-480V 50/60Hz
- Note: Depending on the raw material, RCN Boiling, Handling and processing sizes the cutting ratio may increase or decrease minimally compares to a parameters.

PRECISE RAW CASHEW GRADING, WHERE ACCURACY  
MEETS EXCELLENCE IN EVERY CASHEW KERNEL



## — Specifications & Features

### RCN 600

- Size: L 26.5 x W 4 x H 8 \* feet
- Capacity: 600\* Kgs per hour
- Power Consumption: 2Kw\* (2.5hp\*)
- RCN Grades: A<sup>+</sup> / A+B / C+D / E
- Small Footprints, saves space in Factory
- Modular belt elevator for RCN feeding
- Vibratory feeding hopper for RCN
- Gear drive mechanism
- Rigid Structure
- Low Maintainance
- All essential parts are manufactured by prestigious brands that are mentioned below
  - Motor: Bharat Bijlee / Havells / Crompton Greaves or similar quality
  - Gear box: Bonvario / Rotomotive or similar quality

## Conditions of Supply

- Machine comes with standard packaging. However export packaging will be surcharged.
- Specifications/features are subject to change without prior information. Please consult us for the latest information on features/specification before deciding to place an order.
- Images shown are for illustrative purposes only and may differ slightly from the actual product.

## Warranty Terms & Service Policy

- A warranty period of 12 months is provided, covering all electronic components and any manufacturing defects.
- Please note that consumable parts such as blades, splitters, springs, and similar items, are not covered Under the warranty.
- Parts covered under warranty will be repaired or replaced in accordance with our warranty policy. However, all courier or transportation charges for sending warranty parts shall be borne by the customer.
- During the warranty period, if a visit by our service engineer to your site is required, the accommodation and food expenses of the engineer shall be borne by the customer.
- After the expiry of the warranty period, we will continue to provide service support as required. However, all associated travel expenses including transportation, food, and accommodation for our service engineer shall be borne by the customer.

***Happily Committed to After-Sales Service!***

***Great Quality, High Performance***  
**Call for Demo!**



Scan For More Information

+91 92270 90701  
+91 83200 80701

sales@jetaa.co.in

www.Jetaa.co.in

Z-61 to 71, BRC compound,  
laxminarayn ind.estate,  
Udhna, surat, Gujrat- 394210