

imagePRESS
C265

Canon
Delighting You Always

Presenting the **New** Canon imagePRESS C265

INSPIRES YOU TO
DO MORE

BUSINESS

CREATIVITY

PRODUCTIVITY

SAVINGS



#WeDeliverReliability

INSPIRES YOU TO DO MORE

Whether you work in a Print Shop, Creative Agency or a Corporate Office, why settle for anything less when you can get MORE Creativity, MORE Simplicity, MORE Savings, and get MORE out of your business. Presenting the Canon imagePRESS C265, a perfect combination of user-friendly interface and patented technologies that ensure professional quality to your colour documents. iPR C265 will enable you to expand your business and move beyond the current realm of work.

It's time to add a growth partner to your business, not just a printer.

MORE BUSINESS

imagePRESS C265 is an outstanding investment designed to deliver the remarkable print quality that meets your current business demands.

Optimal Productivity & Brilliant Impression

Print speeds up to 65pages/min(Color), 70pages/min(B/W) and scan speed of 240/240images/min (Color/B/W) at 300dpi. This next-generation imaging solution incorporates Single-pass Duplex Color Scanner and state-of-the-art R-VCSEL laser technology at 2 400 x 2 400dpi, 190lpi screening to give you immense productivity and stunning image quality.

Keeps Running

Slowdowns and interruptions can cost time and money. Outstanding consumables and part yield combined with toner and paper replenishment on-the-fly ensure maximum productivity.

MORE CREATIVITY

Wide range of creative applications are possible with the ability to handle multiple paper sizes and formats including SRA3, A3, A4, envelopes, heavy media up to 350g/m² and unique long-sheet functionality up to 1300mm (6 Fold A4 Brochure).

Rich, Clear, Vivid Images

Canon's translucent CV Toner allows the surface properties of the media to show through, thus producing amazingly vibrant and vivid images.

Wide Media Support

The combination of its Coated Transfer Belt and Simple Transfer Adjustment technology allows the toner to fill the peaks and valleys of your embossed stocks, producing high-density images for custom and premium applications.



MORE SIMPLICITY

The touch screen interface is designed for maximum ease of use. Functions are quickly initiated with clearly identifiable on-screen buttons that can be organized to fit the way you work.

Work Easier

Repetitive or complicated tasks can be assigned to a single button on the interface, speeding workflow through less manual intervention. On-screen Intuitive Removal Guidance is designed to easily remove paper jams (if any).

Connect Seamlessly

It has the ability to interact with USB drives, Wi-Fi or mobile Apps. This makes connectivity to iPR C265 more easy and seamless.

Data And Network Security

Optional multilayered security solutions help safeguard sensitive data stored on the device and during transmission if required.

MORE SAVINGS

Canon's strong commitment to the environment is evident in its product design. A combination of fusing technologies and low-melting-point toner helps minimize power requirements.

Save Power

iPR C265 is designed to demand low power consumption of 2kW (for Standard Configuration*) which makes it easy to fit in existing setups.

Save Space

With standard feeding options on minimum configuration, iPR C265 takes less space to suit in any print environment.

TECHNOLOGY OVERVIEW

R-VCSEL LASER TECHNOLOGY

Advanced 24-beam red VCSEL laser delivers 2400 x 2400dpi, 190lpi, outputting detailed color images with outstanding definition at high speeds.

LOOP SENSOR CONTROL

Controls media alignment throughout the printing process to help maintain high quality on heavy, coated, and banner stocks.

SECURITY FEATURES

Control who has access to the device — and to which features — using a host of flexible authentication methods, such as picture log-in, PIN code, user name/password, or card access.⁵

MULTI D.A.T. TECHNOLOGY

Multi-gradation density patches are measured and corrected during production automatically, which helps ensure consistent halftones during production.

WORKFLOW EFFICIENCY

A unique, customized experience tailored to individual preferences is delivered on a 25.65cm(10.1inch) intuitive touch-screen.

5

1

2

3

4

6

7

8

9

TRANSLUCENT CV TONER

Helps produce consistent, vivid, and crisp images on a wide range of media with a realistic, offset-like finish.

COATED IMAGING TRANSFER BELT

Flexible belt presses the toner into the media, enabling a high-density image transfer onto embossed stocks.

DEVICE AND FLEET MANAGEMENT⁵

Extend the functionality of the engine by adding access control, simple cloud scanning capabilities, and integrated cost tracking.

COST MANAGEMENT⁵

Apply print policies and restrict usage by user to help reduce unnecessary printing and contribute to cost efficiency.

⁵ Optional accessories may be required.

IPR C265 SPECIFICATIONS

Type & Print Speed	A3 Color Multifunction (Laser Beam Printing) & 65 pages/min(A4, Simplex, Color), 70 pages/min(A4, Simplex, B/W)
Core Functions	Print, Copy, Scan, Send, Store and Optional Fax
Paper Capacity (Standard)	2 x 1 100-sheets cassettes, 2 x 550-sheets cassettes StackBypass Tray: 250 sheets
Supported Media Types	Paper Cassettes (1/2): Thin, Plain, Recycled, Thick, Color, Transparency, Pre-punched, Letterhead, Bond Paper Cassettes (3/4): Thin, Plain, Recycled, Thick, Color, Tab, Transparency, Bond, Pre-punched, Letterhead, Envelope StackBypass Tray: Transparency, Label, Postcard, Tracing, Envelope, Coated, Textured, Bond, Pre-punched, Letterhead, Tab
Supported Media Sizes	Paper Cassette (1/2): Standard size: A4, B5, LTR Paper Cassette 3/4: Free size: 100 x 148mm to 330.2 x 487.7mm, A3, A4, A4R, A5, A5R, A6R, SRA3, Envelopes StackBypass Tray: Free size: 100 x 148mm to 330.2 x 1300mm, A3, A4, A4R, A5, A5R, A6R, SRA3, Envelopes
Supported Media Weights	Paper Cassette 1/2 : 52 to 220g/m ² Paper Cassette 3/4 : 52 to 256g/m ² StackBypass Tray: 52 to 350g/m ² Duplex : 52 to 220g/m ²
Warm-up Time	Quick Startup Mode: 4 seconds or less (Time until key operations can be performed on the touch panel display) From Power: On 30 seconds or less (Time until it becomes possible to start copying) From Sleep: Mode 30 seconds or less
First Copy Time	Full Color: 5.4 seconds, BW: 4.4 seconds
Processor	1.8GHz Dual Core Processor
Memory	Standard 5 GB RAM (Main CPU Side 2 GB, Image Processing CPU Side 2 GB + 1 GB (Reserved for Imaging Processing))
Hard Disk Drive	Standard: SSD 250GB, Maximum: 1TB (Optional)
Interface Type	USB: 3.0 & 2.0 Hi-speed, Ethernet: 1000 BaseT/100Base -TX/10Base-T, Wireless LAN: (IEEE 802.11b/g/n)
Network Protocol	TCP/IP (FTP, SMTP, POP, HTTP, SNMP, LDAP, SLP, SMB, LPD, IPP, WS-Discovery, Bonjour, Direct Mobile Printing, Port 9100, SNT, 802.1X, DHCP, DNS, NTP)
Control Panel	5.6cm (10.1inch) TFT LCD WSVGA Colour Touch panel
Weight (Toner bottle included)	Approximately 261kg
Operating Environment	Temperature: 10 to 30°C, Humidity: 20 to 80%RH (Relative Humidity)
Power Source	220V - 240V 50/60Hz 10A
Power Consumption	Maximum: 2 000W, Standby: 136.6W, Sleep mode: 0.9W
Dimensions (W x D x H)	689mm x 941mm x 1 220mm
Installation Space (W x D)	1 740mm x 1 524mm (with Front door open + Multi-purpose tray open+ Left cover with optional COPY TRAY-R2 open)
Print Specifications	Output Resolution (dpi): 2 400 x 2 400dpi Page Description Languages - Standard: UFR II, PCL6, Option: Adobe Postscript 3
Copy Specifications	Copy Speed -65 pages/min(A4, Color), 70 pages/min(A4, B/W) Magnification: 25% - 400% (1% Increments) Copy Resolution (dpi): Reading: 600 x 600, Printing: up to 2 400 x 2 400
Scan Specifications	Type: Single-pass Duplexing Automatic Document Feeder Document Feeder Paper Capacity: 200 Sheets (80g/m ²) Supported Media Sizes: Platen: Max. Scanning size: 297 x 431.8mm, Document Feeder: A3, A4, A4R, A5, A5R, B4, B5, B5R, B6R, Custom Size: 128.0 x 139.7mm to 304.8 x 431.8mm Scan Speed (A4, B/W/CL) 1-sided Scanning: 135images/min /135images/min (300dpi), 80images/min /80images/min (600dpi) 2-sided Scanning: 270images/min /270images/min (300dpi), 160images/min /90images/min (600dpi)
Print Options	imagePRESS PS Printer Kit (Adobe Postscript 3) Part of imagePRESS Printer Family - M20 (Piggyback)
Feeding Accessories	Stack Bypass Tray-D1 (Standard), Stack Bypass Tray-D1, Long Sheet Tray-B1, Paper Deck Unit-E1, POD Deck Lite-C1, Multi Drawer PD-E1 EUO, PD Path Kit-B1, Tab Attachment Kit-F1, Envelope Attachment Kit-F1, Envelope Attachment Kit-H1
Finishing Accessories	Copy Tray-R2 (Standard), LS Catch Tray-B1, Staple Fin-AC1, Booklet Fin-AC1, Jogger Kit-A1, 2/3h Puncher Unit-A1, 2/F4h Puncher Unit-A1, Insert/Fold U-K1 EU/O, Staple Fin-AG1 EUO, Booklet Fin-AG1 EUO, Acc I/F Kit-A2, Puncher Unit-B1(2/3h), Puncher Unit-BT1(2/F4h), Puncher Unit-BU1(S4h), Inserter Opcon Kit-A1, Insertion Unit-R1 EUO, Paper Folding Unit-K1, M.F Pro Puncher-B1 EU, Booklet Trimmer-G1, 2-Knife Trimmer-B1, Trimmer Conveyor-B1

Head Office: Canon India Private Limited, 7th Floor, Tower-B, Building No. 5, DLF Phase III, Gurgaon - 122002
 ☎ 0124-486 1265 | 1860 180 3366 | 1800 208 3366 🌐 <https://in.canon/ppp> ✉ cipl.ppp@canon.co.in

Region/Branch Office: Delhi/NCR, Chandigarh, Hyderabad, Mumbai, Chennai, Bangalore, Kolkata, Pune

Scan here for more details:



Canon India Complies with E-Waste (Management) Rules, 2016
 Please return end-of-life product for environmentally safe disposal. For details visit in.canon

Authorised Sales and Service Dealer



This document is for information purpose only. The contents are subject to change without notice. Product options, name and availability may vary by regions. We expressly disclaim any liability or contractual obligations with respect to this document. Brands and products names are trademarks and/or registered trademarks of their respective owners.

Warnings: Unauthorized recording of copyrighted materials may infringe on the rights of copyright owners and be contrary to copyright laws.