




LUMIA
UPVC PROFILE

www.lumiaupvc.com



+91 9980063411



+91 80-22582632



#1804, Goodlife Enterprises, 13th Cross,
1st sector HSR, Bengaluru 560102

Why LUMIA

UPVC PROFILE



Introduction

Lumia is a leading manufacturer, distributor, and retailer of German-engineered UPVC profiles, committed to delivering superior quality and innovative solutions to the construction industry. We have established ourselves as the go-to source for premium UPVC profiles that combine German engineering precision with exceptional durability and energy efficiency. Our extensive distribution network ensures that quality UPVC solutions are accessible across the region, supported by expert technical guidance and unmatched customer service.



Why Us?



Multiple Series & Colors

Wide range of profiles series available for creating windows and doors as per architectural requirements.



German Engineering

Lumia profiles are designed with precision and quality, ensuring durability and performance.



Soundproof

Lumia profiles are designed to minimize noise pollution, providing a quieter and more comfortable indoor environment.



Strong Couplers

Lumia profiles are designed with strong couplers, ensuring a secure and durable connection between frames and sashes.



Lead Free & 100% Recyclable

Lumia profiles are 100% lead-free & recyclable. They contribute to a sustainable future.



Energy Efficient

Lumia profiles are designed to keep the cool air in and the hot air out, maximizing energy efficiency and comfort.



Termite & Corrosion Resistance

Lumia profiles are designed to resist termites and corrosion, ensuring longevity and durability.



Durability

Lumia profiles are designed for long-lasting performance, resisting wear and tear over time.

Why uPVC ?



Now the future demand greener and more sustainable choices!

With uPVC, you are choosing sustainability and an intelligent, futuristic approach. uPVC is more cost-efficient and gives excellent thermal insulation to make it more energy-efficient than wood or aluminum. In addition, unlike other materials, it retains its shape in all weather conditions. As a result, it serves as a perfect choice for your windows, doors, and frames with remarkable durability and excellent eco-balance.

uPVC Benefits



Acoustic Proof



Durability



Maintenance Free



Weather Resistance



Thermal Stability



Impact Resistance




Dimensional Stability



60 Sliding Series


Frames



60 Sliding Frame

CODE: T60K
 WEIGHT (KG/M): 1.02
 LENGTH: 5.8-6.0m
 PCS/BAG: 4
 THICKNESS: 1.8


Sash Mullion



60/88 Sash Mullion

CODE: T60/88SZT
 WEIGHT (KG/M): 0.66/0.75
 LENGTH: 5.8-6.0m
 PCS/BAG: 10
 THICKNESS: 1.8


Weather Strip



60/88 Weather Strip

CODE: T60/88FG
 WEIGHT (KG/M): 0.21
 LENGTH: 5.8-6.0m
 PCS/BAG: 20
 THICKNESS:


Cover



60/88 Cover (D)


CODE: T60/88GM (D)
 WEIGHT (KG/M): 0.275
 LENGTH: 5.8-6.0m
 PCS/BAG: 20
 THICKNESS:

Sliding Sash



60/88 Sliding Sash (A)


CODE: T60/88S (A)
 WEIGHT (KG/M): 0.83/0.86
 LENGTH: 5.8-6.0m
 PCS/BAG: 10
 THICKNESS: 1.8



60/88 Sliding Sash (E)


CODE: T60/88S (E)
 WEIGHT (KG/M): 1.01/1.05
 LENGTH: 5.8-6.0m
 PCS/BAG: 8
 THICKNESS: 2.5

Beads



60/88 SlidACZing Single Glazing Bead

CODE: T60/88DY
 WEIGHT (KG/M): 0.2/0.22
 LENGTH: 5.8-6.0m
 PCS/BAG: 25
 THICKNESS:



88 Sliding Double Glazing Bead

CODE: T88SY
 WEIGHT (KG/M): 0.12/0.16
 LENGTH: 5.8-6.0m
 PCS/BAG: 50
 THICKNESS:




60 Sliding Double Glazing Bead

CODE: T60SY
 WEIGHT (KG/M): 0.13/0.17
 LENGTH: 5.8-6.0m
 PCS/BAG: 50
 THICKNESS:


80 Sliding Series

Frames



80Sliding Frame


CODE: T80K
 WEIGHT (KG/M): 1.12
 LENGTH: 5.8-6.0m
 PCS/BAG: 4
 THICKNESS: 1.9



80Sliding Frame (H)

CODE: T80K (H)
 WEIGHT (KG/M): 1.25
 LENGTH: 5.8-6.0m
 PCS/BAG: 4
 THICKNESS: 2.2


Weather Strip



80Weather Strip

CODE: T80FG
 WEIGHT (KG/M): 0.2
 LENGTH: 5.8-6.0m
 PCS/BAG: 20
 THICKNESS:


Cover



80Cover

CODE: T80GM
 WEIGHT (KG/M): 0.26
 LENGTH: 5.8-6.0m
 PCS/BAG: 20
 THICKNESS:


Sliding Sash



80Sliding Sash (A)

CODE: T80S (A)
 WEIGHT (KG/M): 0.73/0.76
 LENGTH: 5.8-6.0m
 PCS/BAG: 10
 THICKNESS: 1.8


Sash Mullion



80Sash Mullion


CODE: T80SZT
 WEIGHT (KG/M): 0.58/0.62
 LENGTH: 5.8-6.0m
 PCS/BAG: 10
 THICKNESS: 1.7

Insect Screen




75/80Insect Screen (B)

CODE: T75/80SS (B)
 WEIGHT (KG/M): 0.48
 LENGTH: 5.8-6.0m
 PCS/BAG: 12
 THICKNESS:



80/88Insect Screen

CODE: T80/88SS
 WEIGHT (KG/M): 0.58
 LENGTH: 5.8-6.0m
 PCS/BAG: 8
 THICKNESS:




75/80Insect Screen Mullion (B)

CODE: T75/80SSZT (B)
 WEIGHT (KG/M): 0.38
 LENGTH: 5.8-6.0m
 PCS/BAG: 12
 THICKNESS:


80 Sliding Series

Beads



80 Sliding Single Glazing Bead

CODE: T80DY
WEIGHT (KG/M): 0.15/0.19
LENGTH: 5.8-6.0m
PCS/BAG: 30
THICKNESS:




80 Sliding Double Glazing Bead-1

CODE: T80SY1
WEIGHT (KG/M): 0.1/0.14
LENGTH: 5.8-6.0m
PCS/BAG: 50
THICKNESS:




80 Sliding Double Glazing Bead

CODE: T80SY
WEIGHT (KG/M): 0.11/0.15
LENGTH: 5.8-6.0m
PCS/BAG: 50
THICKNESS:




75/80 Sliding Single Verticle Bead (J)

CODE: T75/80DZY (J)
WEIGHT (KG/M): 0.22/0.26
LENGTH: 5.8-6.0m
PCS/BAG: 20
THICKNESS:




80 Vertical Strip (J)

CODE: T80ZB(J)
WEIGHT (KG/M): 0.23/0.27
LENGTH: 5.8-6.0m
PCS/BAG: 20
THICKNESS:



75/80 Sliding Double Verticle Bead (J)-1

CODE: T75/80SZY (J)-1
WEIGHT (KG/M): 0.19/0.23
LENGTH: 5.8-6.0m
PCS/BAG: 20
THICKNESS:




75/80 Sliding Double Verticle Bead (J)

CODE: T75/80SZY(J)
WEIGHT (KG/M): 0.17/0.21
LENGTH: 5.8-6.0m
PCS/BAG: 20
THICKNESS:



88 Sliding Series


Frames



88Sliding Frame (D)

CODE: T88K(D)
 WEIGHT (KG/M): 1.31
 LENGTH: 5.8-6.0m
 PCS/BAG: 4
 THICKNESS: 2.2


Sash Mullion



60/88Sash Mullion (D)

CODE: T60/88SZT
 WEIGHT (KG/M): 0.74/0.82
 LENGTH: 5.8-6.0m
 PCS/BAG: 10
 THICKNESS: 2.2


Weather Strip



60/88Weather Strip (D)

CODE: T60/88FG (D)
 WEIGHT (KG/M): 0.21
 LENGTH: 5.8-6.0m
 PCS/BAG: 20
 THICKNESS:


Cover



60/88Cover (D)

CODE: T60/88GM (D)
 WEIGHT (KG/M): 0.275
 LENGTH: 5.8-6.0m
 PCS/BAG: 20
 THICKNESS:


Insect Screen



88Insect Screen


CODE: T88SS
 WEIGHT (KG/M): 0.48
 LENGTH: 5.8-6.0m
 PCS/BAG: 12
 THICKNESS:

Sliding Sash



88Sliding Sash (D)


CODE: T88S (D)
 WEIGHT (KG/M): 0.82/0.86
 LENGTH: 5.8-6.0m
 PCS/BAG: 10
 THICKNESS: 2.2



60/88Sliding Sash (D)


CODE: T60/88S (D)
 WEIGHT (KG/M): 0.92/0.96
 LENGTH: 5.8-6.0m
 PCS/BAG: 10
 THICKNESS: 2.2

Beads



60Sliding Double Glazing Bead

CODE: T60SY
 WEIGHT (KG/M): 0.13/0.17
 LENGTH: 5.8-6.0m
 PCS/BAG: 50
 THICKNESS:




88Sliding Double Glazing Bead

CODE: T88SY
 WEIGHT (KG/M): 0.12/0.16
 LENGTH: 5.8-6.0m
 PCS/BAG: 50
 THICKNESS:




80Sliding Double Glazing Bead

CODE: T80SY
 WEIGHT (KG/M): 0.11/0.15
 LENGTH: 5.8-6.0m
 PCS/BAG: 50
 THICKNESS:



80Sliding Double Glazing Bead-1

CODE: T80SY-1
 WEIGHT (KG/M): 0.1/0.14
 LENGTH: 5.8-6.0m
 PCS/BAG: 50
 THICKNESS:




80Sliding Single Glazing Bead

CODE: T80DY
 WEIGHT (KG/M): 0.15/0.19
 LENGTH: 5.8-6.0m
 PCS/BAG: 30
 THICKNESS:

99 sliding series


Frames



99Sliding Frame

CODE: T99K
 WEIGHT (KG/M): 1.45
 LENGTH: 5.8-6.0m
 PCS/BAG: 4
 THICKNESS: 2.1


Sash Mullion



80Sash Mullion

CODE: T80SZT
 WEIGHT (KG/M): 0.58/0.62
 LENGTH: 5.8-6.0m
 PCS/BAG: 10
 THICKNESS: 1.7


Weather Strip



80Weather Strip

CODE: T80FG
 WEIGHT (KG/M): 0.2
 LENGTH: 5.8-6.0m
 PCS/BAG: 20
 THICKNESS:


Cover



80Cover T


CODE: T80GM
 WEIGHT (KG/M): 0.26
 LENGTH: 5.8-6.0m
 PCS/BAG: 20
 THICKNESS:

Sliding Sash




80Sliding Sash (A)

CODE: T80S(A)
 WEIGHT (KG/M): 0.73/0.76
 LENGTH: 5.8-6.0m
 PCS/BAG: 10
 THICKNESS:



80Sliding Sash (B)


CODE: T80S (B)
 WEIGHT (KG/M): 0.66/0.68
 LENGTH: 5.8-6.0m
 PCS/BAG: 10
 THICKNESS: 1.8



80Sliding Sash (E)


CODE: T80S (E)
 WEIGHT (KG/M): 0.83/0.87
 LENGTH: 5.8-6.0m
 PCS/BAG: 10
 THICKNESS: 1.9

Insect Screen



75/80Insect Screen (B)

CODE: T75/80SS (B)
 WEIGHT (KG/M): 0.48
 LENGTH: 5.8-6.0m
 PCS/BAG: 12
 THICKNESS:




80/88Insect Screen

CODE: T80/88SS
 WEIGHT (KG/M): 0.58
 LENGTH: 5.8-6.0m
 PCS/BAG: 8
 THICKNESS:

110 sliding series


Frames



110 Sliding Frame (B)

CODE: T110K (B)
WEIGHT (KG/M): 1.67
LENGTH: 5.8-6.0m
PCS/BAG: 4
THICKNESS: 2.5


Weather Strip



60/88 Weather Strip (D)

CODE: T60/88FG (D)
WEIGHT (KG/M): 0.21
LENGTH: 5.8-6.0m
PCS/BAG: 20
THICKNESS:


Cover



60/88 Cover (D)

CODE: T60/88GM (D)
WEIGHT (KG/M): 0.275
LENGTH: 5.8-6.0m
PCS/BAG: 20
THICKNESS:


Sliding Sash



60/88 Sliding Sash (E)

CODE: T60/88S (A)
WEIGHT (KG/M): 0.83/0.86
LENGTH: 5.8-6.0m
PCS/BAG: 10
THICKNESS: 1.8


Sash Mullion



60/88 Sash Mullion (X)


CODE: T60/88SZT (X)
WEIGHT (KG/M): 0.9/0.98
LENGTH: 5.8-6.0m
PCS/BAG: 10
THICKNESS: 2.8

Beads




88 Sliding Single Glazing Bead (D)

CODE: T88DY (D)
WEIGHT (KG/M): 0.2/0.24
LENGTH: 5.8-6.0m
PCS/BAG: 25
THICKNESS:



88 Sliding Double Glazing Bead

CODE: T88SY
WEIGHT (KG/M): 0.12/0.16
LENGTH: 5.8-6.0m
PCS/BAG: 50
THICKNESS:




80 Sliding Double Glazing Bead

CODE: T80SY
WEIGHT (KG/M): 0.11/0.15
LENGTH: 5.8-6.0m
PCS/BAG: 50
THICKNESS:


60 casement Series

Window system




60Casement Frame (E)

CODE: P60K (E)
WEIGHT (KG/M): 0.98/1.02
LENGTH: 5.8-6.0m
PCS/BAG: 6
THICKNESS: 2.2




60Inswing Sash (A)

CODE: P60NKCS (A)
WEIGHT (KG/M): 1.05/1.14
LENGTH: 5.8-6.0m
PCS/BAG: 6
THICKNESS: 2.2



60Casement Mullion (E)


CODE: P60ZT (E)
WEIGHT (KG/M): 1.03/1.11
LENGTH: 5.8-6.0m
PCS/BAG: 6
THICKNESS: 2.2



60Outswing Sash


CODE: P60WKCS
WEIGHT (KG/M): 1.05/1.14
LENGTH: 5.8-6.0m
PCS/BAG: 6
THICKNESS: 1.9

Door system




60Casement Frame (E)

CODE: P60K (E)
WEIGHT (KG/M): 0.98/1.02
LENGTH: 5.8-6.0m
PCS/BAG: 6
THICKNESS: 2.2




60Casement Mullion (E)

CODE: P60ZT (E)
WEIGHT (KG/M): 1.03/1.11
LENGTH: 5.8-6.0m
PCS/BAG: 6
THICKNESS: 2.2



60Inward Door Sash (C)


CODE: P60NKMS (C)
WEIGHT (KG/M): 1.49/1.57
LENGTH: 5.8-6.0m
PCS/BAG: 4
THICKNESS: 2.2



60Outward Door Sash


CODE: P60WKMS
WEIGHT (KG/M): 1.38/1.46
LENGTH: 5.8-6.0m
PCS/BAG: 4
THICKNESS: 2.2

60 casement Series




60Casement Double Glazing Bead (C)

CODE: P60SY (C)
WEIGHT (KG/M): 0.185/0.22
LENGTH: 5.8-6.0m
PCS/BAG: 30
THICKNESS:




60Casement Single Glazing Bead

CODE: P60DY
WEIGHT (KG/M): 0.24/0.28
LENGTH: 5.8-6.0m
PCS/BAG: 20
THICKNESS:



60Casement Single Glazing Bead

CODE: P60DY
WEIGHT (KG/M): 0.24/0.28
LENGTH: 5.8-6.0m
PCS/BAG: 20
THICKNESS:




60Casement Double Glazing Bead (C)

CODE: P60SY (C)
WEIGHT (KG/M): 0.185/0.22
LENGTH: 5.8-6.0m
PCS/BAG: 30
THICKNESS:

Door panels


15X100 Door Panel

CODE: 15X100MB
WEIGHT (KG/M): 0.42
LENGTH: 5.8-6.0m
PCS/BAG: 8
THICKNESS:




20X150 Door Panel (A)

CODE: 20X150MB (A)
WEIGHT (KG/M): 0.96
LENGTH: 5.8-6.0m
PCS/BAG: 8
THICKNESS:




Auxiliary series




Jalousie Window Vane

CODE: BY
WEIGHT (KG/M): 0.16
LENGTH: 5.8-6.0m
PCS/BAG: 30
THICKNESS:




Jalousie Window Vane-3

CODE: BY-3
WEIGHT (KG/M): 0.20
LENGTH: 5.8-6.0m
PCS/BAG: 20
THICKNESS:




Louver Bead

CODE: BYYT
WEIGHT (KG/M): 0.26
LENGTH: 5.8-6.0m
PCS/BAG: 18
THICKNESS:




60Casement Insect Screen

CODE: P60SS
WEIGHT (KG/M): 0.47
LENGTH: 5.8-6.0m
PCS/BAG: 16
THICKNESS:




20Decoration Strip

CODE: 20ZST
WEIGHT (KG/M): 0.1
LENGTH: 5.8-6.0m
PCS/BAG: 50
THICKNESS:




30Decoration Strip

CODE: 30ZST
WEIGHT (KG/M): 0.152
LENGTH: 5.8-6.0m
PCS/BAG: 50
THICKNESS:




20Decoration Strip

CODE: 12X20ZST
WEIGHT (KG/M): 0.13
LENGTH: 5.8-6.0m
PCS/BAG: 50
THICKNESS:



60Inswing Mullion


CODE: P60NKFT
WEIGHT (KG/M): 0.7
LENGTH: 5.8-6.0m
PCS/BAG: 6
THICKNESS:



Window Board


CODE: CTB
WEIGHT (KG/M): 0.72
LENGTH: 5.8-6.0m
PCS/BAG: 6
THICKNESS:

Spare Parts




60Bay Tube Socket

CODE: 60GZ
WEIGHT (KG/M): 0.5
LENGTH: 5.8-6.0m
PCS/BAG: 16
THICKNESS:




60Bay Tube

CODE: 60YG
WEIGHT (KG/M): 0.52
LENGTH: 5.8-6.0m
PCS/BAG: 8
THICKNESS:




60Corner Profile (90°)

CODE: 60ZJ (90°)
WEIGHT (KG/M): 0.62
LENGTH: 5.8-6.0m
PCS/BAG: 4
THICKNESS:




88Corner Profile (90°)

CODE: 88ZJ (90°)
WEIGHT (KG/M): 0.97
LENGTH: 5.8-6.0m
PCS/BAG: 4
THICKNESS:




80/60Corner Profile (90°)

CODE: 20ZST
WEIGHT (KG/M): 0.1
LENGTH: 5.8-6.0m
PCS/BAG: 50
THICKNESS:




88/60Corner Profile (90°)

CODE: 88/60ZJ (90°)
WEIGHT (KG/M): 0.75
LENGTH: 5.8-6.0m
PCS/BAG: 4
THICKNESS:




80Corner Profile (90°)

CODE: 80/60ZJ (90°)
WEIGHT (KG/M): 0.77
LENGTH: 5.8-6.0m
PCS/BAG: 4
THICKNESS:




80/60Actionpanel

CODE: 80/60PT
WEIGHT (KG/M): 0.28
LENGTH: 5.8-6.0m
PCS/BAG: 25
THICKNESS:




88/60Actionpanel

CODE: 88/60PT
WEIGHT (KG/M): 0.31
LENGTH: 5.8-6.0m
PCS/BAG: 25
THICKNESS:



110/60Actionpanel

CODE: 110/60PT
WEIGHT (KG/M): 0.37
LENGTH: 5.8-6.0m
PCS/BAG: 20
THICKNESS:



60Frame Connecting Profile

CODE: 60PG
WEIGHT (KG/M): 0.56
LENGTH: 5.8-6.0m
PCS/BAG: 10
THICKNESS:




60Corner Profile (90°)


CODE: 60FZJ (90°)
WEIGHT (KG/M): 0.69
LENGTH: 5.8-6.0m
PCS/BAG: 4
THICKNESS:

Lumia Profile Color

Lumia White Color




Blue White Color



Milk WHITE COLOR



Lumia Camel Color



Lumia Brown



Lumia Coffee




Lumia Black

Lumia Film Color


European Standard




Golden Oak
KC21-14B



Brown Oak
DK09-14B



Dark Oak
DK01-14B




Black Walnut
J65-1B

Lumia Film Color

European Standard



SOFT CHERRY
J65-1B



IRISH OAK
9619-18



CLASSICAL OAK
30138-68A



MOUNTAIN OAK
Y-1G002-71A




WALNUT
DK01-14B



**HF-O-WALNUT
CUSTOMIZED**
SP04-14B



WHITE GRAIN
Y-RS174-68A



DARK GREY METAL
Y-16-26-1B



DARK GREY METAL
Y-16-32-47B



LIGHT GREY METAL
Y-1G002-71A




LIGHT OAK
30138-68A




GLODEN OAK
3386-68A




WHITE GRAIN
COVE-2



DARK GREEN
YY72-14B



SMOKY GRAY
3Y82-14B




BLACK
5Y06-1



LUMIA
UPVC PROFILE

ENHANCING CUSTOMER ENGAGEMENT & LOYALTY



CONTACT US



+91-9980063411



+91 80-22582632



lumiaupvc.com



#1804, Goodlife Enterprises, 13th Cross,
1st sector HSR, Bengaluru 560102