


### **BIG FUN FOR EVERYONE**







Leading in Manufacture of All types of Play Ground Equipment, Science Park Equipment and Outdoor green gym Equipment Etc.



An ISO 9001:2015 Certified Company

#### **SYMPATHETIC SWING PFSP-01**



### **Product Size:**

Height 12 feet X Length 12 feet X Width 8 feet Outer Frame made from 58 OD & 42 OD pipe Middle Frame with 1.5 X 1.5 square pipe hang with chain and Bearing Bush at top and Two nos. of FRP 6 Layer Seating Pad Hang at both side with chain Fixed in the ground using PCC M15 grade concrete

### 3D PENDULUM PFSP-02



Size: 4.5' X 10',


Height: 7.5' 5/8 ms rod

#### **ANGULAR MOMENTUM PFSP-03**



Size: 6' dia ms weight needle bearing 16mm X 16mm,
Dia 4', 2 nos shaft, main support 3" GI pipe.

### **ARCHIMIDES SCREW PFSP-04**



Size - Length=7', Width - 3', Height=2', Materials - MS,FRP/CV

### **CIRCUS OF ENERGY PFSP-05**



Size: 20' X 10', Height - 12' 10mm ms round rod, 3/4 X 1/4 ms flat skating wheel, magnetic coil 1 set LED bulb wire, 6206z ball bearing 6 no., 1 X 1/4 ms angle.

### **DOUBLE SIDED CONE PFSP-06**



Product Size:

Height 3 feet X Length 10 feet X Width 5 feet Frame is made of 42 OD pipe with support pipe 25 OD & Flat 32 mm Double ended Cone of Centre Dia. 1.5 feet & 5 feet total length made of 18 G CR sheet Guided above the frame Fixed in the ground using PCC M15 grade concrete

### **DNA MODEL PFSP-07**



### Product Size:

Height 8 feet X Round 2.5 feet Centre Pipe 48 OD, Spiral pipe 25 OD 19 OD rod with bal 1,5 inch at both end & Alluminium sticker With support rod 10 mm Fixed in the ground using PCC M15 grade concrete

### **FLOATING BIRD PFSP-08**



Size: 7' Dia Height 5' 1 ½ GI pipe, 3 layer Mat MS rod 10 mm thickness, MS flat.

#### FRICTION SPEED PFSP-09



Size: 8' X 4', Height 4', 6" plastic Ball 3 no 16 gauge Gl sheet plain Path.

#### **WORLD TIME GLOBE PFSP-10**



### Product Size:

Height 6 feet X Round 2.5 feet Centre Pipe 42 OD, Drum of 2 feet Dia. Fix with bearing 02 Nos., sticker is paste on drum With cap Frame made of 32 OD pipe with circular plate Fixed in the ground using PCC M15 grade concrete

### **INCLINED PLANE PFSP-11**



#### **Product Size:**

Height 7 ft X Length 6 ft X Width 12 ft Outer Frame made from 48 OD pipe & angle 40 x5

03 Frame Size 10, 8, 6 feet length 1 feet width fix at top if frame at different angle of inclination, Wt. 20 kg 03 No. mounted on angle frame 40 x5 guided with ball bearing & shaft with 16 mm rope, Fixed in the ground using PCC M15 grade concrete

### **ECO TUBE PFSP-12**



Size: Tube length 60', Dia 10'

### **LIFT YOURSELF PFSP-13**



### **Product Size:**

Height 12 ft X Length 4 ft X Width 4ft
Outer & Guide Frame made from
pipe 3 X 2.5 Base Frame made from
angle 50 X 5 & pipe 2 inch Bearing
Pulley 5 Nos. fix at top using rope 16
mm With 3 inch c channel guide
Fixed in the ground using PCC M15
grade concrete

### **MUSICAL TUBES PFSP-14**



### Product Size:

Height 8 ft X Length 11 ft X Width 1ft Gitar is made of 32 OD pipe & 10 mm solid rod Supported with Pipe 42 OD Eight No. of S.S. Pipe 2 inch OD & length 5.5 to 2 feet in descending order hang using wire rope. Small Hammer 1 No. is given . Fixed in the ground using PCC M15 grade concrete.

### **LISSAJOUS FIGURES PFSP-15**



Size: 5' X 3.5', Height: 7.5', 8 feet long 16 gauge sheet, SS cone 1 no, GI chain thickness 2mm.

### **MASS & INERTIA PFSP-16**



**Size**: 2.5', **Height**: 3.75" 1 feet Dia 12 mm thickness acrylicplate 1 no 1 feet Dia 12 mm thickness Alluminium plate 1 no, Ball bearing 3 no.

### **ROTATING COLOUR DISC PFSP-17**



#### Product Size:

Height 5 ft X Length 4 ft X Width 2.5 ft Frame of Angle 40 X5 Coverd with G.I. sheet 18 G Box 25 OD Shaft 03 Nos. fix with pedestal 25 ID 06 Nos. to Fix Chain & Sprocket. One handle & one Disc of 2 feet Dia. At shaft end fix Supported with base frame of 42 OD pipe Fixed in the ground using PCC M15 grade concrete

### **PARABOILIC DISHES PFSP-18**



Product Size:

Height 6 ft X Length 4.5 ft X Width 1 ft Two Nos. of Curve Dishes 4 feet Dia. Made of FRP 6 mm thk mounted with support pipe 42 OD & speaker pipe 32 OD with round bush fix in front of Dish Fixed in the ground using PCC M15 grade concrete

### **PERIODIC TABLE PFSP-19**



#### **Product Size:**

Height 8 feet X Length 4 feet
Frame made of 1.5 inch pipe
supported with 48 OD Pipe & M.S.
Sheet 118 Nos. of block reflecting
element details guided with rod 10
mm & sticker covering There
category Fixed in the ground using
PCC M15 grade concrete

#### **CRYSTAL STRUCTURE PFSP-20**



Size: 3' X 3' X 6'

#### PERSISTENCE OF VISION PFSP-21



**Size**: 2' X 2', total height 6", materials

### **SECOND ORDER LEVER PFSP-22**



Product Size:

Height 2 ft X Length 8 ft X Width 6 ft Set of three Lever 58 OD Pipe & Handle 32 OD Hang on Frame made of Angle 50 X 5 with pin 25 OD Spring Dia. 4 inch X 12 inch Long 03 Nos. Guided along lever Fixed in the ground using PCC M15 grade concrete

### **ROTATING PERISCOPE PFSP-23**



### **Product Size:**

Height 8.5 ft X Length 3.5 ft X Width 1.5 ft Box size: 12 inch X 12 inch from 18 gauge cr sheet Angle 32 x 5, 25 x 5 Flat 32 x 5 Base: 3 inch GI pipe 2.5 feet supported with bearing ID 90, OD 160 & Flange 04 Nos. with seating seat & support pipe 42 OD, 32 OD and end cap Mirror Glass 02 Nos. Fixed in the ground using PCC M15 grade concrete

### **RAIN GAUGE PFSP-24**



### **Product Size:**

Height 3 feet X Round 3 feet made FRP 6 mm thk material M.S. material Fixed in the ground using PCC M15 grade concrete

### **RIPPLE TANK PFSP-25**



**Size**: L x B x H: 4X4X6 fabricating metal frame to support transparent glass & MS rod to touch the water surface.

### **WAVE MOTION PFSP-26**



### Product Size:

Height 10 feet X Length 3 feet X Width 3 feet Frame of Angle 40 X5 Supported with frame of 42 OD pipe & Handle, Row of pipe 20 OD with end ball guided with wire rope, Fix at top end & Swing mechanism at Bottom, Fixed in the ground using PCC M15 grade concrete

### **WORM WHEEL PFSP-27**



Size: 6' 1', Height: 14' wind sock cloth 8202z ball bearing 1 no.

### WIND SOCK PFSP-28



Size: 6' 1', Height: 14' wind sock cloth 8202z ball bearing 1 no

#### **PULLEY & PULLEY BLOCK PFSP-29**



#### **Product Size:**

Height 9 ft X Length 12 ft X Width 6 ft Outer Frame made from 58 OD & 42 OD pipe Wt. 20 kg 03 No. Protected in cage of 10 mm solid rod Bearing Pulley 6 Nos. fix at top and bottom Wt. using wire rope 16 mm Fixed in the ground using PCC M15 grade concrete

### **SIMPLE CAMERA PFSP-30**



Size: 18' X 2', Height: 5'2" GI pipe. MS angle 4" concave lens 1 no 14" X 14" smoging Mirror 1 no 14", MS bush 45" X 45"

### **NEWTONS THIRD LAW PFSP-31**



Size: Dia 4', height: 7.5'

### **PYTHAGORAS THEORAM PFSP-32**



**Size**: Length - 3', width - 3', height - 3' Materials MS, FRP.


### **FIRST ORDER LEVER PFSP-33**



#### **Product Size:**

Height 2 ft X Length 8 ft X Width 6 ft Set of three Lever 58 OD Pipe & Handle 32 OD Hang on Frame made of Angle 50 X 5 with pin 25 OD 20Kg Wt. 03 Nos. Mounted on lever with frame of 40 X5 Angle Fixed in the ground using PCC M15 grade concrete

### **CENTRIFUGAL FORCE PFSP-34**



Size: Length - 2', Width - 2', Height - 5' Materials MS, SS leaves and handle.

### **SUN DIAL PFSP-35**



Size: 4' X 2', Height: 4' 2X¼ MS flat 1" GI pipe ½ GI pipe, 1½ GI pipe.

### **SINE WAVE PFSP-36**



Size: Length - 20', Width - 2', Height - 6' Material MS.

## AUTOMOBILE WORKING MODEL PFSP-37



**Size**: Length- 9', Width - 4', Height - 4', Materials MS, FRP.

#### **THIRD ORDER LEVER PFSP-38**



#### **Product Size:**

Height 2 ft X Length 8 ft X Width 6 ft Set of three Lever 58 OD Pipe & Handle 32 OD Hang on Frame made of Angle 50 X 5 with pin 25 OD 20Kg Wt. 03 Nos. Mounted on lever with frame of 40 X5 Angle Fixed in the ground using PCC M15 grade concrete

# HYDRO ELECTRIC POWER PLANT PFSP-39



Size: l x b x h : 5' x 3' x 3'.

## CONSERVATION OF ENERGY PFSP-40



Product Size:

Height 6 ft X Length 4 ft X Width 3 ft Frame made of 42 OD & 32 OD G.I. pipe Solid Balls 2.5 inch dia. 7 Nos. Hang with wire rope, Fixed in the ground using PCC M15 grade concrete

## STRAIGHT BAR PASSING PARABOLA PFSP-41



### **Product Size:**

Height 8 feet X Length 4 feet
Frame made of 1.5 inch pipe supported
with 48 OD Pipe, M.S. Plate 4 X3, 3 mm
Thk Weld on frame With angle 40 X 5 25
OD M.S. Rod mounted in centre with
pedestal 25 ID 02 Nos. & rod od 10 mm
weld with 20 OD pipe Fixed in the ground
using PCC M15 grade concrete

### **MOBIUS BOND PFSP-42**



Mobius Bond - Concept of loop with geometrical properties

### **PROJECTILE PFSP-43**



**Size**: 5' X 19", height: 8.5'

### **MULTIPLICATION GAMES PFSP-44**



Size: 236 X 261

### **MARKING PFSP-45**



**Size**: 10'x10' size of block: 1'x1'

### **EDUCATIONAL PARK SWING PFSP-46**



Size: 519 X 360

### **SPIDER ROPE PFSP-47**



Size: 600 X 450

### **PORTFOLIO/ILLUSION PFSP - 48**



PORTFOLIO Size:l x b x h : 2' x 5' x 5'

### **SOUND WAVE DRUM PFSP-49**



Size: 333 X 500

### **SALEM SWING PFSP-50**



**Size**: 250 X 250

# MUTHIALPET PONDICHERRY SWING PFSP-51



Size: 300 X 400

### **KNOW YOUR WEIGHT PFSP-52**



Size: 14ft x 10ft x 6ft (L x H x W) Made by 50mm,42mm GI pipe, Hanging hook Stracture in made flat insite weight

### **HOW FRICTION HELPS PFSP-53**



How friction helps - Role of friction in lifting a mass


### **ANEMOMETER PFSP-54**




**VORTEX PFSP-55** 



**GIANT ABACUS PFSP - 56** 



### **LOOP THE LOOP PFSP - 57**



### **PIE VALUE PFSP - 58**



Safe Play Area: 7ft x 6ft x 6ft Product Area: 5ft x 4ft x 4ft (H x

 $W \times L$ )

Made by 50mm GI pipe,

### PARABOLIC REFLECTOR PFSP - 59



### **CORIOLLIS EFFECT PFSP - 60**



6ft Diameter Made by 50mm GI pipe

### **GYROSCOPE PFSP - 61**



Gyroscope - Funny model to explain moment of moments

### **BOW DITCH CURVE SWING PFSP - 62**



Size: 8ft x 8ft x 2ft

#### **PIN HOLE CAMERA PFSP - 63**



Size: Safe Play Area: 8ft x 4ft Product Area: 5ft x 2ft Made by 42mm GI pipe, Mild Steel Structure

### **PLAY WITH MIRROR PFSP - 64**



Total size (lxbxh): 3'.0"x 3'.0" x 5'.0" fixed in the ground using PCC M15 grade concrete with main frame fabricated with, ¾ " GI 'B' Class Pipe, 2" GI PIPE, 3" Hollow Ball, 1 1/8 MS Flat and 3'.0"x 2'.0" Acrylic mirror.

### **RED IRON ANGULAR PFSP - 65**



Material: Iron

Capacity: Each unit 5 to 6

students can learn the

experiments per hour

Color: Red

### **GEAR BELT CHAIN DRIVEPFSP - 66**



Size:  $1 \times 4 \times 6$ 

Product Dimensions (L x W x H): 1 x 4 x 6 Child Age Group: 8 year above Production Capacity: 1000 Usage: Recreation Frame Material: Metal Product Description: Both come under flexible drives, power and motion transmitted from one driver to driven shaft

### **CYCLOIDAL PATH PFSP - 67**



Cycloidal Path of total size (lXbXh) 11'.6" X 4'.0" X 4' .6"

### BELL TOWER/BRAHMAS TOWER PFSP - 68



Size: 4' x 4' x 5' Material: Iron

### **GEODESIC DOME PFSP - 69**



Dia:- 10feet

Product Height: - 7feet

Structure: - 25mm OD GI pipe

### **ROLLING DISC PFSP - 70**



# PRIMARY & SECONDARY COLORS PFSP - 71



#### **PLAY WITH MAGNET PFSP - 72**



Size: 10ft x 4ft x 4ft Made by 50mm GI pipe, 42mm GI pipe Magnets and MS Drum

#### PLANCK'S LAW PFSP - 73



#### **TARANG PFSP - 74**



Size:  $(h \times w \times l)$  10ft x 1ft x 8ft

height: 8 feet

#### **GRAVITY BALL PFSP - 75**



Size: dia 8 feet Made by 50mm GI Pipe, TMT Round rod 8mm thickness

#### **GEAR TRAIN PFSP - 76**



#### **SOLAR WATER HEATER PFSP - 77**



Product Height: 6 feet
Size: lxbxh: 5x5x6
Product Description: The
benefit of non conventional
energy resources is explained
with working model of solar

#### BARTON'S PENDULUM/VARIABLE PENDULUM PFSP - 78



Safe Play Area: diamtr 8ft x 12ft

Product Area: 5ft x 8ft

height: 8 ft

Made by 50mm GI pipe

WINDMILL PFSP - 79



Product Size:
Height 8 feet X Length 6 feet X
Width 4 feet made FRP 6 mm
thk material M.S. material
Fixed in the ground using PCC
M15 grade concrete

**GLOBE PFSP - 80** 



PSLV PFSP - 81



Height: 9 ft

**GSLV PFSP - 82** 



Height: 9.5 ft

#### **MARS MODEL PFSP - 83**



Size - 3 ft

#### ASTRONAUT TOY PFSP - 84



Model Size: - 5.5 ft With Flag Height: - 9.5 ft

#### **EGYPTIN PFSP - 85**



Size - 3 ft


#### **SATURN PFSP - 86**



Height: -4.5 FT, Round 5ft



**EAGLE PFSP - 87** 



CHANDRAYAAN
PFSP - 89
Height: - 6 ft



SAND PENDULUM PFSP - 88



PYTHAGORAS THEOREM PFMP - 01

PROPERTIES OF TRIANGLE PFMP - 02



PROTRACTOR PFMP - 03





CARTESIAN PLAN PFMP - 04



**CLINOMETER PFMP - 05** 



2D 3D NET JOINING PFMP - 06



3D FIGURES WITH FLIPCHART PFMP - 07



**IDENTITIES PFMP - 08** 



TYPES OF LINES PFMP - 09



**BIG ABACUS PFMP - 10** 

NUMBER LINE PFMP - 11






BASIC PROPORTIONALITY
THEORUM PFMP - 12



TYPES OF QUADRILATERAL PFMP - 13



TANGENTS OF CIRCLE PFMP - 14



**FACTOR TREE PFMP-15** 




**NUMBERS PFMP-16** 



**HYPOTENUS PFMP - 17** 



**TRIANGLES PFMP - 18** 






PARALLEL - NON-PARALLEL LINES PFMP - 19



**ANGLE MAN PFMP - 21** 



TEN POINT CIRCLE PFMP - 22



PROPERTIES OF A
TRIANGLE PFMP - 24




HIGH AND DISTANCE PFMP - 23



**SQUARE ROOT SPIRAL PFMP - 25** 



3D SHAPES PFMP - 26



CARTESIAN COORDINATE SYSTEM PFMP - 27

- \*M/S Parth Fibrotech :-
- \*Shop No.8,9,10, Rahul Arcade, Amravati Road, Wadi T-point, Nagpur -440023
- \*Factory:- N-31, Hingana, MIDC, Nildoh, Nagpur-440016
- \*Contact No.: 78752 90909, 078753 90909
- \*E. Mail :- parth.fibrotech@gmail.com
- \*Website:-www.parthfibrotech.in, www.parthfibrotech.com

