PRICE LIST
3 JULY 2025

Auth. Distributors

POLYCAB

IDEAS. CONNECTED.

PRABHAT CABLES PVT. LTD.

HEAD OFFICE : 33, Pathak Wadi, Ismail Building, 1st Floor, Lohar Chawl,
Mumbai - 400 002, Maharashtra, India.
Tel.: +91 22 4922 4200 / 2208 5153 • Email : prabhatcables@gmail.com
info@prabhatcables.com • Website : www.prabhatcables.com

BRANCHES :

RAIPUR
Ph No.101, 275/1-2, Sarora, Industrial Area Urla, Near
Shivam Engg., Sarora, Raipur, Chhattisgarh - 493221, INDIA
Tel. : +91 98261 99371 / 93005 65001
Email : cg@prabhatcables.com

HUBLI
98-B,Behind krishna Spinner, J P Nagar, Beside HP Gas Agencies,
Gokul Road, Near Decathlon, HUBLI 580030, karnataka, INDIA
Tel. : +91 86554 86242 / 86554 86246
Email : hubli@prabhatcables.com

ODISHA
Plot No 328/3675 Koradakanta, Puri Bypass Road,
Bhubaneswar - 751006, INDIA
Tel. : +91 96810 07838 / 86554 86253
Email : abani@prabhatcables.com, odisha@prabhatcables.com

BANGALORE
Karania Chambers-2, No 16, 2nd Floor, 80 Feet Road,
Basaveshwara Nagar, Bangalore - 560079, INDIA
Tel. : +91 97390 02495
Email : bgr@prabhatcables.com

KALABURGI
Sy No. 51/1, Opposite Mahatma Gandhi, Truck Terminal,
Near Aland Check Post, Ring Road, Kalaburagi (Gulbarga)
Karnataka - 585103, INDIA • Tel. : +91 86554 86249 / 86554 86247
Email : klbg@prabhatcables.com

GUWAHATI
Anil Plaza, A-45, 1st Floor, Near IDBI Bank,
G. S. Road, Guwahati - 781005, INDIA
Tel. : +91 99541 99542
Email : assam@prabhatcables.com

PRABHAT CABLES PVT. LTD.

ESTD : 1958

MUMBAI HEAD OFFICE : +91 22 4922 4200 / 2208 5153
RAIPUR : +91 98261 99371 / 93005 65001 • HUBLI : +91 86554 86242 / 86554 86246
ODISHA : +91 96810 07838 / 86554 86253 • BANGALORE : +91 97390 02495
KALABURGI : +91 86554 86249 / 86554 86247 • GUWAHATI : +91 99541 99542

AUTH. DISTRIBUTORS :

POLYCAB

IDEAS. CONNECTED.

PRICE-LIST
W. E. F. :
25th June 2025
LDC LP No. 03/2025-26

03

POLYCAB INDUSTRIAL SINGLE CORE & MULTI-CORE FLEXIBLE CABLES • 1100V PVC insulated & Sheathed with Bare Annealed Copper Conductor as per IS:694-2010. (100 Mtrs. Coil Price)

COND. AREA SQ.MM.	Cond. Const. (No/Dia mm)	AMPS	SINGLE CORE	2 CORE	3 CORE	4 CORE	5 CORE	6 CORE	7 CORE	8 CORE	10 CORE	12 CORE	14 CORE	16 CORE	19 CORE	24 CORE
0.50	16/0.2	**05**	1480	3770	5170	6615	8485	10150	11425	13500	16800	19700	22600	25800	29800	37600
0.75	24/0.2	**08**	2075	5040	7000	9000	12000	14500	16200	19100	23900	27800	32700	36800	43500	54300
1.00	32/0.2	**13**	2645	6415	8900	11510	15450	18600	21000	24400	30300	36100	41900	47700	56000	70200
1.50	30/0.25	**17**	3805	8710	12525	16225	21115	25700	28900	33400	42500	50100	59200	68300	79300	101600
2.50	50/0.25	**24**	6260	14400	19800	26700	34300	41500	47600	56500	69400	83400	96900	110700	128200	166100
4.00	56/0.3	**30**	9610	21100	30400	40500	54400	65100	78600	--------	--------	--------	--------	--------	--------	--------
6.00	84/0.3	**38**	14400	31100	44800	59400	80100									
10.00	80/0.4	**52**	25200	53100	78200	103100	138200									
16.00	126/0.4	**70**	39900	83900	122700	162000	212300									
25.00	196/0.4	**88**	62500	139900	203500	265800	385400									
35.00	276/0.4	**110**	87400	194800	282800	371700	528300									
50.00	396/0.4	**145**	124300	276300	402800	532000	764800									
70.00	354/0.5	**215**	176200	392700	558800	738700	1045900									
95.00	484/0.5	**260**	232400													
120.00	608/0.5	**305**	298900													
150.00	750/0.5	**355**	374700													
185.00	925/0.5	**415**	474700													
240.00	1210/0.5	**500**	608300													
300.00	1527/0.5	**585**	761300													
400.00	2036/0.5	**695**	1014300													

Flexible copper WELDING CABLES

Conductor Area SQ. MM.	(AMP)	Rate Per Meter
16.00	**120**	475.00
25.00	**160**	743.00
35.00	**230**	1026.00
50.00	**400**	1458.00
70.00	**600**	2061.00
95.00	**700**	2715.00

POLYCAB UNARMOURED SCREENED CABLES

CORES	16/.20 MM.	24/.20 MM.	32/.20 MM.	48/.20 MM.	80/.20 MM.
	0.5 Sq. Mm.	**0.75 Sq. Mm.**	**1.0 Sq. Mm.**	**1.5 Sq. Mm.**	**2.5 Sq. Mm.**
2	11200	13800	15600	18900	28500
3	13100	17200	21000	26000	38100
4	16200	21000	25600	31900	48100
5	20500	25200	29400	38700	64600
6	21700	29400	33500	45400	72500
7	23400	32800	38100	50200	81900
8	27200	39100	43300	57900	85500
10	34500	43100	57600	72700	95600
12	39100	48700	61800	81900	111800
14	43100	57600	72500	98100	134400
16	46100	67100	81400	108300	158300
19	54900	79500	96000	134400	204300
24	66300	88800	120500	164700	256100

TERMS & CONDITIONS : (1) The above rates are exclusive of all taxes. • (2) Subject to change without prior notice. • (3) This cancels all our previous price-lists.

PRABHAT CABLES PVT. LTD.

ESTD : 1958

MUMBAI HEAD OFFICE : +91 22 4922 4200 / 2208 5153

RAIPUR : +91 98261 99371 / 93005 65001 • HUBLI : +91 86554 86242 / 86554 86246
ODISHA : +91 96810 07838 / 86554 86253 • BANGALORE : +91 97390 02495
KALABURGI : +91 86554 86249 / 86554 86247 • GUWAHATI : +91 99541 99542

AUTH. DISTRIBUTORS :

POLYCAB

IDEAS. CONNECTED.

PRICE-LIST
W. E. F. :
25th June 2025
LDC LP No. 03/2025-26

03

POLYCAB FRLS INSULATED SINGLE CORE
Unsheathed Industrial Flexible Cable conforming to IS 694: 2010 with Flexible Bright Annealed Copper Conductor for Voltage Grade upto 1100 Volts.

POLYCAB PVC INSULATED & FRLS MULTI CORE Round Sheathed Bright Annealed Bare Copper Conductor Heavy Duty Industrial Cables for Voltage Grade upto 1100 Volts as per IS: 694:2010.

RATE PER 100 METERS

SIZE SQ. MM.	Cond. Const. (No/Dia mm)	AMPS	SINGLE CORE	2 CORE	3 CORE	4 CORE
0.5	16/.2	5	1515	4010	5405	6850
0.75	24/.2	8	2130	5345	7285	9280
1	32/.2	13	2680	6695	9225	11825
1.5	30/.25	17	3835	9070	12900	16500
2.5	50/.25	24	6350	14900	20300	27300
4	56/.3	30	9675	21700	31100	41100
6	84/.3	38	14600	31900	45600	60200
10	80/.4	52	25800	54100	79300	104900
16	126/.4	70	39900	86100	125600	165100
25	196/.4	88	62500	142800	207500	271400
35	276/.4	110	87400	198800	288400	379700
50	396/.4	145	124300	282200	410800	542300
70	354/.5	215	176200	400500	569800	753500
95	484/.5	260	232400	----------	807700	1065500
120	608/.5	305	298900	----------	1025600	1353600
150	750/.5	355	374700	----------	1282100	1692300
185	925/.5	415	474700	----------	1578900	2086900
240	1210/.5	500	608300	----------	2038200	2697900
300	1527/.5	585	761300	----------	2543300	3367900
400	2036/.5	695	1014300	----------	3388700	4460900

POLYCAB INDUSTRIAL CABLES (MULTISTRAND)

CONDUCTOR AREA SQ. MM.	FR 200 Mtrs. Coil	FR 300 Mtrs. Coil	FRLSH 200 Mtrs. Coil	FRLSH 300 Mtrs. Coil	HFFR 200 Mtrs. Coil	HFFR 300 Mtrs. Coil
0.75	--------	6130	--------	6320	--------	6660
1.00	--------	8040	--------	8275	--------	8625
1.50	--------	11840	--------	12195	--------	12725
2.50	--------	19210	--------	19800	--------	20675
4.00	19785	-------	20385	-------	21285	-------
6.00	29600	-------	30495	-------	31830	-------
10.00	51885	-------	53405	-------	55735	-------
16.00	82260	-------	84680	-------	88375	-------

POLYCAB BUILDING MANAGEMENT SYSTEM CABLE (BMS)

Cores	0.5 sq.mm (16/.2)	0.75 sq.mm (24/.2)	1.0 sq.mm (32/.2)	1.5 sq.mm (30/.25)	2.5 sq.mm (50/.25)
2	6370	8155	9780	12800	19950
3	7900	10775	12975	17275	27600
4	9810	13000	16600	23200	34800
6	13900	18300	22900	32400	52600
8	17300	23200	29600	40800	69600

TERMS & CONDITIONS : (1) The above rates are exclusive of all taxes.
(2) Subject to change without prior notice.
(3) This cancels all our previous price-lists.

PRABHAT CABLES PVT. LTD.

ESTD : 1958

MUMBAI HEAD OFFICE : +91 22 4922 4200 / 2208 5153
RAIPUR : +91 98261 99371 / 93005 65001 • HUBLI : +91 86554 86242 / 86554 86246
ODISHA : +91 96810 07838 / 86554 86253 • BANGALORE : +91 97390 02495
KALABURGI : +91 86554 86249 / 86554 86247 • GUWAHATI : +91 99541 99542

AUTH. DISTRIBUTORS :

POLYCAB
IDEAS. CONNECTED.

PRICE-LIST
W. E. F. :
25th June 2025
LDC LP No. 03/2025-26

03

POLYCAB Brand Solid Annealed Bare Copper Industrial TELEPHONE CABLES

No. of Pair & Size	Rate Per 90 Meter Coil: Unarmoured 0.4 MM.	Rate Per 90 Meter Coil: Unarmoured 0.5 MM.	Rate Per Meter: Armoured 0.5 MM.
1 Pair	745.00	1050.00	-------
2 Pair	1325.00	1870.00	-------
3 Pair	1945.00	2765.00	-------
4 Pair	2495.00	3655.00	-------
5 Pair	3070.00	4535.00	143.00
10 Pair	-------	8810.00	272.00
RATE PER METER			
20 Pair	-------	189.40	432.00
50 Pair	-------	491.30	--------
100 Pair	-------	961.00	--------

JELLYFILLED CABLES

As per DOT Specification

Unarmoured 0.5 MM.	Armoured 0.5 MM.
-------	-------
-------	-------
123.00	179.00
193.00	286.00
-------	417.00
-------	898.00
-------	1906.00

3 CORE FLAT CABLES FOR SUBMERSIBLE PUMP MOTORS

SIZE SQ. MM.	RATE PER 100 MTRS.	SIZE SQ. MM.	RATE PER 100 MTRS.
1.50	10310	16.00	95585
2.50	15995	25.00	149555
4.00	23935	35.00	207135
6.00	35430	50.00	----------
10.00	61595		

POLYCAB INDUSTRIAL SPEAKER WIRE (OXYGEN FREE) (Rate per 90 Meters)

SIZE	RATE	SIZE	RATE	SIZE	RATE	SIZE	RATE
23/36	2045.00	23/38	1390.00	0.50 Sq. mm.	2080.00	1.5 Sq. mm.	5540.00
40/36	3135.00	40/38	2305.00	0.75 Sq. mm.	3020.00	2.0 Sq. mm.	8565.00
70/36	4255.00	70/38	3120.00	1.00 Sq. mm.	3725.00	2.5 Sq. mm.	9195.00

CCTV CABLES (Rate Per 90 Mtrs. Coil)

SIZE	RATE
3 + 1	4140.00
4 + 1	4500.00

CO-AXIAL CABLES • (RATE PER COIL)

ITEM	UNARMOURED (100 MTRS.)	UNARMOURED (305 MTRS.)	ARMOURED. (1000 MTRS.)
RG-59	2495	7600	
RG-06	3125	9590	103205
RG-11	7140	21835	161090
RG-06 CCS	2025	6170	
RG-11 CCS	4090	12465	

LAN COMPUTER CABLES

ITEM 4 PAIR	UTP
	UNARMOURED (RATE PER COIL OF 305 MTR.)
CAT-6	13780.00

TERMS & CONDITIONS : (1) The above rates are exclusive of all taxes. • (2) Subject to change without prior notice. • (3) This cancels all our previous price-lists.

PRABHAT CABLES PVT. LTD.

ESTD : 1958

MUMBAI HEAD OFFICE : +91 22 4922 4200 / 2208 5153

RAIPUR : +91 98261 99371 / 93005 65001 • HUBLI : +91 86554 86242 / 86554 86246

ODISHA : +91 96810 07838 / 86554 86253 • BANGALORE : +91 97390 02495

KALABURGI : +91 86554 86249 / 86554 86247 • GUWAHATI : +91 99541 99542

AUTH. DISTRIBUTORS :

POLYCAB

IDEAS. CONNECTED.

PRICE LIST

PVC/XLPE ARMOURED CABLES

W. E. F. : 3rd July 2025

PCC LP No. 01/ 2024 - 25

1

XLPE ARMOURED Cables with COPPER Conductor 650/1100 V. Grade confirming to IS : 7098 (Pt-1) 1988

COPPER ARMOURED CABLES • 2XWY/2XFY

NO. OF CORES	1.5 SQ. MM.	2.5 SQ. MM.
2	229.00	324.00
3	292.00	418.00
4	360.00	540.00
5	438.00	663.00
6	521.00	780.00
7	574.00	880.00
8	734.00	1074.00
10	835.00	1236.00
12	928.00	1436.00
14	1063.00	1670.00
16	1188.00	1897.00
19	1409.00	2234.00
24	1763.00	2796.00
27	1960.00	3136.00
30	2186.00	3772.00
37	2836.00	4406.00
44	3313.00	5145.00
61	4876.00	7460.00

CROSS SECTION IN SQ. MM.	2 CORE	3 CORE	4 CORE
4	450.00	603.00	773.00
6	634.00	870.00	1137.00
10	1007.00	1415.00	1848.00
16	1494.00	2070.00	2734.00
CROSS SECTION IN SQ. MM.	**3 CORE**	**3.5 CORE**	**4 CORE**
25	3350.00	4015.00	4416.00
35	4718.00	5389.00	6265.00
50	6378.00	7507.00	8500.00
70	9313.00	10780.00	12270.00
95	12913.00	14787.00	17044.00
120	15834.00	19447.00	21237.00
150	20137.00	23525.00	26976.00
185	25596.00	29948.00	34190.00
240	33249.00	38656.00	44106.00
300	41906.00	48463.00	56084.00
400	53824.00	61252.00	74979.00

H. T. XLPE ARMOURED ALUMINIUM CABLES

RATE PER METER

Cond. Cross Section in SQ. MM.	6.6 KV (UE) 11 KV (E)	22 KV (E)	33 KV (E)
3 x 35	1650.00	----------	----------
3 x 50	1972.00	----------	----------
3 x 70	2403.00	----------	----------
3 x 95	2726.00	3760.00	4981.00
3 x 120	3291.00	4224.00	5616.00
3 x 150	3855.00	4845.00	6036.00
3 x 185	4395.00	5469.00	6739.00
3 x 240	5326.00	6456.00	7959.00
3 x 300	6299.00	7570.00	8985.00
3 x 400	7882.00	9180.00	10891.00

XLPE ARMOURED Cables with ALUMINIUM Conductor 650/1100 V. grade confirming to IS : 7098 (Part-1) 1988

ALUMINIUM ARMOURED CABLES • A2XWY/A2XFY

Cross Section in SQ. MM.	1 CORE	2 CORE	3 CORE	3.5 CORE	4 CORE
2.5	--------	191.00	213.00	--------	237.00
4	--------	217.00	233.00	--------	271.00
6	--------	263.00	287.00	--------	343.00
10	--------	333.00	371.00	--------	472.00
16	214.00	379.00	399.00	--------	504.00
25	282.00	405.00	531.00	617.00	660.00
35	341.00	504.00	675.00	750.00	855.00
50	420.00	653.00	878.00	1016.00	1142.00
70	538.00	874.00	1204.00	1369.00	1552.00
95	645.00	1080.00	1483.00	1717.00	1935.00
120	748.00	1289.00	1860.00	2151.00	2430.00
150	891.00	1585.00	2284.00	2549.00	2988.00
185	1095.00	1905.00	2827.00	3227.00	3675.00
240	1353.00	2526.00	3610.00	4053.00	4746.00
300	1665.00	3096.00	4461.00	4986.00	5850.00
400	2103.00	4020.00	5702.00	6369.00	7302.00

Str/Solid Cu PVC/XLPE Insulated Core/Pair/Triad/Quad laid up togather with Al (Inner sheathed GI Steel Wire Mylar/Drain Wire) Round/Strip Armoured PVC Outer Sheathed Instrumentation.

OVERALL SHIELDED-ARMOURED INSTRUMENTATION CABLES

TYPE	No.	SIZE	RATE	SIZE	RATE	SIZE	RATE	SIZE	RATE	SIZE	RATE
PAIR	1	0.5	141	0.75	164	1	183	1.5	218	2.5	299
PAIR	2	0.5	206	0.75	247	1	285	1.5	354	2.5	507
PAIR	3	0.5	247	0.75	310	1	369	1.5	471	2.5	700
PAIR	4	0.5	295	0.75	376	1	454	1.5	592	2.5	889
PAIR	5	0.5	345	0.75	446	1	546	1.5	723	2.5	1100
PAIR	6	0.5	398	0.75	519	1	632	1.5	843	2.5	1283
PAIR	8	0.5	489	0.75	650	1	802	1.5	1080	2.5	1657
PAIR	10	0.5	586	0.75	772	1	968	1.5	1317	2.5	2021
PAIR	12	0.5	664	0.75	902	1	1139	1.5	1542	2.5	2409
PAIR	16	0.5	833	0.75	1114	1	1444	1.5	1990	2.5	3115
PAIR	19	0.5	947	0.75	1318	1	1682	1.5	2327	2.5	3652
PAIR	24	0.5	1183	0.75	1656	1	2094	1.5	2924	2.5	4590
TRAID	1	0.5	171	0.75	206	1	232	1.5	288	2.5	398

NOTE : ROUND WIRE ARMOURING FOR H.T. CABLES UPTO 11KV (E) ADD 25% & FOR 11 KV (UE) & ABOVE ADD 27.5% IN ABOVE RATES.