



PRICE LIST

29 AUGUST 2026



Auth. Distributors
POLYCAB
IDEAS. CONNECTED.

PRABHAT CABLES PVT. LTD.

HEAD OFFICE : 33, Pathak Wadi, Ismail Building, 1st Floor, Lohar Chawl,
Mumbai - 400 002, Maharashtra, India.

Tel.: +91 22 4922 4200 / 2208 5153 • Email : prabhatcables@gmail.com
info@prabhatcables.com • Website : www.prabhatcables.com

BRANCHES :

HUBLI

98-B, Behind Krishna Spinner, J P Nagar, Beside HP Gas Agencies,
Gokul Road, Near Decathlon, HUBLI 580030, Karnataka, INDIA
Tel. : +91 86554 86242 / 86554 86246
Email : hubli@prabhatcables.com

ODISHA

Plot No 328/3675 Koradakanta, Puri Bypass Road,
Bhubaneswar - 751006, INDIA
Tel. : +91 96810 07838 / 86554 86253
Email : abani@prabhatcables.com, odisha@prabhatcables.com

BANGALORE

Karania Chambers-2, No 16, 2nd Floor, 80 Feet Road,
Basaveshwara Nagar, Bangalore - 560079, INDIA
Tel. : +91 97390 02495
Email : bgr@prabhatcables.com

KALABURGI

Sy No. 51/1, Opposite Mahatma Gandhi, Truck Terminal,
Near Aland Check Post, Ring Road, Kalaburagi (Gulbarga)
Karnataka - 585103, INDIA • Tel. : +91 86554 86249 / 86554 86247
Email : klbg@prabhatcables.com

GUWAHATI

Ground, Dag No. 53, 54 and 1312 of Patta No. 784, Rungpur
Compound, Girijananda Chowdhury University, Hatkhawapara,
Azara, Kamrup Metropolitan, Assam 781017, INDIA
Tel. : +91 99541 99542
Email : assam@prabhatcables.com



PRABHAT CABLES PVT. LTD.

MUMBAI HEAD OFFICE : +91 22 4922 4200 / 2208 5153

HUBLI : +91 86554 86242 / 86554 86246 • ODISHA : +91 96810 07838 / 86554 86253

BANGALORE : +91 97390 02495 • KALABURGI : +91 86554 86249 / 86554 86247

GUWAHATI : +91 99541 99542

Auth. Distributors

POLYCAB

IDEAS. CONNECTED.

PRICE-LIST
W. E. F. :
29th August 2026
LDC LP No. 05/2026-27

05

POLYCAB INDUSTRIAL SINGLE CORE & MULTI-CORE FLEXIBLE CABLES • 1100V PVC insulated & Sheathed with Bare Annealed Copper Conductor as per IS:694-2010. (100 Mtrs. Coil Price)

COND. AREA SQ.MM.	Cond. Const. (No/Dia mm)	AMPS	SINGLE CORE	2 CORE	3 CORE	4 CORE	5 CORE	6 CORE	7 CORE	8 CORE	10 CORE	12 CORE	14 CORE	16 CORE	19 CORE	24 CORE
0.50	16/0.2	05	2155	5515	7735	10150	12985	15475	17500	20480	25300	29630	34300	39500	46300	58200
0.75	24/0.2	08	3112	7850	10825	14320	18700	22315	25655	29480	36415	43275	50400	57200	67800	85100
1.00	32/0.2	13	3992	9810	14000	18450	24430	29100	33400	38400	47600	56400	64300	75200	88600	111400
1.50	30/0.25	17	5780	13750	19610	26215	34530	40930	47600	54600	67900	81800	94500	107800	127600	161200
2.50	50/0.25	24	9625	22075	31500	42650	56200	67900	78300	89800	112000	133800	155800	177700	211300	266700
4.00	56/0.3	30	15250	33300	48600	63800	91700	109800	133400	-----	-----	-----	-----	-----	-----	-----
6.00	84/0.3	38	22775	49300	71900	95100	135900	POLYCAB UNARMoured SCREENED CABLES								
10.00	80/0.4	52	38950	84500	124100	163600	234600	CORES	16/.20 MM.	24/.20 MM.	32/.20 MM.	48/.20 MM.	80/.20 MM.			
16.00	126/0.4	70	60600	130900	191700	253500	355600		0.5 Sq. Mm.	0.75 Sq. Mm.	1.0 Sq. Mm.	1.5 Sq. Mm.	2.5 Sq. Mm.			
25.00	196/0.4	88	98300	219700	321300	426000	565800	2	15350	18075	21320	26800	41900			
35.00	276/0.4	110	136100	305300	448200	593800	787500	3	18075	22600	27090	35400	54900			
50.00	396/0.4	145	194100	433200	638400	844100	1124100	4	21650	27400	34000	44500	69900			
70.00	354/0.5	215	272200	608300	888300	1178400	1563500	5	27700	34200	42500	55500	84700			
95.00	484/0.5	260	359900	Flexible copper WELDING CABLES				6	31500	39700	49900	64100	99200			
120.00	608/0.5	305	464900	Conductor Area SQ. MM.	(AMP)	Rate Per Meter	7	34000	43800	54200	72300	115300				
150.00	750/0.5	355	582000	16.00	120	752.00	8	37300	49000	61100	82000	133400				
185.00	925/0.5	415	721000	25.00	160	1151.00	10	44400	58900	73300	99500	148900				
240.00	1210/0.5	500	934800	35.00	230	1616.00	12	50900	69400	86900	119700	190400				
300.00	1527/0.5	585	1169200	50.00	400	2285.00	14	60000	81100	100800	136500	209800				
400.00	2036/0.5	695	1540600	70.00	600	3226.00	16	65700	88800	113400	154200	246900				
				95.00	700	4256.00	19	75300	102400	133500	179100	318700				
				95.00	700	4256.00	24	93600	125500	162100	224700	399600				

TERMS & CONDITIONS : (1) The above rates are exclusive of all taxes. • (2) Subject to change without prior notice. • (3) This cancels all our previous price-lists.

POLYCAB FRLS INSULATED SINGLE CORE

Unsheathed Industrial Flexible Cable conforming to IS 694: 2010 with Flexible Bright Annealed Copper Conductor for Voltage Grade upto 1100 Volts.

POLYCAB PVC INSULATED & FRLS MULTI CORE Round Sheathed Bright Annealed Bare Copper Conductor Heavy Duty Industrial Cables for Voltage Grade upto 1100 Volts as per IS: 694:2010.
RATE PER 100 METERS

SIZE SQ. MM.	Cond. Const. (No/Dia mm)	AMPS	SINGLE CORE	2 CORE	3 CORE	4 CORE
0.5	16/.2	5	2195	5880	8045	10455
0.75	24/.2	8	3165	8155	11120	14670
1	32/.2	13	4070	10105	14335	18735
1.5	30/.25	17	5855	14075	19920	26600
2.5	50/.25	24	9800	22390	31910	43300
4	56/.3	30	15575	33875	49375	64625
6	84/.3	38	23000	50000	72800	96000
10	80/.4	52	39300	85900	125500	165100
16	126/.4	70	60600	130900	191700	253500
25	196/.4	88	98300	219700	321300	426000
35	276/.4	110	136100	305300	448200	593800
50	396/.4	145	194100	433200	638400	844100
70	354/.5	215	272200	608300	888300	1178400
95	484/.5	260	359900	-----	1223700	1619600
120	608/.5	305	464900	-----	1564400	2082200
150	750/.5	355	582000	-----	1971100	2604800
185	925/.5	415	721000	-----	2378600	3144800
240	1210/.5	500	934800	-----	3170400	4163500
300	1527/.5	585	1169200	-----	3868800	5217300
400	2036/.5	695	1540600	-----	5061100	6956800

POLYCAB INDUSTRIAL CABLES (MULTISTRAND)

CONDUCTOR AREA SQ. MM.	FR 200 Mtrs. Coil	FR 300 Mtrs. Coil	FRLSH 200 Mtrs. Coil	FRLSH 300 Mtrs. Coil	HFFR 200 Mtrs. Coil	HFFR 300 Mtrs. Coil
0.75	-----	9842	-----	10027	-----	11000
1.00	-----	12635	-----	12865	-----	13825
1.50	-----	18510	-----	18875	-----	20120
2.50	-----	30725	-----	31240	-----	33435
4.00	31945	-----	32365	-----	34360	-----
6.00	47820	-----	48410	-----	51420	-----
10.00	82285	-----	83240	-----	88370	-----
16.00	129455	-----	130745	-----	139070	-----

POLYCAB BUILDING MANAGEMENT SYSTEM CABLE (BMS)

Cores	0.5 sq.mm (16/.2)	0.75 sq.mm (24/.2)	1.0 sq.mm (32/.2)	1.5 sq.mm (30/.25)	2.5 sq.mm (50/.25)
2	9935	12800	15375	20200	31725
3	12480	16650	20800	27900	44500
4	15375	20500	26235	36200	57500
6	21425	29400	37800	51900	84200
8	27600	38100	48700	68700	112600

TERMS & CONDITIONS : (1) The above rates are exclusive of all taxes.
(2) Subject to change without prior notice.
(3) This cancels all our previous price-lists.

POLYCAB Brand Solid Annealed Bare Copper Industrial TELEPHONE CABLES					
No. of Pair & Size	Rate Per 90 Meter Coil		Rate Per Meter	JELLYFILLED CABLES	
	Unarmoured 0.4 MM.	Unarmoured 0.5 MM.	Armoured 0.5 MM.		
				As per DOT Specification	
1 Pair	1070.00	1475.00	-----	Unarmoured 0.5 MM.	Armoured 0.5 MM.
2 Pair	1830.00	2795.00	-----	-----	-----
3 Pair	2665.00	3985.00	-----	-----	-----
4 Pair	3580.00	5295.00	-----	-----	-----
5 Pair	4660.00	6615.00	192.00	168.00	220.00
10 Pair	-----	13225.00	368.00	261.00	338.00
RATE PER METER					
20 Pair	-----	287.65	570.00	-----	596.00
50 Pair	-----	755.35	-----	-----	1319.00
100 Pair	-----	1510.70	-----	-----	2517.00

3 CORE FLAT CABLES FOR SUBMERSIBLE PUMP MOTORS			
SIZE SQ. MM.	RATE PER 100 MTRS.	SIZE SQ. MM.	RATE PER 100 MTRS.
1.50	13815	16.00	131425
2.50	22365	25.00	214835
4.00	34620	35.00	300840
6.00	50665	50.00	-----
10.00	88580		

POLYCAB INDUSTRIAL SPEAKER WIRE (OXYGEN FREE)						(Rate per 90 Meters)		CCTV CABLES	
SIZE	RATE	SIZE	RATE	SIZE	RATE	SIZE	RATE	(Rate Per 90 Mtrs. Coil)	
23/36	2640.00	23/38	1745.00	0.50 Sq. mm.	3185.00	1.5 Sq. mm.	8805.00	SIZE	RATE
40/36	4220.00	40/38	2945.00	0.75 Sq. mm.	4680.00	2.0 Sq. mm.	12620.00	3 + 1	4865.00
70/36	6275.00	70/38	4595.00	1.00 Sq. mm.	6185.00	2.5 Sq. mm.	14615.00	4 + 1	5625.00

CO-AXIAL CABLES • (RATE PER COIL)			
ITEM	UNARMoured (100 MTRS.)	UNARMoured (305 MTRS.)	ARMoured. (1000 MTRS.)
RG-59	4135	12620	
RG-06	4230	12895	100785
RG-11	9990	30460	183805
RG-06 CCS	2870	8755	
RG-11 CCS	5625	17150	

LAN COMPUTER CABLES	
ITEM 4 PAIR	UTP
	UNARMoured (RATE PER COIL OF 305 MTR.)
CAT-6	19145.00

RATE PER METER

XLPE ARMoured Cables with COPPER Conductor 650/1100 V. Grade confirming to IS : 7098 (Pt-1) 1988

COPPER ARMoured CABLES • 2XWY/2XFY

NO. OF CORES	1.5 SQ. MM.	2.5 SQ. MM.	CROSS SECTION IN SQ. MM.	2 CORE	3 CORE	4 CORE
2	283.00	398.00	4	549.00	761.00	990.00
3	360.00	529.00	6	781.00	1102.00	1433.00
4	452.00	682.00	10	1266.00	1803.00	2386.00
5	575.00	847.00	16	1791.00	2679.00	3519.00
6	694.00	993.00	CROSS SECTION IN SQ. MM.	3 CORE	3.5 CORE	4 CORE
7	723.00	1155.00				
8	822.00	1332.00				
10	1030.00	1582.00				
12	1158.00	1873.00				
14	1329.00	2196.00				
16	1520.00	2482.00				
19	1802.00	2916.00				
24	2254.00	3673.00	25	4186.00	5079.00	5568.00
27	2555.00	4186.00	35	6039.00	6915.00	7990.00
30	2848.00	5034.00	50	8148.00	9593.00	10889.00
37	3695.00	5878.00	70	11816.00	13795.00	15824.00
44	4315.00	6866.00	95	16921.00	19604.00	22356.00
61	6354.00	9955.00	120	20868.00	24866.00	27826.00
			150	25683.00	29751.00	34435.00
			185	32528.00	38025.00	43081.00
			240	42426.00	49007.00	56327.00
			300	54190.00	61971.00	71483.00
			400	70082.00	78454.00	97626.00

H. T. XLPE ARMoured ALUMINIUM CABLES

Cond. Cross Section in SQ. MM.	6.6 KV (UE) 11 KV (E)	22 KV (E)	33 KV (E)
3 x 35	1809.00	-----	-----
3 x 50	2179.00	-----	-----
3 x 70	2646.00	-----	-----
3 x 95	3158.00	4071.00	5202.00
3 x 120	3707.00	4539.00	5834.00
3 x 150	4337.00	5445.00	6792.00
3 x 185	5086.00	5997.00	7482.00
3 x 240	6468.00	7171.00	8612.00
3 x 300	7348.00	8538.00	9849.00
3 x 400	9361.00	10484.00	11797.00

XLPE ARMoured Cables with ALUMINIUM Conductor 650/1100 V. grade confirming to IS : 7098 (Part-1) 1988

ALUMINIUM ARMoured CABLES • A2XWY/A2XFY

Cross Section in SQ. MM.	1 CORE	2 CORE	3 CORE	3.5 CORE	4 CORE
2.5	-----	224.00	241.00	-----	266.00
4	-----	241.00	284.00	-----	315.00
6	-----	303.00	353.00	-----	395.00
10	-----	349.00	417.00	-----	546.00
16	242.00	406.00	464.00	-----	592.00
25	302.00	418.00	556.00	653.00	702.00
35	376.00	536.00	761.00	843.00	960.00
50	479.00	723.00	986.00	1124.00	1266.00
70	608.00	921.00	1323.00	1532.00	1717.00
95	744.00	1192.00	1702.00	1941.00	2264.00
120	891.00	1468.00	2083.00	2433.00	2771.00
150	1061.00	1797.00	2580.00	2837.00	3348.00
185	1288.00	2194.00	3192.00	3589.00	4217.00
240	1600.00	2776.00	4130.00	4575.00	5454.00
300	1945.00	3414.00	5107.00	5674.00	6741.00
400	2511.00	4475.00	6481.00	7200.00	8667.00

Str/Solid Cu PVC/XLPE Insulated Core/Pair/Triad/Quad laid up together with Al (Inner sheathed GI Steel Wire Mylar/Drain Wire) Round/Strip Armoured PVC Outer Sheathed Instrumentation.

OVERALL SHIELDED-ARMoured INSTRUMENTATION CABLES

TYPE	No.	SIZE	RATE	SIZE	RATE	SIZE	RATE	SIZE	RATE	SIZE	RATE
PAIR	1	0.5	156	0.75	181	1	203	1.5	244	2.5	375
PAIR	2	0.5	237	0.75	303	1	343	1.5	425	2.5	674
PAIR	3	0.5	293	0.75	386	1	462	1.5	592	2.5	926
PAIR	4	0.5	355	0.75	483	1	581	1.5	751	2.5	1184
PAIR	5	0.5	434	0.75	599	1	708	1.5	904	2.5	1446
PAIR	6	0.5	499	0.75	689	1	833	1.5	1092	2.5	1846
PAIR	8	0.5	639	0.75	883	1	1061	1.5	1388	2.5	2199
PAIR	10	0.5	809	0.75	1065	1	1337	1.5	1820	2.5	2790
PAIR	12	0.5	869	0.75	1235	1	1456	1.5	2002	2.5	3359
PAIR	16	0.5	1149	0.75	1538	1	1994	1.5	2749	2.5	4302
PAIR	19	0.5	1307	0.75	1821	1	2321	1.5	3212	2.5	5041
PAIR	24	0.5	1631	0.75	2345	1	3056	1.5	3908	2.5	6035
TRAID	1	0.5	193	0.75	237	1	269	1.5	348	2.5	499

NOTE : ROUND WIRE ARMOURING FOR H.T. CABLES UPTO 11KV (E) ADD 25% & FOR 11 KV (UE) & ABOVE ADD 27.5% IN ABOVE RATES.