



PRICE LIST 1 JUNE 2026



Auth. Distributors
POLYCAB
IDEAS. CONNECTED.

PRABHAT CABLES PVT. LTD.

HEAD OFFICE : 33, Pathak Wadi, Ismail Building, 1st Floor, Lohar Chawl,
Mumbai - 400 002, Maharashtra, India.
Tel.: +91 22 4922 4200 / 2208 5153 • Email : prabhatcables@gmail.com
info@prabhatcables.com • Website : www.prabhatcables.com

BRANCHES :

RAIPUR

Ph No.101, 275/1-2, Sarora, Industrial Area Urla, Near
Shivam Engg., Sarora, Raipur, Chhattisgarh - 493221, INDIA
Tel. : +91 98261 99371 / 93005 65001
Email : cg@prabhatcables.com

HUBLI

98-B, Behind Krishna Spinner, J P Nagar, Beside HP Gas Agencies,
Gokul Road, Near Decathlon, HUBLI 580030, Karnataka, INDIA
Tel. : +91 86554 86242 / 86554 86246
Email : hubli@prabhatcables.com

ODISHA

Plot No 328/3675 Koradakanta, Puri Bypass Road,
Bhubaneswar - 751006, INDIA
Tel. : +91 96810 07838 / 86554 86253
Email : abani@prabhatcables.com, odisha@prabhatcables.com

BANGALORE

Karania Chambers-2, No 16, 2nd Floor, 80 Feet Road,
Basaveshwara Nagar, Bangalore - 560079, INDIA
Tel. : +91 97390 02495
Email : bgr@prabhatcables.com

KALABURGI

Sy No. 51/1, Opposite Mahatma Gandhi, Truck Terminal,
Near Aland Check Post, Ring Road, Kalaburagi (Gulbarga)
Karnataka - 585103, INDIA • Tel. : +91 86554 86249 / 86554 86247
Email : klbg@prabhatcables.com

GUWAHATI

Anil Plaza, A-45, 1st Floor, Near IDBI Bank,
G. S. Road, Guwahati - 781005, INDIA
Tel. : +91 99541 99542
Email : assam@prabhatcables.com

POLYCAB INDUSTRIAL SINGLE CORE & MULTI-CORE FLEXIBLE CABLES • 1100V PVC insulated & Sheathed with Bare Annealed Copper Conductor as per IS:694-2010. (100 Mtrs. Coil Price)

COND. AREA SQ.MM.	Cond. Const. (No/Dia mm)	AMPS	SINGLE CORE	2 CORE	3 CORE	4 CORE	5 CORE	6 CORE	7 CORE	8 CORE	10 CORE	12 CORE	14 CORE	16 CORE	19 CORE	24 CORE						
0.50	16/0.2	05	2040	5270	7395	9605	12300	14650	16575	19385	23950	28060	32500	37400	43800	55100						
0.75	24/0.2	08	2945	7505	10350	13550	17700	21130	24300	27900	34500	41000	47700	54200	64200	80600						
1.00	32/0.2	13	3780	9380	13375	17465	23125	27565	31600	36300	45100	53400	60900	71200	83900	105500						
1.50	30/0.25	17	5470	13130	18755	24830	32710	38775	44600	51200	63700	76700	88600	101100	119700	151200						
2.50	50/0.25	24	9115	21100	29800	40400	53200	63700	73400	84200	105000	125500	146200	166700	198200	250100						
4.00	56/0.3	30	14300	31500	46000	60400	86000	103000	125100	-----	-----	-----	-----	-----	-----	-----						
6.00	84/0.3	38	21320	46700	68100	90000	127400	POLYCAB UNARMoured SCREENED CABLES														
10.00	80/0.4	52	36500	80000	117600	155000	220100										CORES	16/.20 MM. 24/.20 MM. 32/.20 MM. 48/.20 MM. 80/.20 MM.				
16.00	126/0.4	70	57400	122800	179800	237800	333500											0.5 Sq. Mm. 0.75 Sq. Mm. 1.0 Sq. Mm. 1.5 Sq. Mm. 2.5 Sq. Mm.				
25.00	196/0.4	88	93100	206100	301400	399600	530700										2	14425	17035	20065	25200	39500
35.00	276/0.4	110	127600	286400	420400	557000	738700										3	17035	21300	25500	33400	51700
50.00	396/0.4	145	182000	406400	598800	791800	1054500										4	20400	25800	32000	41900	65900
70.00	354/0.5	215	255400	570600	833200	1105400	1466700										5	26100	32200	40100	52300	79800
95.00	484/0.5	260	337600	Flexible copper WELDING CABLES			1466700										6	29700	37400	47000	60400	93500
120.00	608/0.5	305	436100	Conductor Area SQ. MM.	(AMP)	Rate Per Meter	1466700										7	32000	41300	51100	68200	108600
150.00	750/0.5	355	545900				16.00										120	702.00	8	35100	46200	57600
185.00	925/0.5	415	676300	25.00	160	1075.00	10	41800	55500	69100	93800	140400										
240.00	1210/0.5	500	876900	35.00	230	1509.00	12	48000	65400	81900	112800	179500										
300.00	1527/0.5	585	1096700	50.00	400	2133.00	14	56600	76400	95000	128600	197800										
400.00	2036/0.5	695	1445100	70.00	600	3012.00	16	61900	83700	106900	145300	232700										
				95.00	700	3973.00	19	71000	96500	125800	168800	300400										
							24	88300	118300	152800	211800	376700										

TERMS & CONDITIONS : (1) The above rates are exclusive of all taxes. • (2) Subject to change without prior notice. • (3) This cancels all our previous price-lists.

POLYCAB FRLS INSULATED SINGLE CORE

Unsheathed Industrial Flexible Cable conforming to IS 694:2010 with Flexible Bright Annealed Copper Conductor for Voltage Grade upto 1100 Volts.

POLYCAB PVC INSULATED & FRLS MULTI CORE Round Sheathed Bright Annealed Bare Copper Conductor Heavy Duty Industrial Cables for Voltage Grade upto 1100 Volts as per IS: 694:2010.

RATE PER 100 METERS

SIZE SQ. MM.	Cond. Const. (No/Dia mm)	AMPS	SINGLE CORE	2 CORE	3 CORE	4 CORE
0.5	16/2	5	2075	5625	7690	9900
0.75	24/2	8	2995	7800	10625	13890
1	32/2	13	3855	9660	13700	17740
1.5	30/.25	17	5545	13460	19045	25200
2.5	50/.25	24	9275	21400	30200	41000
4	56/3	30	14600	32100	46800	61200
6	84/3	38	21505	47300	69000	90900
10	80/4	52	36900	81400	118800	156400
16	126/4	70	57400	122800	179800	237800
25	196/4	88	93100	206100	301400	399600
35	276/4	110	127600	286400	420400	557000
50	396/4	145	182000	406400	598800	791800
70	354/5	215	255400	570600	833200	1105400
95	484/5	260	337600	-----	1136800	1504600
120	608/5	305	436100	-----	1446400	1915900
150	750/5	355	545900	-----	1831200	2419900
185	925/5	415	676300	-----	2209800	2921500
240	1210/5	500	876900	-----	2945400	3868000
300	1527/5	585	1096700	-----	3526400	4847000
400	2036/5	695	1445100	-----	4701800	6463000

POLYCAB INDUSTRIAL CABLES (MULTISTRAND)

CONDUCTOR AREA SQ. MM.	FR 200 Mtrs. Coil	FR 300 Mtrs. Coil	FRLSH 200 Mtrs. Coil	FRLSH 300 Mtrs. Coil	HFFR 200 Mtrs. Coil	HFFR 300 Mtrs. Coil
0.75	-----	9230	-----	9405	-----	10320
1.00	-----	11935	-----	12155	-----	13060
1.50	-----	17490	-----	17835	-----	19010
2.50	-----	29030	-----	29515	-----	31590
4.00	29960	-----	30345	-----	32230	-----
6.00	44855	-----	45410	-----	48230	-----
10.00	77185	-----	78080	-----	82895	-----
16.00	121435	-----	122640	-----	130455	-----

POLYCAB BUILDING MANAGEMENT SYSTEM CABLE (BMS)

Cores	0.5 sq.mm (16/.2)	0.75 sq.mm (24/.2)	1.0 sq.mm (32/.2)	1.5 sq.mm (30/.25)	2.5 sq.mm (50/.25)
2	9260	11945	14335	18810	29575
3	11650	15530	19410	25980	41515
4	14335	19110	24485	33755	53715
6	20000	27500	35200	48400	78600
8	25700	35500	45400	64200	105100

TERMS & CONDITIONS : (1) The above rates are exclusive of all taxes.
(2) Subject to change without prior notice.
(3) This cancels all our previous price-lists.

POLYCAB Brand Solid Annealed Bare Copper Industrial TELEPHONE CABLES					
No. of Pair & Size	Rate Per 90 Meter Coil		Rate Per Meter	JELLYFILLED CABLES As per DOT Specification	
	Unarmoured 0.4 MM.	Unarmoured 0.5 MM.	Armoured 0.5 MM.		
1 Pair	1040.00	1430.00	-----	Unarmoured 0.5 MM.	Armoured 0.5 MM.
2 Pair	1775.00	2715.00	-----	-----	-----
3 Pair	2585.00	3870.00	-----	-----	-----
4 Pair	3475.00	5140.00	-----	-----	-----
5 Pair	4525.00	6420.00	192.00	168.00	220.00
10 Pair	-----	12840.00	368.00	261.00	338.00
RATE PER METER					
20 Pair	-----	279.25	570.00	-----	596.00
50 Pair	-----	733.35	-----	-----	1319.00
100 Pair	-----	1466.70	-----	-----	2517.00

3 CORE FLAT CABLES FOR SUBMERSIBLE PUMP MOTORS			
SIZE SQ. MM.	RATE PER 100 MTRS.	SIZE SQ. MM.	RATE PER 100 MTRS.
1.50	13415	16.00	127595
2.50	21715	25.00	208580
4.00	33610	35.00	292080
6.00	49190	50.00	-----
10.00	86000		

POLYCAB INDUSTRIAL SPEAKER WIRE (OXYGEN FREE)				(Rate per 90 Meters)				CCTV CABLES (Rate Per 90 Mtrs. Coil)	
SIZE	RATE	SIZE	RATE	SIZE	RATE	SIZE	RATE	SIZE	RATE
23/36	2565.00	23/38	1695.00	0.50 Sq. mm.	3090.00	1.5 Sq. mm.	8550.00	3 + 1	4725.00
40/36	4095.00	40/38	2860.00	0.75 Sq. mm.	4545.00	2.0 Sq. mm.	12250.00	4 + 1	5460.00
70/36	6090.00	70/38	4460.00	1.00 Sq. mm.	6005.00	2.5 Sq. mm.	14190.00		

CO-AXIAL CABLES • (RATE PER COIL)			
ITEM	UNARMoured (100 MTRS.)	UNARMoured (305 MTRS.)	ARMoured. (1000 MTRS.)
RG-59	4015	12250	
RG-06	4105	12520	97850
RG-11	9700	29575	178450
RG-06 CCS	2785	8500	
RG-11 CCS	5460	16650	

LAN COMPUTER CABLES	
ITEM 4 PAIR	UTP UNARMoured (RATE PER COIL OF 305 MTR.)
	CAT-6

XLPE ARMoured Cables with COPPER Conductor 650/1100 V. Grade confirming to IS : 7098 (Pt-1) 1988

COPPER ARMoured CABLES • 2XWY/2XFY

NO. OF CORES	1.5 SQ. MM.	2.5 SQ. MM.	CROSS SECTION IN SQ. MM.	2 CORE	3 CORE	4 CORE	
2	257.00	362.00	4	499.00	692.00	900.00	
3	327.00	481.00	6	710.00	1002.00	1303.00	
4	411.00	620.00	10	1151.00	1639.00	2169.00	
5	523.00	770.00	16	1628.00	2435.00	3199.00	
6	631.00	903.00	CROSS SECTION IN SQ. MM.	3 CORE	3.5 CORE	4 CORE	
7	657.00	1050.00		25	3805.00	4617.00	5062.00
8	747.00	1211.00		35	5490.00	6286.00	7264.00
10	936.00	1438.00		50	7407.00	8721.00	9899.00
12	1053.00	1703.00		70	10742.00	12541.00	14385.00
14	1208.00	1996.00		95	15041.00	17426.00	19872.00
16	1382.00	2256.00		120	18549.00	22103.00	24734.00
19	1638.00	2651.00		150	22829.00	26445.00	30609.00
24	2049.00	3339.00		185	28914.00	33800.00	38294.00
27	2323.00	3805.00		240	37712.00	43562.00	50068.00
30	2589.00	4576.00		300	48169.00	55085.00	63540.00
37	3359.00	5344.00		400	62295.00	69737.00	86779.00
44	3923.00	6242.00					
61	5776.00	9050.00					

H. T. XLPE ARMoured ALUMINIUM CABLES RATE PER METER

Cond. Cross Section in SQ. MM.	6.6 KV (UE) 11 KV (E)	22 KV (E)	33 KV (E)
3 x 35	1831.00	-----	-----
3 x 50	2205.00	-----	-----
3 x 70	2678.00	-----	-----
3 x 95	3197.00	4120.00	5265.00
3 x 120	3752.00	4594.00	5905.00
3 x 150	4389.00	5512.00	6875.00
3 x 185	5147.00	6069.00	7573.00
3 x 240	6546.00	7258.00	8717.00
3 x 300	7437.00	8642.00	9968.00
3 x 400	9475.00	10612.00	11940.00

XLPE ARMoured Cables with ALUMINIUM Conductor 650/1100 V. grade confirming to IS : 7098 (Part-1) 1988

ALUMINIUM ARMoured CABLES • A2XWY/A2XFY

Cross Section in SQ. MM.	1 CORE	2 CORE	3 CORE	3.5 CORE	4 CORE
	2.5	-----	226.00	244.00	-----
4	-----	244.00	287.00	-----	319.00
6	-----	306.00	357.00	-----	400.00
10	-----	354.00	422.00	-----	553.00
16	245.00	410.00	469.00	-----	599.00
25	305.00	423.00	563.00	661.00	711.00
35	381.00	542.00	771.00	854.00	972.00
50	485.00	732.00	998.00	1138.00	1281.00
70	616.00	933.00	1339.00	1551.00	1738.00
95	753.00	1206.00	1723.00	1964.00	2292.00
120	902.00	1486.00	2108.00	2462.00	2804.00
150	1074.00	1819.00	2612.00	2872.00	3388.00
185	1303.00	2221.00	3231.00	3633.00	4268.00
240	1619.00	2809.00	4180.00	4631.00	5520.00
300	1968.00	3456.00	5169.00	5743.00	6823.00
400	2541.00	4529.00	6560.00	7287.00	8773.00

Str/Solid Cu PVC/XLPE Insulated Core/Pair/Triad/Quad laid up together with Al (Inner sheathed GI Steel Wire Mylar/Drain Wire) Round/Strip Armoured PVC Outer Sheathed Instrumentation.

OVERALL SHIELDED-ARMoured INSTRUMENTATION CABLES

TYPE	No.	SIZE	RATE	SIZE	RATE	SIZE	RATE	SIZE	RATE	SIZE	RATE
PAIR	1	0.5	149	0.75	172	1	193	1.5	232	2.5	357
PAIR	2	0.5	226	0.75	289	1	327	1.5	425	2.5	642
PAIR	3	0.5	279	0.75	368	1	440	1.5	564	2.5	882
PAIR	4	0.5	338	0.75	460	1	553	1.5	715	2.5	1128
PAIR	5	0.5	413	0.75	570	1	674	1.5	861	2.5	1377
PAIR	6	0.5	475	0.75	656	1	793	1.5	1040	2.5	1758
PAIR	8	0.5	609	0.75	841	1	1010	1.5	1322	2.5	2094
PAIR	10	0.5	770	0.75	1014	1	1273	1.5	1733	2.5	2657
PAIR	12	0.5	828	0.75	1176	1	1387	1.5	1907	2.5	3199
PAIR	16	0.5	1094	0.75	1465	1	1899	1.5	2618	2.5	3608
PAIR	19	0.5	1245	0.75	1734	1	2210	1.5	3059	2.5	4801
PAIR	24	0.5	1553	0.75	2233	1	2910	1.5	3722	2.5	5748
TRAID	1	0.5	184	0.75	226	1	256	1.5	348	2.5	475

NOTE : ROUND WIRE ARMOURING FOR H.T. CABLES UPTO 11KV (E) ADD 25% & FOR 11 KV (UE) & ABOVE ADD 27.5% IN ABOVE RATES.