



PRICE LIST 1 DECEMBER 2025



Auth. Distributors
POLYCAB
IDEAS. CONNECTED.

PRABHAT CABLES PVT. LTD.

HEAD OFFICE : 33, Pathak Wadi, Ismail Building, 1st Floor, Lohar Chawl,
Mumbai - 400 002, Maharashtra, India.

Tel.: +91 22 4922 4200 / 2208 5153 • Email : prabhatcables@gmail.com
info@prabhatcables.com • Website : www.prabhatcables.com

BRANCHES :

RAIPUR

Ph No.101, 275/1-2, Sarora, Industrial Area Urla, Near
Shivam Engg., Sarora, Raipur, Chhattisgarh - 493221, INDIA
Tel. : +91 98261 99371 / 93005 65001
Email : cg@prabhatcables.com

HUBLI

98-B, Behind Krishna Spinner, J P Nagar, Beside HP Gas Agencies,
Gokul Road, Near Decathlon, HUBLI 580030, Karnataka, INDIA
Tel. : +91 86554 86242 / 86554 86246
Email : hubli@prabhatcables.com

ODISHA

Plot No 328/3675 Koradakanta, Puri Bypass Road,
Bhubaneswar - 751006, INDIA
Tel. : +91 96810 07838 / 86554 86253
Email : abani@prabhatcables.com, odisha@prabhatcables.com

BANGALORE

Karanja Chambers-2, No 16, 2nd Floor, 80 Feet Road,
Basaveshwara Nagar, Bangalore - 560079, INDIA
Tel. : +91 97390 02495
Email : bgr@prabhatcables.com

KALABURGI

Sy No. 51/1, Opposite Mahatma Gandhi, Truck Terminal,
Near Aland Check Post, Ring Road, Kalaburagi (Gulbarga)
Karnataka - 585103, INDIA • Tel. : +91 86554 86249 / 86554 86247
Email : klbg@prabhatcables.com

GUWAHATI

Anil Plaza, A-45, 1st Floor, Near IDBI Bank,
G. S. Road, Guwahati - 781005, INDIA
Tel. : +91 99541 99542
Email : assam@prabhatcables.com



PRABHAT CABLES PVT. LTD.

MUMBAI HEAD OFFICE : +91 22 4922 4200 / 2208 5153

RAIPUR : +91 98261 99371 / 93005 65001 • HUBLI : +91 86554 86242 / 86554 86246

ODISHA : +91 96810 07838 / 86554 86253 • BANGALORE : +91 97390 02495

KALABURGI : +91 86554 86249 / 86554 86247 • GUWAHATI : +91 99541 99542

AUTH. DISTRIBUTORS :

POLYCAB

IDEAS. CONNECTED.

PRICE-LIST

W. E. F. :

1st December 2025

LDC LP No. 07/2025-26

07

POLYCAB INDUSTRIAL SINGLE CORE & MULTI-CORE FLEXIBLE CABLES • 1100V PVC insulated & Sheathed with Bare Annealed Copper Conductor as per IS:694-2010. (100 Mtrs. Coil Price)

COND. AREA SQ.MM.	Cond. Const. (No/Dia mm)	AMPS	SINGLE CORE	2 CORE	3 CORE	4 CORE	5 CORE	6 CORE	7 CORE	8 CORE	10 CORE	12 CORE	14 CORE	16 CORE	19 CORE	24 CORE
0.50	16/0.2	05	1690	4240	5820	7445	9680	11600	13000	15400	19200	22400	25800	29400	34000	42900
0.75	24/0.2	08	2370	5675	7875	10125	13700	16600	18600	21700	27300	31800	37300	42000	49600	62000
1.00	32/0.2	13	2985	7215	10010	12945	17650	21225	24000	27900	34500	41200	47800	54400	64000	80100
1.50	30/0.25	17	4290	9840	14145	18350	24100	29300	32900	38100	48600	57200	67500	77900	90500	115900
2.50	50/0.25	24	7060	16300	22300	30100	39200	47400	54300	64500	79200	95100	110500	126300	146300	189500
4.00	56/0.3	30	10875	23900	34300	45700	62100	74300	89700	-----	-----	-----	-----	-----	-----	-----
6.00	84/0.3	38	16300	35200	50600	67100	91300	POLYCAB UNARMoured SCREENED CABLES								
10.00	80/0.4	52	28400	60100	88400	116500	157600									
16.00	126/0.4	70	44900	94800	138700	183100	242200	CORES	16/.20 MM.	24/.20 MM.	32/.20 MM.	48/.20 MM.	80/.20 MM.			
25.00	196/0.4	88	69800	158100	229900	300300	439600		0.5 Sq. Mm.	0.75 Sq. Mm.	1.0 Sq. Mm.	1.5 Sq. Mm.	2.5 Sq. Mm.			
35.00	276/0.4	110	97700	220200	319600	420000	602700	2	12300	15000	17000	20600	31100			
50.00	396/0.4	145	139300	312200	455200	601200	872500	3	14300	18700	23000	28400	41600			
70.00	354/0.5	215	196900	443800	631400	834700	1193200	4	17700	23000	27900	34800	52500			
95.00	484/0.5	260	259600	Flexible copper WELDING CABLES				5	22400	27500	32100	42200	70600			
120.00	608/0.5	305	341400	Conductor Area SQ. MM.	(AMP)	Rate Per Meter	7	25500	35800	41600	54800	89400				
150.00	750/0.5	355	427300				8	29700	42600	47300	63200	93300				
185.00	925/0.5	415	541800	16.00	120	532.00	10	37700	47100	62900	79400	104300				
240.00	1210/0.5	500	693900	25.00	160	832.00	12	42600	53100	67500	89400	122100				
300.00	1527/0.5	585	868300	35.00	230	1149.00	14	47100	62900	79200	107100	146800				
400.00	2036/0.5	695	1157000	50.00	400	1631.00	16	50400	73200	88900	118200	172800				
				70.00	600	2307.00	19	59900	86800	104900	146800	223100				
				95.00	700	3038.00	24	72400	96900	131500	179800	279600				

POLYCAB FRLS INSULATED SINGLE CORE

Unsheathed Industrial Flexible Cable conforming to IS 694: 2010 with Flexible Bright Annealed Copper Conductor for Voltage Grade upto 1100 Volts.

POLYCAB PVC INSULATED & FRLS MULTI CORE Round Sheathed Bright Annealed Bare Copper Conductor Heavy Duty Industrial Cables for Voltage Grade upto 1100 Volts as per IS: 694:2010.

RATE PER 100 METERS

SIZE SQ. MM.	Cond. Const. (No/Dia mm)	AMPS	SINGLE CORE	2 CORE	3 CORE	4 CORE
0.5	16/.2	5	1730	4510	6080	7705
0.75	24/.2	8	2435	6015	8195	10450
1	32/.2	13	3020	7535	10380	13300
1.5	30/.25	17	4325	10250	14600	18700
2.5	50/.25	24	7160	16800	23000	30900
4	56/.3	30	11050	24500	35200	46400
6	84/.3	38	16500	36100	51500	68100
10	80/.4	52	29000	61100	89700	118500
16	126/.4	70	44900	97400	141900	186600
25	196/.4	88	69800	161400	234500	306700
35	276/.4	110	97700	224600	325800	429100
50	396/.4	145	139300	318900	464100	612700
70	354/.5	215	196900	452500	643900	851400
95	484/.5	260	259600	-----	912700	1204000
120	608/.5	305	341400	-----	1158900	1529500
150	750/.5	355	427300	-----	1448700	1912200
185	925/.5	415	541800	-----	1784000	2358100
240	1210/.5	500	693900	-----	2303100	3048600
300	1527/.5	585	868300	-----	2873800	3805600
400	2036/.5	695	1157000	-----	3829100	5040600

POLYCAB INDUSTRIAL CABLES (MULTISTRAND)

CONDUCTOR AREA SQ. MM.	FR 200 Mtrs. Coil	FR 300 Mtrs. Coil	FRLSH 200 Mtrs. Coil	FRLSH 300 Mtrs. Coil	HFFR 200 Mtrs. Coil	HFFR 300 Mtrs. Coil
0.75	-----	7120	-----	7260	-----	7735
1.00	-----	9205	-----	9365	-----	9870
1.50	-----	13455	-----	13715	-----	14460
2.50	-----	22290	-----	22670	-----	23990
4.00	23175	-----	23435	-----	24935	-----
6.00	34190	-----	34615	-----	36765	-----
10.00	59025	-----	59645	-----	63400	-----
16.00	92875	-----	93790	-----	99775	-----

POLYCAB BUILDING MANAGEMENT SYSTEM CABLE (BMS)

Cores	0.5 sq.mm (16/.2)	0.75 sq.mm (24/.2)	1.0 sq.mm (32/.2)	1.5 sq.mm (30/.25)	2.5 sq.mm (50/.25)
2	7020	8990	10800	14125	22000
3	8710	11900	14300	19100	30500
4	10800	14400	18300	25600	38400
6	15300	20200	25300	35700	58000
8	19000	25600	32700	44900	76800

TERMS & CONDITIONS : (1) The above rates are exclusive of all taxes.

(2) Subject to change without prior notice.

(3) This cancels all our previous price-lists.



PRABHAT CABLES PVT. LTD.

MUMBAI HEAD OFFICE : +91 22 4922 4200 / 2208 5153

RAIPUR : +91 98261 99371 / 93005 65001 • HUBLI : +91 86554 86242 / 86554 86246

ODISHA : +91 96810 07838 / 86554 86253 • BANGALORE : +91 97390 02495

KALABURGI : +91 86554 86249 / 86554 86247 • GUWAHATI : +91 99541 99542

AUTH. DISTRIBUTORS :

POLYCAB

IDEAS. CONNECTED.

PRICE-LIST

W. E. F. :

1st December 2025

LDC LP No. 07/2025-26

07

POLYCAB Brand Solid Annealed Bare Copper Industrial TELEPHONE CABLES

No. of Pair & Size	Rate Per 90 Meter Coil		Rate Per Meter	JELLYFILLED CABLES As per DOT Specification	
	Unarmoured 0.4 MM.	Unarmoured 0.5 MM.	Armoured 0.5 MM.		
1 Pair	835.00	1175.00	-----	Unarmoured 0.5 MM.	Armoured 0.5 MM.
2 Pair	1485.00	2100.00	-----	-----	-----
3 Pair	2180.00	3095.00	-----	-----	-----
4 Pair	2795.00	4090.00	-----	-----	-----
5 Pair	3445.00	5080.00	147.00	127.00	184.00
10 Pair	-----	9865.00	280.00	199.00	295.00
RATE PER METER					
20 Pair	-----	212.65	445.00	-----	430.00
50 Pair	-----	550.65	-----	-----	925.00
100 Pair	-----	1076.25	-----	-----	1963.00

3 CORE FLAT CABLES FOR SUBMERSIBLE PUMP MOTORS

SIZE SQ. MM.	RATE PER 100 MTRS.	SIZE SQ. MM.	RATE PER 100 MTRS.
1.50	11485	16.00	106565
2.50	17840	25.00	166700
4.00	26640	35.00	230850
6.00	39475	50.00	-----
10.00	68620		

POLYCAB INDUSTRIAL SPEAKER WIRE (OXYGEN FREE)

(Rate per 90 Meters)

SIZE	RATE	SIZE	RATE	SIZE	RATE	SIZE	RATE
23/36	2330.00	23/38	1580.00	0.50 Sq. mm.	2370.00	1.5 Sq. mm.	6295.00
40/36	3560.00	40/38	2615.00	0.75 Sq. mm.	3430.00	2.0 Sq. mm.	9735.00
70/36	4835.00	70/38	3555.00	1.00 Sq. mm.	4235.00	2.5 Sq. mm.	10450.00

CCTV CABLES

(Rate Per 90 Mtrs. Coil)

SIZE	RATE
3 + 1	4395.00
4 + 1	4775.00

CO-AXIAL CABLES • (RATE PER COIL)

ITEM	UNARMoured (100 MTRS.)	UNARMoured (305 MTRS.)	ARMoured. (1000 MTRS.)
RG-59	2650	8065	
RG-06	3315	10175	109490
RG-11	7575	23165	170900
RG-06 CCS	2170	6610	
RG-11 CCS	4385	13355	

LAN COMPUTER CABLES

ITEM 4 PAIR	UTP
	UNARMoured (RATE PER COIL OF 305 MTR.)
CAT-6	14920.00

TERMS & CONDITIONS : (1) The above rates are exclusive of all taxes. • (2) Subject to change without prior notice. • (3) This cancels all our previous price-lists.

XLPE ARMoured Cables with COPPER Conductor 650/1100 V. Grade confirming to IS : 7098 (Pt-1) 1988

COPPER ARMoured CABLES • 2XWY/2XFY

NO. OF CORES	1.5 SQ. MM.	2.5 SQ. MM.	CROSS SECTION IN SQ. MM.	2 CORE	3 CORE	4 CORE
2	252.00	356.00	4	495.00	663.00	850.00
3	321.00	460.00	6	697.00	957.00	1251.00
4	396.00	594.00	10	1108.00	1557.00	2033.00
5	482.00	729.00	16	1643.00	2277.00	3007.00
6	573.00	858.00	CROSS SECTION IN SQ. MM.	3 CORE	3.5 CORE	4 CORE
7	631.00	968.00				
8	807.00	1181.00				
10	919.00	1360.00				
12	1021.00	1580.00				
14	1169.00	1837.00				
16	1307.00	2087.00				
19	1550.00	2457.00				
24	1939.00	3076.00				
27	2156.00	3450.00				
30	2405.00	4149.00	25	3769.00	4517.00	4968.00
37	3120.00	4847.00	35	5308.00	6063.00	7048.00
44	3644.00	5660.00	50	7175.00	8445.00	9563.00
61	5364.00	8206.00	70	10477.00	12128.00	13804.00
			95	14527.00	16635.00	19175.00
			120	17813.00	21878.00	23892.00
			150	22654.00	26466.00	30348.00
			185	28796.00	33692.00	38464.00
			240	37405.00	43488.00	49619.00
			300	47144.00	54521.00	63095.00
			400	60552.00	68909.00	84351.00

H. T. XLPE ARMoured ALUMINIUM CABLES

RATE PER METER

Cond. Cross Section in SQ. MM.	6.6 KV (UE) 11 KV (E)	22 KV (E)	33 KV (E)
3 x 35	1774.00	-----	-----
3 x 50	2120.00	-----	-----
3 x 70	2583.00	-----	-----
3 x 95	2930.00	4042.00	5355.00
3 x 120	3538.00	4541.00	6037.00
3 x 150	4144.00	5208.00	6489.00
3 x 185	4725.00	5879.00	7244.00
3 x 240	5725.00	6940.00	8556.00
3 x 300	6771.00	8138.00	9659.00
3 x 400	8473.00	9869.00	11708.00

XLPE ARMoured Cables with ALUMINIUM Conductor 650/1100 V. grade confirming to IS : 7098 (Part-1) 1988

Cross Section in SQ. MM.	ALUMINIUM ARMoured CABLES • A2XWY/A2XFY				
	1 CORE	2 CORE	3 CORE	3.5 CORE	4 CORE
2.5	-----	205.00	229.00	-----	255.00
4	-----	233.00	250.00	-----	291.00
6	-----	283.00	309.00	-----	369.00
10	-----	358.00	399.00	-----	507.00
16	230.00	407.00	429.00	-----	542.00
25	303.00	435.00	571.00	663.00	710.00
35	367.00	542.00	726.00	806.00	919.00
50	452.00	702.00	944.00	1092.00	1228.00
70	578.00	940.00	1294.00	1472.00	1668.00
95	693.00	1161.00	1594.00	1846.00	2080.00
120	804.00	1386.00	2000.00	2312.00	2612.00
150	958.00	1704.00	2455.00	2740.00	3212.00
185	1177.00	2048.00	3039.00	3469.00	3951.00
240	1454.00	2715.00	3881.00	4357.00	5102.00
300	1790.00	3328.00	4796.00	5360.00	6289.00
400	2261.00	4322.00	6130.00	6847.00	7850.00

Str/Solid Cu PVC/XLPE Insulated Core/Pair/Triad/Quad laid up together with Al (Inner sheathed GI Steel Wire Mylar/Drain Wire) Round/Strip Armoured PVC Outer Sheathed Instrumentation.

OVERALL SHIELDED-ARMoured INSTRUMENTATION CABLES

TYPE	No.	SIZE	RATE	SIZE	RATE	SIZE	RATE	SIZE	RATE	SIZE	RATE
PAIR	1	0.5	147	0.75	171	1	190	1.5	227	2.5	311
PAIR	2	0.5	214	0.75	257	1	296	1.5	368	2.5	527
PAIR	3	0.5	257	0.75	322	1	384	1.5	490	2.5	728
PAIR	4	0.5	307	0.75	391	1	472	1.5	616	2.5	925
PAIR	5	0.5	359	0.75	464	1	568	1.5	752	2.5	1144
PAIR	6	0.5	414	0.75	540	1	657	1.5	877	2.5	1334
PAIR	8	0.5	509	0.75	676	1	834	1.5	1123	2.5	1522
PAIR	10	0.5	609	0.75	803	1	1007	1.5	1370	2.5	2102
PAIR	12	0.5	691	0.75	938	1	1185	1.5	1604	2.5	2505
PAIR	16	0.5	866	0.75	1159	1	1502	1.5	2070	2.5	3240
PAIR	19	0.5	985	0.75	1371	1	1749	1.5	2420	2.5	3798
PAIR	24	0.5	1230	0.75	1722	1	2178	1.5	3041	2.5	4774
TRAID	1	0.5	178	0.75	214	1	241	1.5	300	2.5	414

NOTE : ROUND WIRE ARMOURING FOR H.T. CABLES UPTO 11KV (E) ADD 25% & FOR 11 KV (UE) & ABOVE ADD 27.5% IN ABOVE RATES.