



PRICE LIST

8 JANUARY 2026



Auth. Distributors
POLYCAB
IDEAS. CONNECTED.

PRABHAT CABLES PVT. LTD.

HEAD OFFICE : 33, Pathak Wadi, Ismail Building, 1st Floor, Lohar Chawl,
Mumbai - 400 002, Maharashtra, India.

Tel.: +91 22 4922 4200 / 2208 5153 • Email : prabhatcables@gmail.com
info@prabhatcables.com • Website : www.prabhatcables.com

BRANCHES :

RAIPUR

Ph No.101, 275/1-2, Sarora, Industrial Area Urla, Near
Shivam Engg., Sarora, Raipur, Chhattisgarh - 493221, INDIA
Tel. : +91 98261 99371 / 93005 65001
Email : cg@prabhatcables.com

HUBLI

98-B, Behind Krishna Spinner, J P Nagar, Beside HP Gas Agencies,
Gokul Road, Near Decathlon, HUBLI 580030, Karnataka, INDIA
Tel. : +91 86554 86242 / 86554 86246
Email : hubli@prabhatcables.com

ODISHA

Plot No 328/3675 Koradakanta, Puri Bypass Road,
Bhubaneswar - 751006, INDIA
Tel. : +91 96810 07838 / 86554 86253
Email : abani@prabhatcables.com, odisha@prabhatcables.com

BANGALORE

Karanja Chambers-2, No 16, 2nd Floor, 80 Feet Road,
Basaveshwara Nagar, Bangalore - 560079, INDIA
Tel. : +91 97390 02495
Email : bgr@prabhatcables.com

KALABURGI

Sy No. 51/1, Opposite Mahatma Gandhi, Truck Terminal,
Near Aland Check Post, Ring Road, Kalaburagi (Gulbarga)
Karnataka - 585103, INDIA • Tel. : +91 86554 86249 / 86554 86247
Email : klbg@prabhatcables.com

GUWAHATI

Anil Plaza, A-45, 1st Floor, Near IDBI Bank,
G. S. Road, Guwahati - 781005, INDIA
Tel. : +91 99541 99542
Email : assam@prabhatcables.com



PRABHAT CABLES PVT. LTD.

MUMBAI HEAD OFFICE : +91 22 4922 4200 / 2208 5153

RAIPUR : +91 98261 99371 / 93005 65001 • HUBLI : +91 86554 86242 / 86554 86246

ODISHA : +91 96810 07838 / 86554 86253 • BANGALORE : +91 97390 02495

KALABURGI : +91 86554 86249 / 86554 86247 • GUWAHATI : +91 99541 99542

AUTH. DISTRIBUTORS :

POLYCAB

IDEAS. CONNECTED.

PRICE-LIST

W. E. F. :

8th January 2026

LDC LP No. 10/2025-26

10

POLYCAB INDUSTRIAL SINGLE CORE & MULTI-CORE FLEXIBLE CABLES • 1100V PVC insulated & Sheathed with Bare Annealed Copper Conductor as per IS:694-2010. (100 Mtrs. Coil Price)

COND. AREA SQ.MM.	Cond. Const. (No/Dia mm)	AMPS	SINGLE CORE	2 CORE	3 CORE	4 CORE	5 CORE	6 CORE	7 CORE	8 CORE	10 CORE	12 CORE	14 CORE	16 CORE	19 CORE	24 CORE
0.50	16/0.2	05	1885	4740	6510	8325	10830	12980	14550	17200	21500	25000	28850	32900	38100	47900
0.75	24/0.2	08	2640	6350	8805	11320	15320	18600	20800	24300	30500	35600	41700	47000	55500	69300
1.00	32/0.2	13	3325	8070	11180	14515	19800	23800	26900	31200	38600	46100	53400	60800	71600	89500
1.50	30/0.25	17	4780	11000	15800	20500	27000	32800	36800	42600	54300	64000	75500	87100	101200	129500
2.50	50/0.25	24	7860	18300	24900	33600	43900	53000	60700	72100	88600	106300	123500	141300	163600	211900
4.00	56/0.3	30	12140	26800	38400	51100	69400	83100	100300	-----	-----	-----	-----	-----	-----	-----
6.00	84/0.3	38	18200	39300	56500	75000	102100	POLYCAB UNARMoured SCREENED CABLES								
10.00	80/0.4	52	31700	67200	98800	130300	176200	CORES	16/.20 MM.	24/.20 MM.	32/.20 MM.	48/.20 MM.	80/.20 MM.			
16.00	126/0.4	70	50000	105500	154300	203700	269500		0.5 Sq. Mm.	0.75 Sq. Mm.	1.0 Sq. Mm.	1.5 Sq. Mm.	2.5 Sq. Mm.			
25.00	196/0.4	88	77700	175900	255800	334200	489200	2	13700	16700	18900	22900	34600			
35.00	276/0.4	110	108700	245000	355700	467400	670700	3	15900	20800	25600	31600	46300			
50.00	396/0.4	145	155000	347400	506500	669000	970900	4	19700	25600	31000	38700	58400			
70.00	354/0.5	215	219100	493900	702700	928900	1327800	5	24900	30600	35700	47000	78500			
95.00	484/0.5	260	288900	Flexible copper WELDING CABLES	Conductor Area SQ. MM.	(AMP)	Rate Per Meter	6	26300	35700	40800	55100	88200			
120.00	608/0.5	305	380000					7	28400	39800	46300	61000	99500			
150.00	750/0.5	355	475500					8	33100	47400	52600	70300	103800			
185.00	925/0.5	415	602900					10	41900	52400	70000	88400	116100			
240.00	1210/0.5	500	772200					12	47400	59100	75100	99500	135900			
300.00	1527/0.5	585	966200					14	52400	70000	88200	119200	163400			
400.00	2036/0.5	695	1287500					16	56100	81400	99000	131500	192300			
								19	66700	96600	116700	163400	248200			
				24	80600	107900	146400	200100	311200							

TERMS & CONDITIONS : (1) The above rates are exclusive of all taxes. • (2) Subject to change without prior notice. • (3) This cancels all our previous price-lists.

POLYCAB FRLS INSULATED SINGLE CORE

Unsheathed Industrial Flexible Cable conforming to IS 694: 2010 with Flexible Bright Annealed Copper Conductor for Voltage Grade upto 1100 Volts.

POLYCAB PVC INSULATED & FRLS MULTI CORE Round Sheathed Bright Annealed Bare Copper Conductor Heavy Duty Industrial Cables for Voltage Grade upto 1100 Volts as per IS: 694:2010.

RATE PER 100 METERS

SIZE SQ. MM.	Cond. Const. (No/Dia mm)	AMPS	SINGLE CORE	2 CORE	3 CORE	4 CORE
0.5	16/.2	5	1925	5045	6800	8615
0.75	24/.2	8	2715	6725	9165	11720
1	32/.2	13	3360	8425	11600	14875
1.5	30/.25	17	4815	11500	16350	20900
2.5	50/.25	24	7965	18800	25700	34600
4	56/.3	30	12340	27400	39300	51900
6	84/.3	38	18450	40400	57600	76100
10	80/.4	52	32400	68300	100300	132400
16	126/.4	70	50000	108400	157900	207700
25	196/.4	88	77700	179700	261000	341300
35	276/.4	110	108700	250000	362500	477500
50	396/.4	145	155000	354900	516500	681800
70	354/.5	215	219100	503500	716600	947500
95	484/.5	260	288900	-----	1015600	1339900
120	608/.5	305	380000	-----	1289700	1702000
150	750/.5	355	475500	-----	1612100	2127900
185	925/.5	415	602900	-----	1985300	2624100
240	1210/.5	500	772200	-----	2562900	3392400
300	1527/.5	585	966200	-----	3198000	4234800
400	2036/.5	695	1287500	-----	4261100	5609200

POLYCAB INDUSTRIAL CABLES (MULTISTRAND)

CONDUCTOR AREA SQ. MM.	FR 200 Mtrs. Coil	FR 300 Mtrs. Coil	FRLSH 200 Mtrs. Coil	FRLSH 300 Mtrs. Coil	HFFR 200 Mtrs. Coil	HFFR 300 Mtrs. Coil
0.75	-----	8005	-----	8160	-----	8695
1.00	-----	10345	-----	10530	-----	11095
1.50	-----	15125	-----	15420	-----	16255
2.50	-----	25060	-----	25485	-----	26965
4.00	26055	-----	26340	-----	28030	-----
6.00	38430	-----	38905	-----	41320	-----
10.00	66340	-----	67040	-----	71255	-----
16.00	104385	-----	105420	-----	112140	-----

POLYCAB BUILDING MANAGEMENT SYSTEM CABLE (BMS)

Cores	0.5 sq.mm (16/.2)	0.75 sq.mm (24/.2)	1.0 sq.mm (32/.2)	1.5 sq.mm (30/.25)	2.5 sq.mm (50/.25)
2	7815	10115	12260	15955	24915
3	9800	13130	16125	21630	34325
4	12000	16200	20800	28900	43500
6	16900	22800	28400	40300	65500
8	21300	28700	37100	50800	86900

TERMS & CONDITIONS : (1) The above rates are exclusive of all taxes.

(2) Subject to change without prior notice.

(3) This cancels all our previous price-lists.

POLYCAB Brand Solid Annealed Bare Copper Industrial TELEPHONE CABLES					
No. of Pair & Size	Rate Per 90 Meter Coil		Rate Per Meter	JELLYFILLED CABLES As per DOT Specification	
	Unarmoured 0.4 MM.	Unarmoured 0.5 MM.	Armoured 0.5 MM.		
1 Pair	915.00	1290.00	-----	Unarmoured 0.5 MM.	Armoured 0.5 MM.
2 Pair	1625.00	2305.00	-----	-----	-----
3 Pair	2395.00	3395.00	-----	-----	-----
4 Pair	3070.00	4490.00	-----	-----	-----
5 Pair	3780.00	5585.00	158.00	137.00	198.00
10 Pair	-----	10830.00	301.00	214.00	317.00
RATE PER METER					
20 Pair	-----	233.50	478.00	-----	462.00
50 Pair	-----	604.60	-----	-----	994.00
100 Pair	-----	1181.70	-----	-----	2110.00

3 CORE FLAT CABLES FOR SUBMERSIBLE PUMP MOTORS			
SIZE SQ. MM.	RATE PER 100 MTRS.	SIZE SQ. MM.	RATE PER 100 MTRS.
1.50	12730	16.00	118150
2.50	19780	25.00	184820
4.00	29535	35.00	255950
6.00	43765	50.00	-----
10.00	76075		

POLYCAB INDUSTRIAL SPEAKER WIRE (OXYGEN FREE)						(Rate per 90 Meters)		CCTV CABLES (Rate Per 90 Mtrs. Coil)	
SIZE	RATE	SIZE	RATE	SIZE	RATE	SIZE	RATE	SIZE	RATE
23/36	2555.00	23/38	1735.00	0.50 Sq. mm.	2600.00	1.5 Sq. mm.	6910.00	3 + 1	4825.00
40/36	3910.00	40/38	2870.00	0.75 Sq. mm.	3765.00	2.0 Sq. mm.	10685.00	4 + 1	5240.00
70/36	5305.00	70/38	3905.00	1.00 Sq. mm.	4650.00	2.5 Sq. mm.	11475.00		

CO-AXIAL CABLES • (RATE PER COIL)			
ITEM	UNARMoured (100 MTRS.)	UNARMoured (305 MTRS.)	ARMoured. (1000 MTRS.)
RG-59	2910	8850	
RG-06	3635	11175	120220
RG-11	8315	25440	187650
RG-06 CCS	2380	7255	
RG-11 CCS	4815	14660	

LAN COMPUTER CABLES	
ITEM 4 PAIR	UTP
	UNARMoured (RATE PER COIL OF 305 MTR.)
CAT-6	15440.00

XLPE ARMoured Cables with COPPER Conductor 650/1100 V. Grade confirming to IS : 7098 (Pt-1) 1988

COPPER ARMoured CABLES • 2XWY/2XFY

NO. OF CORES	1.5 SQ. MM.	2.5 SQ. MM.	CROSS SECTION IN SQ. MM.	2 CORE	3 CORE	4 CORE
2	284.00	401.00	4	557.00	746.00	956.00
3	361.00	518.00	6	784.00	1077.00	1407.00
4	446.00	668.00	10	1247.00	1752.00	2287.00
5	542.00	820.00	16	1807.00	2505.00	3308.00
6	645.00	965.00	CROSS SECTION IN SQ. MM.	3 CORE	3.5 CORE	4 CORE
7	710.00	1089.00				
8	908.00	1329.00				
10	1034.00	1530.00				
12	1149.00	1778.00				
14	1315.00	2067.00				
16	1470.00	2348.00				
19	1744.00	2764.00				
24	2181.00	3461.00				
27	2426.00	3881.00				
30	2706.00	4668.00	25	4146.00	4969.00	5465.00
37	3510.00	5453.00	35	5839.00	6669.00	7753.00
44	4100.00	6368.00	50	7893.00	9290.00	10519.00
61	6035.00	9232.00	70	11525.00	13341.00	15184.00
			95	15980.00	18299.00	21093.00
			120	19594.00	24066.00	26281.00
			150	24919.00	29113.00	33383.00
			185	31676.00	37061.00	42310.00
			240	41146.00	47837.00	54581.00
			300	51858.00	59973.00	69405.00
			400	66607.00	75800.00	92786.00

H. T. XLPE ARMoured ALUMINIUM CABLES

RATE PER METER

Cond. Cross Section in SQ. MM.	6.6 KV (UE) 11 KV (E)	22 KV (E)	33 KV (E)
3 x 35	1845.00	-----	-----
3 x 50	2205.00	-----	-----
3 x 70	2686.00	-----	-----
3 x 95	3047.00	4204.00	5569.00
3 x 120	3680.00	4723.00	6278.00
3 x 150	4310.00	5416.00	6749.00
3 x 185	4914.00	6114.00	7534.00
3 x 240	5954.00	7218.00	8898.00
3 x 300	7042.00	8464.00	10045.00
3 x 400	8812.00	10264.00	12176.00

XLPE ARMoured Cables with ALUMINIUM Conductor 650/1100 V. grade confirming to IS : 7098 (Part-1) 1988

ALUMINIUM ARMoured CABLES • A2XWY/A2XFY

Cross Section in SQ. MM.	1 CORE	2 CORE	3 CORE	3.5 CORE	4 CORE
2.5	-----	213.00	238.00	-----	265.00
4	-----	242.00	260.00	-----	303.00
6	-----	294.00	321.00	-----	384.00
10	-----	372.00	415.00	-----	527.00
16	239.00	423.00	446.00	-----	564.00
25	315.00	452.00	594.00	690.00	738.00
35	382.00	564.00	755.00	838.00	956.00
50	470.00	730.00	982.00	1136.00	1277.00
70	601.00	978.00	1346.00	1531.00	1735.00
95	721.00	1207.00	1658.00	1920.00	2163.00
120	844.00	1455.00	2100.00	2428.00	2743.00
150	1006.00	1789.00	2578.00	2877.00	3373.00
185	1236.00	2150.00	3191.00	3642.00	4149.00
240	1527.00	2851.00	4075.00	4575.00	5357.00
300	1880.00	3494.00	5036.00	5628.00	6603.00
400	2374.00	4538.00	6437.00	7189.00	8243.00

Str/Solid Cu PVC/XLPE Insulated Core/Pair/Triad/Quad laid up together with Al (Inner sheathed GI Steel Wire Mylar/Drain Wire) Round/Strip Armoured PVC Outer Sheathed Instrumentation.

OVERALL SHIELDED-ARMoured INSTRUMENTATION CABLES

TYPE	No.	SIZE	RATE	SIZE	RATE	SIZE	RATE	SIZE	RATE	SIZE	RATE
PAIR	1	0.5	154	0.75	180	1	200	1.5	238	2.5	327
PAIR	2	0.5	225	0.75	270	1	311	1.5	386	2.5	553
PAIR	3	0.5	270	0.75	338	1	403	1.5	515	2.5	764
PAIR	4	0.5	322	0.75	411	1	496	1.5	647	2.5	971
PAIR	5	0.5	377	0.75	487	1	596	1.5	790	2.5	1201
PAIR	6	0.5	435	0.75	567	1	690	1.5	921	2.5	1401
PAIR	8	0.5	534	0.75	710	1	876	1.5	1179	2.5	1809
PAIR	10	0.5	639	0.75	843	1	1057	1.5	1439	2.5	2630
PAIR	12	0.5	726	0.75	985	1	1244	1.5	1684	2.5	2997
PAIR	16	0.5	909	0.75	1217	1	1577	1.5	2174	2.5	3402
PAIR	19	0.5	1034	0.75	1440	1	1836	1.5	2541	2.5	3988
PAIR	24	0.5	1292	0.75	1808	1	2287	1.5	3193	2.5	5013
TRAID	1	0.5	187	0.75	225	1	253	1.5	315	2.5	435

NOTE : ROUND WIRE ARMOURING FOR H.T. CABLES UPTO 11KV (E) ADD 25% & FOR 11 KV (UE) & ABOVE ADD 27.5% IN ABOVE RATES.