



# PRICE LIST 6 APRIL 2026



Auth. Distributors  
**POLYCAB**  
IDEAS. CONNECTED.

## PRABHAT CABLES PVT. LTD.

HEAD OFFICE : 33, Pathak Wadi, Ismail Building, 1st Floor, Lohar Chawl,  
Mumbai - 400 002, Maharashtra, India.  
Tel.: +91 22 4922 4200 / 2208 5153 • Email : prabhatcables@gmail.com  
info@prabhatcables.com • Website : www.prabhatcables.com

### BRANCHES :

#### RAIPUR

Ph No.101, 275/1-2, Sarora, Industrial Area Urla, Near  
Shivam Engg., Sarora, Raipur, Chhattisgarh - 493221, INDIA  
Tel. : +91 98261 99371 / 93005 65001  
Email : cg@prabhatcables.com

#### HUBLI

98-B, Behind Krishna Spinner, J P Nagar, Beside HP Gas Agencies,  
Gokul Road, Near Decathlon, HUBLI 580030, Karnataka, INDIA  
Tel. : +91 86554 86242 / 86554 86246  
Email : hubli@prabhatcables.com

#### ODISHA

Plot No 328/3675 Koradakanta, Puri Bypass Road,  
Bhubaneswar - 751006, INDIA  
Tel. : +91 96810 07838 / 86554 86253  
Email : abani@prabhatcables.com, odisha@prabhatcables.com

#### BANGALORE

Karania Chambers-2, No 16, 2nd Floor, 80 Feet Road,  
Basaveshwara Nagar, Bangalore - 560079, INDIA  
Tel. : +91 97390 02495  
Email : bgr@prabhatcables.com

#### KALABURGI

Sy No. 51/1, Opposite Mahatma Gandhi, Truck Terminal,  
Near Aland Check Post, Ring Road, Kalaburagi (Gulbarga)  
Karnataka - 585103, INDIA • Tel. : +91 86554 86249 / 86554 86247  
Email : klbg@prabhatcables.com

#### GUWAHATI

Anil Plaza, A-45, 1st Floor, Near IDBI Bank,  
G. S. Road, Guwahati - 781005, INDIA  
Tel. : +91 99541 99542  
Email : assam@prabhatcables.com

**POLYCAB INDUSTRIAL SINGLE CORE & MULTI-CORE FLEXIBLE CABLES • 1100V PVC insulated & Sheathed with Bare Annealed Copper Conductor as per IS:694-2010. (100 Mtrs. Coil Price)**

COND. AREA SQ.MM.	Cond. Const. (No/Dia mm)	AMPS	SINGLE CORE	2 CORE	3 CORE	4 CORE	5 CORE	6 CORE	7 CORE	8 CORE	10 CORE	12 CORE	14 CORE	16 CORE	19 CORE	24 CORE						
0.50	16/0.2	05	1865	4915	6965	8910	11130	13515	15375	17800	22000	26000	29900	34200	40000	50600						
0.75	24/0.2	08	2725	7145	9730	12675	16165	19345	22300	25400	31800	37600	43700	49800	58800	73700						
1.00	32/0.2	13	3520	8810	12545	16335	21200	25440	28900	33100	41300	49000	57200	65200	76900	96200						
1.50	30/0.25	17	5125	12330	17510	23175	29945	35775	41100	46600	58600	69400	82700	95900	109200	139400						
2.50	50/0.25	24	8495	19850	28400	37900	49000	58600	67300	77400	96500	115300	133800	152900	180200	232900						
4.00	56/0.3	30	13135	29100	42200	55600	77000	93100	112900	-----	-----	-----	-----	-----	-----	-----						
6.00	84/0.3	38	19700	42800	62500	82200	117700	<b>POLYCAB UNARMoured SCREENED CABLES</b>														
10.00	80/0.4	52	34200	73500	107800	142300	198100										<b>CORES</b>	<b>16/.20 MM.    24/.20 MM.    32/.20 MM.    48/.20 MM.    80/.20 MM.</b>				
16.00	126/0.4	70	53000	114700	168700	223200	302200											<b>0.5 Sq. Mm.    0.75 Sq. Mm.    1.0 Sq. Mm.    1.5 Sq. Mm.    2.5 Sq. Mm.</b>				
25.00	196/0.4	88	84900	193100	283000	374800	485900										2	13625	15930	18625	23400	36400
35.00	276/0.4	110	117900	268900	394200	522500	680900										3	16125	19935	23630	31700	47300
50.00	396/0.4	145	169000	382300	561600	742500	952000										4	19500	24100	29500	38400	59500
70.00	354/0.5	215	237900	535200	783000	1047600	1327900										5	25000	30000	37300	48900	72800
95.00	484/0.5	260	318100	<b>Flexible copper WELDING CABLES</b>			7										30600	38400	47500	63900	100900	
120.00	608/0.5	305	408800	<b>Conductor Area SQ. MM.</b>	<b>(AMP)</b>	<b>Rate Per Meter</b>	8										33600	43400	53400	70100	116800	
150.00	750/0.5	355	509100				16.00										120	662.25	10	40000	51400	63900
185.00	925/0.5	415	624300	25.00	160	1024.00	12	45900	60900	75600	101200	166800										
240.00	1210/0.5	500	808600	35.00	230	1417.00	14	54200	71700	89200	115600	183800										
300.00	1527/0.5	585	1012400	50.00	400	2018.00	16	59200	80100	99000	133400	216200										
400.00	2036/0.5	695	1350200	70.00	600	2842.00	19	67300	90600	116500	151500	279100										
				95.00	700	3764.00	24	84500	112900	141800	192100	350000										

**TERMS & CONDITIONS : (1) The above rates are exclusive of all taxes. • (2) Subject to change without prior notice. • (3) This cancels all our previous price-lists.**

**POLYCAB FRLS INSULATED SINGLE CORE**

Unsheathed Industrial Flexible Cable conforming to IS 694:2010 with Flexible Bright Annealed Copper Conductor for Voltage Grade upto 1100 Volts.

**POLYCAB PVC INSULATED & FRLS MULTI CORE Round Sheathed Bright Annealed Bare Copper Conductor Heavy Duty Industrial Cables for Voltage Grade upto 1100 Volts as per IS: 694:2010.**

**RATE PER 100 METERS**

SIZE SQ. MM.	Cond. Const. (No/Dia mm)	AMPS	SINGLE CORE	2 CORE	3 CORE	4 CORE
0.5	16/2	5	1900	5245	7240	9190
0.75	24/2	8	2775	7425	10010	13005
1	32/2	13	3590	9090	12825	16590
1.5	30/.25	17	5195	12650	17765	23525
2.5	50/.25	24	8645	20100	28925	38400
4	56/3	30	13415	29700	43000	56300
6	84/3	38	19900	43500	63200	83200
10	80/4	52	34600	74800	109100	143600
16	126/4	70	53000	117200	171300	225800
25	196/4	88	84900	195000	285700	377500
35	276/4	110	117900	271600	396600	526000
50	396/4	145	169000	386100	567300	748200
70	354/5	215	237900	540600	788700	1051900
95	484/5	260	318100	-----	1066100	1411400
120	608/5	305	408800	-----	1356600	1797500
150	750/5	355	509100	-----	1689700	2241500
185	925/5	415	624300	-----	2080900	2750800
240	1210/5	500	808600	-----	2773400	3641700
300	1527/5	585	1012400	-----	3319700	4563200
400	2036/5	695	1350200	-----	4426300	6084300

**POLYCAB INDUSTRIAL CABLES (MULTISTRAND)**

CONDUCTOR AREA SQ. MM.	FR 200 Mtrs. Coil	FR 300 Mtrs. Coil	FRLSH 200 Mtrs. Coil	FRLSH 300 Mtrs. Coil	HFFR 200 Mtrs. Coil	HFFR 300 Mtrs. Coil
0.75	-----	8575	-----	8740	-----	9315
1.00	-----	11085	-----	11285	-----	11890
1.50	-----	16205	-----	16525	-----	17420
2.50	-----	26920	-----	27375	-----	28965
4.00	27720	-----	28025	-----	29820	-----
6.00	41155	-----	41660	-----	44250	-----
10.00	70745	-----	71490	-----	75990	-----
16.00	111260	-----	112365	-----	119525	-----

**POLYCAB BUILDING MANAGEMENT SYSTEM CABLE (BMS)**

Cores	0.5 sq.mm (16/.2)	0.75 sq.mm (24/.2)	1.0 sq.mm (32/.2)	1.5 sq.mm (30/.25)	2.5 sq.mm (50/.25)
2	8450	10805	13435	17450	27980
3	10805	14405	18000	24100	38505
4	13300	18000	23000	31000	49900
6	18600	25200	32400	44600	73400
8	23500	32700	41800	58700	97700

**TERMS & CONDITIONS :** (1) The above rates are exclusive of all taxes.  
(2) Subject to change without prior notice.  
(3) This cancels all our previous price-lists.

POLYCAB Brand Solid Annealed Bare Copper Industrial TELEPHONE CABLES					
No. of Pair & Size	Rate Per 90 Meter Coil		Rate Per Meter	JELLYFILLED CABLES As per DOT Specification	
	Unarmoured 0.4 MM.	Unarmoured 0.5 MM.	Armoured 0.5 MM.		
1 Pair	980.00	1380.00	-----	Unarmoured 0.5 MM.	Armoured 0.5 MM.
2 Pair	1740.00	2470.00	-----	-----	-----
3 Pair	2565.00	3635.00	-----	-----	-----
4 Pair	3290.00	4810.00	-----	-----	-----
5 Pair	4050.00	5980.00	158.00	144.00	208.00
10 Pair	-----	11600.00	301.00	225.00	333.00
RATE PER METER					
20 Pair	-----	250.10	478.00	-----	485.00
50 Pair	-----	647.55	-----	-----	1044.00
100 Pair	-----	1265.60	-----	-----	2216.00

3 CORE FLAT CABLES FOR SUBMERSIBLE PUMP MOTORS			
SIZE SQ. MM.	RATE PER 100 MTRS.	SIZE SQ. MM.	RATE PER 100 MTRS.
1.50	13630	16.00	126540
2.50	21185	25.00	197940
4.00	31630	35.00	274125
6.00	46870	50.00	-----
10.00	81480		

POLYCAB INDUSTRIAL SPEAKER WIRE (OXYGEN FREE)				(Rate per 90 Meters)				CCTV CABLES (Rate Per 90 Mtrs. Coil)	
SIZE	RATE	SIZE	RATE	SIZE	RATE	SIZE	RATE	SIZE	RATE
23/36	2740.00	23/38	1855.00	0.50 Sq. mm.	2785.00	1.5 Sq. mm.	7400.00	3 + 1	5165.00
40/36	4185.00	40/38	3075.00	0.75 Sq. mm.	4035.00	2.0 Sq. mm.	11445.00	4 + 1	5610.00
70/36	5680.00	70/38	4180.00	1.00 Sq. mm.	4985.00	2.5 Sq. mm.	12290.00		

CO-AXIAL CABLES • (RATE PER COIL)			
ITEM	UNARMoured (100 MTRS.)	UNARMoured (305 MTRS.)	ARMoured. (1000 MTRS.)
RG-59	3115	9475	
RG-06	3890	11970	128755
RG-11	8905	27245	200975
RG-06 CCS	2550	7770	
RG-11 CCS	5155	15700	

LAN COMPUTER CABLES	
ITEM 4 PAIR	UTP
	UNARMoured (RATE PER COIL OF 305 MTR.)
CAT-6	16535.00

**XLPE ARMoured Cables with COPPER Conductor 650/1100 V. Grade confirming to IS : 7098 (Pt-1) 1988**

**COPPER ARMoured CABLES • 2XWY/2XFY**

NO. OF CORES	1.5 SQ. MM.	2.5 SQ. MM.	CROSS SECTION IN SQ. MM.	2 CORE	3 CORE	4 CORE	
2	242.00	342.00	4	473.00	655.00	851.00	
3	308.00	452.00	6	670.00	949.00	1231.00	
4	386.00	585.00	10	1069.00	1523.00	2016.00	
5	491.00	724.00	16	1512.00	2262.00	2973.00	
6	596.00	850.00	CROSS SECTION IN SQ. MM.	3 CORE	3.5 CORE	4 CORE	
7	619.00	989.00		25	3536.00	4290.00	4703.00
8	704.00	1125.00		35	5101.00	5841.00	6749.00
10	881.00	1353.00		50	6882.00	8103.00	9198.00
12	993.00	1605.00		70	9980.00	11653.00	13366.00
14	1139.00	1880.00		95	13968.00	16191.00	18255.00
16	1302.00	2125.00		120	17235.00	20537.00	22981.00
19	1544.00	2499.00		150	21212.00	24572.00	28440.00
24	1931.00	3148.00		185	26865.00	31405.00	35580.00
27	2189.00	3586.00		240	35040.00	40476.00	46521.00
30	2441.00	4313.00		300	44756.00	51166.00	59038.00
37	3166.00	5038.00	400	57882.00	64796.00	80631.00	
44	3698.00	5884.00					
61	5444.00	8530.00					

**H. T. XLPE ARMoured ALUMINIUM CABLES** RATE PER METER

Cond. Cross Section in SQ. MM.	6.6 KV (UE) 11 KV (E)	22 KV (E)	33 KV (E)
3 x 35	1735.00	-----	-----
3 x 50	2089.00	-----	-----
3 x 70	2537.00	-----	-----
3 x 95	3028.00	3902.00	4946.00
3 x 120	3554.00	4351.00	5538.00
3 x 150	4157.00	5220.00	6512.00
3 x 185	4875.00	5748.00	7098.00
3 x 240	6200.00	6875.00	8257.00
3 x 300	7044.00	8185.00	9442.00
3 x 400	8975.00	10052.00	11309.00

**XLPE ARMoured Cables with ALUMINIUM Conductor 650/1100 V. grade confirming to IS : 7098 (Part-1) 1988**

**ALUMINIUM ARMoured CABLES • A2XWY/A2XFY**

Cross Section in SQ. MM.	1 CORE	2 CORE	3 CORE	3.5 CORE	4 CORE
	2.5	-----	204.00	221.00	-----
4	-----	221.00	256.00	-----	300.00
6	-----	278.00	321.00	-----	360.00
10	-----	336.00	400.00	-----	524.00
16	231.00	388.00	444.00	-----	568.00
25	287.00	401.00	534.00	626.00	673.00
35	359.00	513.00	731.00	809.00	921.00
50	457.00	694.00	945.00	1078.00	1214.00
70	581.00	880.00	1268.00	1469.00	1646.00
95	710.00	1137.00	1610.00	1860.00	2171.00
120	850.00	1401.00	1997.00	2332.00	2656.00
150	1013.00	1715.00	2474.00	2720.00	3209.00
185	1228.00	2093.00	3060.00	3441.00	4043.00
240	1526.00	2648.00	3959.00	4386.00	5228.00
300	1855.00	3257.00	4896.00	5440.00	6462.00
400	2395.00	4269.00	6214.00	6902.00	8309.00

Str/Solid Cu PVC/XLPE Insulated Core/Pair/Triad/Quad laid up together with Al (Inner sheathed GI Steel Wire Mylar/Drain Wire) Round/Strip Armoured PVC Outer Sheathed Instrumentation.

**OVERALL SHIELDED-ARMoured INSTRUMENTATION CABLES**

TYPE	No.	SIZE	RATE	SIZE	RATE	SIZE	RATE	SIZE	RATE	SIZE	RATE
PAIR	1	0.5	162	0.75	189	1	210	1.5	250	2.5	343
PAIR	2	0.5	236	0.75	284	1	327	1.5	405	2.5	581
PAIR	3	0.5	284	0.75	355	1	423	1.5	541	2.5	802
PAIR	4	0.5	338	0.75	432	1	521	1.5	679	2.5	1020
PAIR	5	0.5	396	0.75	511	1	626	1.5	830	2.5	1261
PAIR	6	0.5	457	0.75	595	1	725	1.5	967	2.5	1471
PAIR	8	0.5	561	0.75	746	1	920	1.5	1238	2.5	1899
PAIR	10	0.5	671	0.75	885	1	1110	1.5	1511	2.5	2762
PAIR	12	0.5	762	0.75	1034	1	1306	1.5	1768	2.5	3147
PAIR	16	0.5	954	0.75	1278	1	1656	1.5	2283	2.5	3572
PAIR	19	0.5	1086	0.75	1512	1	1928	1.5	2668	2.5	4187
PAIR	24	0.5	1357	0.75	1898	1	2401	1.5	3353	2.5	5264
TRAID	1	0.5	196	0.75	236	1	266	1.5	331	2.5	457

**NOTE : ROUND WIRE ARMOURING FOR H.T. CABLES UPTO 11KV (E) ADD 25% & FOR 11 KV (UE) & ABOVE ADD 27.5% IN ABOVE RATES.**