



# PRICE LIST

## 9 FEBRUARY 2026



Auth. Distributors  
**POLYCAB**  
IDEAS. CONNECTED.

# PRABHAT CABLES PVT. LTD.

HEAD OFFICE : 33, Pathak Wadi, Ismail Building, 1st Floor, Lohar Chawl,  
Mumbai - 400 002, Maharashtra, India.  
Tel.: +91 22 4922 4200 / 2208 5153 • Email : prabhatcables@gmail.com  
info@prabhatcables.com • Website : www.prabhatcables.com

### BRANCHES :

#### RAIPUR

Ph No.101, 275/1-2, Sarora, Industrial Area Urla, Near  
Shivam Engg., Sarora, Raipur, Chhattisgarh - 493221, INDIA  
Tel. : +91 98261 99371 / 93005 65001  
Email : cg@prabhatcables.com

#### HUBLI

98-B, Behind Krishna Spinner, J P Nagar, Beside HP Gas Agencies,  
Gokul Road, Near Decathlon, HUBLI 580030, Karnataka, INDIA  
Tel. : +91 86554 86242 / 86554 86246  
Email : hubli@prabhatcables.com

#### ODISHA

Plot No 328/3675 Koradakanta, Puri Bypass Road,  
Bhubaneswar - 751006, INDIA  
Tel. : +91 96810 07838 / 86554 86253  
Email : abani@prabhatcables.com, odisha@prabhatcables.com

#### BANGALORE

Karanja Chambers-2, No 16, 2nd Floor, 80 Feet Road,  
Basaveshwara Nagar, Bangalore - 560079, INDIA  
Tel. : +91 97390 02495  
Email : bgr@prabhatcables.com

#### KALABURGI

Sy No. 51/1, Opposite Mahatma Gandhi, Truck Terminal,  
Near Aland Check Post, Ring Road, Kalaburagi (Gulbarga)  
Karnataka - 585103, INDIA • Tel. : +91 86554 86249 / 86554 86247  
Email : klbg@prabhatcables.com

#### GUWAHATI

Anil Plaza, A-45, 1st Floor, Near IDBI Bank,  
G. S. Road, Guwahati - 781005, INDIA  
Tel. : +91 99541 99542  
Email : assam@prabhatcables.com

**POLYCAB INDUSTRIAL SINGLE CORE & MULTI-CORE FLEXIBLE CABLES • 1100V PVC insulated & Sheathed with Bare Annealed Copper Conductor as per IS:694-2010. (100 Mtrs. Coil Price)**

COND. AREA SQ.MM.	Cond. Const. (No/Dia mm)	AMPS	SINGLE CORE	2 CORE	3 CORE	4 CORE	5 CORE	6 CORE	7 CORE	8 CORE	10 CORE	12 CORE	14 CORE	16 CORE	19 CORE	24 CORE						
0.50	16/0.2	05	2040	5065	6950	8890	11575	13882	15600	18400	23000	26750	30800	35100	40700	51200						
0.75	24/0.2	08	2855	6785	9405	12105	16400	19882	22225	25925	32550	38000	44500	50200	59300	74000						
1.00	32/0.2	13	3598	8620	11950	15510	21200	25425	28725	33400	41200	49200	57100	64900	76500	95600						
1.50	30/0.25	17	5171	11800	16900	21900	28900	35000	39300	45500	58000	68300	80600	93100	108100	138300						
2.50	50/0.25	24	8502	19525	26750	36100	46900	56600	64800	77000	94600	113500	131900	150900	174700	226300						
4.00	56/0.3	30	13125	28700	41100	54800	74400	89000	107400	-----	-----	-----	-----	-----	-----	-----						
6.00	84/0.3	38	19700	42100	60500	80400	109300	<b>POLYCAB UNARMoured SCREENED CABLES</b>														
10.00	80/0.4	52	34200	72000	105800	139500	188700										<b>CORES</b>	<b>16/.20 MM. 24/.20 MM. 32/.20 MM. 48/.20 MM. 80/.20 MM.</b>				
16.00	126/0.4	70	54200	113000	165200	218200	288700											<b>0.5 Sq. Mm. 0.75 Sq. Mm. 1.0 Sq. Mm. 1.5 Sq. Mm. 2.5 Sq. Mm.</b>				
25.00	196/0.4	88	84300	188400	274000	357900	524000										2	14700	17900	20200	24500	37000
35.00	276/0.4	110	117800	262400	381000	500600	718300										3	17000	22200	27400	33900	49600
50.00	396/0.4	145	168000	372100	542400	716600	1039800										4	21100	27400	33300	41400	62500
70.00	354/0.5	215	237500	529000	752600	994800	1422100										5	26600	32700	38300	50400	84000
95.00	484/0.5	260	316300	<b>Flexible copper WELDING CABLES</b>			7										30400	42600	49600	65400	106600	
120.00	608/0.5	305	416000	<b>Conductor Area SQ. MM.</b>	<b>(AMP)</b>	<b>Rate Per Meter</b>	8										35500	50800	56300	75300	111200	
150.00	750/0.5	355	520500				16.00										120	646.00	10	44900	56100	75000
185.00	925/0.5	415	660000	25.00	160	1011.00	12	50800	63300	80500	106600	145600										
240.00	1210/0.5	500	845200	35.00	230	1397.00	14	56100	75000	94500	127700	175000										
300.00	1527/0.5	585	1057600	50.00	400	1981.00	16	60100	87200	106100	140900	205900										
400.00	2036/0.5	695	1409300	70.00	600	2803.00	19	71400	103400	125000	175000	265800										
				95.00	700	3692.00	24	86300	115600	156800	214300	333300										

**TERMS & CONDITIONS : (1) The above rates are exclusive of all taxes. • (2) Subject to change without prior notice. • (3) This cancels all our previous price-lists.**

**POLYCAB FRLS INSULATED SINGLE CORE**

Unsheathed Industrial Flexible Cable conforming to IS 694:2010 with Flexible Bright Annealed Copper Conductor for Voltage Grade upto 1100 Volts.

**POLYCAB PVC INSULATED & FRLS MULTI CORE Round Sheathed Bright Annealed Bare Copper Conductor Heavy Duty Industrial Cables for Voltage Grade upto 1100 Volts as per IS: 694:2010.**

**RATE PER 100 METERS**

SIZE SQ. MM.	Cond. Const. (No/Dia mm)	AMPS	SINGLE CORE	2 CORE	3 CORE	4 CORE
0.5	16/2	5	2080	5390	7260	9200
0.75	24/2	8	2940	7180	9790	12515
1	32/2	13	3635	8995	12400	15900
1.5	30/.25	17	5210	12300	17500	22300
2.5	50/.25	24	8615	20050	27700	37100
4	56/3	30	13350	29400	42100	55600
6	84/3	38	20000	43200	61700	81500
10	80/4	52	35100	73100	107400	141800
16	126/4	70	54200	116100	169100	222500
25	196/4	88	84300	192500	279600	365600
35	276/4	110	117800	267800	388200	511400
50	396/4	145	168000	380100	553100	730200
70	354/5	215	237500	539300	767400	1014800
95	484/5	260	316300	-----	1067000	1407700
120	608/5	305	416000	-----	1355000	1788200
150	750/5	355	520500	-----	1693700	2235500
185	925/5	415	660000	-----	2085800	2756900
240	1210/5	500	845200	-----	2692600	3564100
300	1527/5	585	1057600	-----	3359800	4449000
400	2036/5	695	1409300	-----	4476700	5893100

**POLYCAB INDUSTRIAL CABLES (MULTISTRAND)**

CONDUCTOR AREA SQ. MM.	FR 200 Mtrs. Coil	FR 300 Mtrs. Coil	FRLSH 200 Mtrs. Coil	FRLSH 300 Mtrs. Coil	HFFR 200 Mtrs. Coil	HFFR 300 Mtrs. Coil
0.75	-----	8575	-----	8740	-----	9315
1.00	-----	11085	-----	11285	-----	11890
1.50	-----	16205	-----	16525	-----	17420
2.50	-----	26920	-----	27375	-----	28965
4.00	27720	-----	28025	-----	29820	-----
6.00	41155	-----	41660	-----	44250	-----
10.00	70745	-----	71490	-----	75990	-----
16.00	111260	-----	112365	-----	119525	-----

**POLYCAB BUILDING MANAGEMENT SYSTEM CABLE (BMS)**

Cores	0.5 sq.mm (16/.2)	0.75 sq.mm (24/.2)	1.0 sq.mm (32/.2)	1.5 sq.mm (30/.25)	2.5 sq.mm (50/.25)
2	8375	10850	13150	17150	26725
3	10500	14100	17250	23200	36700
4	12900	17300	22200	30900	46600
6	18100	24400	30400	43100	70200
8	22800	30700	39800	54400	93000

**TERMS & CONDITIONS :** (1) The above rates are exclusive of all taxes.  
(2) Subject to change without prior notice.  
(3) This cancels all our previous price-lists.

POLYCAB Brand Solid Annealed Bare Copper Industrial TELEPHONE CABLES					
No. of Pair & Size	Rate Per 90 Meter Coil		Rate Per Meter	JELLYFILLED CABLES As per DOT Specification	
	Unarmoured 0.4 MM.	Unarmoured 0.5 MM.	Armoured 0.5 MM.		
1 Pair	980.00	1380.00	-----	Unarmoured 0.5 MM.	Armoured 0.5 MM.
2 Pair	1740.00	2470.00	-----	-----	-----
3 Pair	2565.00	3635.00	-----	-----	-----
4 Pair	3290.00	4810.00	-----	-----	-----
5 Pair	4050.00	5980.00	158.00	144.00	208.00
10 Pair	-----	11600.00	301.00	225.00	333.00
RATE PER METER					
20 Pair	-----	250.10	478.00	-----	485.00
50 Pair	-----	647.55	-----	-----	1044.00
100 Pair	-----	1265.60	-----	-----	2216.00

3 CORE FLAT CABLES FOR SUBMERSIBLE PUMP MOTORS			
SIZE SQ. MM.	RATE PER 100 MTRS.	SIZE SQ. MM.	RATE PER 100 MTRS.
1.50	13630	16.00	126540
2.50	21185	25.00	197940
4.00	31630	35.00	274125
6.00	46870	50.00	-----
10.00	81480		

POLYCAB INDUSTRIAL SPEAKER WIRE (OXYGEN FREE)				(Rate per 90 Meters)				CCTV CABLES (Rate Per 90 Mtrs. Coil)	
SIZE	RATE	SIZE	RATE	SIZE	RATE	SIZE	RATE	SIZE	RATE
23/36	2740.00	23/38	1855.00	0.50 Sq. mm.	2785.00	1.5 Sq. mm.	7400.00	3 + 1	5165.00
40/36	4185.00	40/38	3075.00	0.75 Sq. mm.	4035.00	2.0 Sq. mm.	11445.00	4 + 1	5610.00
70/36	5680.00	70/38	4180.00	1.00 Sq. mm.	4985.00	2.5 Sq. mm.	12290.00		

CO-AXIAL CABLES • (RATE PER COIL)			
ITEM	UNARMoured (100 MTRS.)	UNARMoured (305 MTRS.)	ARMoured. (1000 MTRS.)
RG-59	3115	9475	
RG-06	3890	11970	128755
RG-11	8905	27245	200975
RG-06 CCS	2550	7770	
RG-11 CCS	5155	15700	

LAN COMPUTER CABLES	
ITEM 4 PAIR	UTP UNARMoured (RATE PER COIL OF 305 MTR.)
	CAT-6

**XLPE ARMoured Cables with COPPER Conductor 650/1100 V. Grade confirming to IS : 7098 (Pt-1) 1988**

**COPPER ARMoured CABLES • 2XWY/2XFY**

NO. OF CORES	1.5 SQ. MM.	2.5 SQ. MM.	CROSS SECTION IN SQ. MM.	2 CORE	3 CORE	4 CORE	
2	312.00	441.00	4	627.00	839.00	1076.00	
3	397.00	570.00	6	882.00	1212.00	1583.00	
4	491.00	735.00	10	1403.00	1971.00	2573.00	
5	596.00	902.00	16	2078.00	2881.00	3804.00	
6	710.00	1062.00	CROSS SECTION IN SQ. MM.	3 CORE	3.5 CORE	4 CORE	
7	781.00	1198.00		25	4561.00	5466.00	6012.00
8	999.00	1462.00		35	6423.00	7336.00	8528.00
10	1137.00	1683.00		50	8682.00	10219.00	11571.00
12	1264.00	1956.00		70	12678.00	14675.00	16702.00
14	1447.00	2274.00		95	17578.00	20129.00	23202.00
16	1617.00	2583.00		120	21553.00	26473.00	28909.00
19	1918.00	3040.00		150	27411.00	32024.00	36721.00
24	2399.00	3807.00		185	34844.00	40767.00	46541.00
27	2669.00	4269.00		240	45261.00	52621.00	60039.00
30	2977.00	5135.00		300	57044.00	65970.00	76346.00
37	3861.00	5998.00	400	73268.00	83380.00	102065.00	
44	4510.00	7005.00					
61	6639.00	10155.00					

**H. T. XLPE ARMoured ALUMINIUM CABLES** RATE PER METER

Cond. Cross Section in SQ. MM.	6.6 KV (UE) 11 KV (E)	22 KV (E)	33 KV (E)
3 x 35	1983.00	-----	-----
3 x 50	2370.00	-----	-----
3 x 70	2887.00	-----	-----
3 x 95	3276.00	4519.00	5987.00
3 x 120	3956.00	5077.00	6749.00
3 x 150	4633.00	5822.00	7255.00
3 x 185	5283.00	6573.00	8099.00
3 x 240	6401.00	7759.00	9565.00
3 x 300	7570.00	9099.00	10798.00
3 x 400	9473.00	11034.00	13089.00

**XLPE ARMoured Cables with ALUMINIUM Conductor 650/1100 V. grade confirming to IS : 7098 (Part-1) 1988**

**ALUMINIUM ARMoured CABLES • A2XWY/A2XFY**

Cross Section in SQ. MM.	1 CORE	2 CORE	3 CORE	3.5 CORE	4 CORE
2.5	-----	229.00	256.00	-----	285.00
4	-----	260.00	280.00	-----	326.00
6	-----	316.00	345.00	-----	413.00
10	-----	400.00	446.00	-----	567.00
16	257.00	455.00	479.00	-----	606.00
25	339.00	486.00	639.00	742.00	793.00
35	411.00	606.00	812.00	901.00	1028.00
50	505.00	785.00	1056.00	1221.00	1373.00
70	646.00	1051.00	1447.00	1646.00	1865.00
95	775.00	1298.00	1782.00	2064.00	2325.00
120	907.00	1564.00	2258.00	2610.00	2949.00
150	1081.00	1923.00	2771.00	3093.00	3626.00
185	1329.00	2311.00	3430.00	3915.00	4460.00
240	1642.00	3065.00	4381.00	4918.00	5759.00
300	2021.00	3756.00	5414.00	6050.00	7098.00
400	2552.00	4878.00	6920.00	7728.00	8861.00

Str/Solid Cu PVC/XLPE Insulated Core/Pair/Triad/Quad laid up together with Al (Inner sheathed GI Steel Wire Mylar/Drain Wire) Round/Strip Armoured PVC Outer Sheathed Instrumentation.

**OVERALL SHIELDED-ARMoured INSTRUMENTATION CABLES**

TYPE	No.	SIZE	RATE								
PAIR	1	0.5	162	0.75	189	1	210	1.5	250	2.5	343
PAIR	2	0.5	236	0.75	284	1	327	1.5	405	2.5	581
PAIR	3	0.5	284	0.75	355	1	423	1.5	541	2.5	802
PAIR	4	0.5	338	0.75	432	1	521	1.5	679	2.5	1020
PAIR	5	0.5	396	0.75	511	1	626	1.5	830	2.5	1261
PAIR	6	0.5	457	0.75	595	1	725	1.5	967	2.5	1471
PAIR	8	0.5	561	0.75	746	1	920	1.5	1238	2.5	1899
PAIR	10	0.5	671	0.75	885	1	1110	1.5	1511	2.5	2762
PAIR	12	0.5	762	0.75	1034	1	1306	1.5	1768	2.5	3147
PAIR	16	0.5	954	0.75	1278	1	1656	1.5	2283	2.5	3572
PAIR	19	0.5	1086	0.75	1512	1	1928	1.5	2668	2.5	4187
PAIR	24	0.5	1357	0.75	1898	1	2401	1.5	3353	2.5	5264
TRAID	1	0.5	196	0.75	236	1	266	1.5	331	2.5	457

**NOTE : ROUND WIRE ARMOURING FOR H.T. CABLES UPTO 11KV (E) ADD 25% & FOR 11 KV (UE) & ABOVE ADD 27.5% IN ABOVE RATES.**