

PROTEKTO[®]

Safety you can trust

www.protekto.com




ABOUT US

We welcome you to Opulent Industries, established in 2017, where safety meets comfort and excellence is our standard. As an ISO certified company dedicated to production of top-tier safety footwear, our brand **PROTEKTO** is a registered trademark and stands as a testament to our commitment to providing unparalleled protection and comfort. All products of Protekto are conforming to **ISI 15298 Part II & III:2022 and CE EN ISO 20345:2022**, and we ensure that they exceed in providing comfort and value to you.

Protekto understands that the appropriate footwear is crucial in various industries where safety is paramount. Our extensive product design, helps to meet diverse needs of workers across sectors such as manufacturing, construction, oil and gas, logistics, pharma and more. With a focus on innovation and quality, Protekto products provide maximum comfort without compromising safety standards.

Whether its rugged terrains of construction site or demanding environment of manufacturing facilities, Protekto is ready to equip professionals with reliable and durable safety footwear. Our mission is to contribute to the well-being and productivity of workers by offering them the protection they need.

Choose Protekto protection that goes beyond expectations where style, comfort and safety converge seamlessly to create a product to ensure safety in every step you take.



**OPULENT
INDUSTRIES**

www.opulentindustries.in

PROTEKTO[®]

Safety you can trust

www.protekto.com

PREMIUM SERIES

ENHANCE S1 SF2287

UPPER: Genuine grain barton leather with waterproof cordura for long lasting performance.

LINING: Single origin spacer lining enhances air circulation and minimizes any odor from the shoe.

TOECAP: 200 J steel wide EN 12568


FOOTBED: Hi-density foams footbed which are customizable with options of memory and PU for extra comfort and enhanced performance.

SOLE: PU lite dual density sole.

Sizes UK 5 - 12



3D-dry



Memory Foam

RELIABLE S1 SF2290

UPPER: Genuine grain barton leather for long lasting performance.

LINING: Single origin spacer lining enhances air circulation and minimizes any odor from the shoe.

TOECAP: 200 J steel wide EN 12568

FOOTBED: Hi-density foams footbed which are customizable with options of memory and PU for extra comfort and enhanced performance.

SOLE: PU lite dual density sole.

Sizes UK 5 - 12



3D-dry



Memory Foam

ELEGANT S1 SF2291

UPPER: CG finish grain leather for premium look and enhanced performance.

LINING: Single origin spacer lining enhances air circulation and minimizes any odor from the shoe.

TOECAP: 200 J steel wide EN 12568

FOOTBED: Hi-density foams footbed which are customizable with options of memory and PU for extra comfort and enhanced performance.

SOLE: PU lite dual density sole.

Sizes UK 5 - 12



3D-dry



Memory Foam

SAFETY FEATURES



PREMIUM SERIES

RAPIDO S1 SF2286

UPPER: Genuine grain barton leather with waterproof cordura for long lasting performance.


LINING: Single origin spacer lining enhances air circulation and minimizes any odor from the shoe.

TOECAP: 200 J steel wide EN 12568

FOOTBED: Hi-density foams footbed which are customizable with options of memory and PU for extra comfort and enhanced performance.

SOLE: PU lite dual density sole.

Sizes: UK 5 - 12



3D-dry



Memory Foam

NOVA S1 SF2299

UPPER: Genuine grain barton leather for long lasting performance.

LINING: Single origin spacer lining enhances air circulation and minimizes any odor from the shoe.

TOECAP: 200 J steel wide EN 12568

FOOTBED: Hi-density foams footbed which are customizable with options of memory and PU for extra comfort and enhanced performance.

SOLE: PU lite dual density sole.

Sizes: UK 5 - 12



3D-dry



Memory Foam

APOLLO S1 SF2284

UPPER: Genuine apollo grain leather for long lasting performance and enhanced looks.

LINING: Single origin Drylex fabric lining enhances air circulation and minimizes any odor from the shoe.

TOECAP: 200 J steel wide EN 12568

FOOTBED: Hi-density foams footbed which are customizable with options of memory and PU for extra comfort and enhanced performance.

SOLE: PU lite dual density sole.

Sizes: UK 5 - 12



3D-dry



Memory Foam

SAFETY FEATURES




PREMIUM BOOTS

NICKLE SF2285 S1



3D-dry



Memory Foam

UPPER: Genuine grain barton leather for long lasting performance with breathable mesh.

LINING: Single origin spacer lining enhances air circulation and minimizes any odor from the shoe.

TOECAP: 200 J steel wide EN 12568

FOOTBED: Hi-density foams footbed which are customizable with options of memory and PU for extra comfort and enhanced performance.


SOLE: PU lite dual density sole.

Sizes: UK: 5 - 12

KANE SF2289 S1



3D-dry



Memory Foam

UPPER: CG finish grain leather for premium look and enhanced performance.

LINING: Single origin spacer lining enhances air circulation and minimizes any odor from the shoe.

TOECAP: 200 J steel wide EN 12568

FOOTBED: Hi-density foams footbed which are customizable with options of memory and PU for extra comfort and enhanced performance.

SOLE: PU lite dual density sole.

Sizes: UK: 5 - 12

SAFETY FEATURES



CASUAL SERIES



3D-dry



Memory Foam

ANDY SF2288 S1

UPPER: Genuine suede leather with breathable properties.

LINING: Anti-bacterial tested fabric lining for maximum comfort.

TOECAP: 200 J steel wide EN 12568


FOOTBED: Hi-density foams footbed which are customizable with options of memory and PU for extra comfort and enhanced performance.

SOLE: PU lite dual density sole.

Sizes: UK 5 - 12



3D-dry



Memory Foam

ZEN SF2292 S1

UPPER: CG finish grain leather for premium look and enhanced performance.

LINING: Single origin spacer lining enhances air circulation and minimizes any odor from the shoe.

TOECAP: 200 J steel wide EN 12568

FOOTBED: Hi-density foams footbed which are customizable with options of memory and PU for extra comfort and enhanced performance.

SOLE: PU lite dual density sole.

Sizes: UK 5 - 12



3D-dry



Memory Foam

DANAC SF2260 S1

UPPER: Genuine suede leather with waterproof Cordura for lasting performance.

LINING: Single origin spacer lining enhances air circulation and minimizes any odor from the shoe.

TOECAP: 200 J steel wide EN 12568

FOOTBED: Hi-density foams footbed which are customizable with options of memory and PU for extra comfort and enhanced performance.

SOLE: PU lite dual density sole.

Sizes: UK 5 - 12


SAFETY FEATURES



CASUAL SERIES



3D-dry



Memory Foam

PRIMA SF2295 S1

UPPER: Genuine suede leather with waterproof Cordura for lasting performance.

LINING: Single origin spacer lining enhances air circulation and minimizes any odor from the shoe.

TOECAP: 200 J steel wide EN 12568

FOOTBED: Hi-density foams footbed which are customizable with options of memory and PU for extra comfort and enhanced performance.

SOLE: PU lite dual density sole.

Sizes UK 5 - 12



3D-dry



Memory Foam

HARDY SF2293 S1

UPPER: Genuine natural grain Nubuck leather with waterproof Cordura for lasting performance.

LINING: Single origin spacer lining enhances air circulation and minimizes any odor from the shoe.

TOECAP: 200 J steel wide EN 12568

FOOTBED: Hi-density foams footbed which are customizable with options of memory and PU for extra comfort and enhanced performance.

SOLE: PU lite dual density dual color sole.

Sizes: UK: 5 - 12



3D-dry



Memory Foam

ATLAS SF2294 S1

UPPER: Genuine grain Mena leather for long lasting performance.

LINING: Single origin spacer lining enhances air circulation and minimizes any odor from the shoe.

TOECAP: 200 J steel wide EN 12568

FOOTBED: Hi-density foams footbed which are customizable with options of memory and PU for extra comfort and enhanced performance.

SOLE: PU lite dual density dual color sole.

Sizes: UK: 5 - 12

SAFETY FEATURES



BASIC SERIES

SLICK SF2142 SB



UPPER: Genuine grain barton leather for long lasting performance.

LINING: Anti-bacterial certified fabric with breathable properties.

TOECAP: 200 J steel wide EN 12568

FOOTBED: Hi-density foams footbed with thickness up to 8mm customizable

SOLE: PU lite single density sole.

SIZES: UK: 5 - 12

ENDURA SF2277 SB



UPPER: Genuine grain barton leather for long lasting performance with PU.

LINING: Anti-bacterial certified fabric with breathable properties.

TOECAP: 200 J steel wide EN 12568

FOOTBED: Hi-density foams footbed with thickness up to 8mm customizable.

SOLE: PU lite single density sole.

SIZES: UK: 5 - 12

MIDANKY SF2276 SB



UPPER: Genuine grain barton leather for long lasting performance with PU.

LINING: Anti-bacterial certified fabric with breathable properties.

TOECAP: 200 J steel wide EN 12568

FOOTBED: Hi-density foams footbed with thickness up to 8mm customizable.

SOLE: PU lite single density sole.

SIZES: UK: 5 - 12


SAFETY FEATURES



BASIC SERIES



3D-dry



Memory Foam

ULTRA SF3001 SB

UPPER: Tested mesh fabric for light weight and breathable property.

LINING: Anti-bacterial certified fabric with breathable properties.

TOECAP: 200 J steel wide EN 12568

FOOTBED: Hi-density foams footbed with thickness up to 8mm customizable.

SOLE: PU lite single density sole.

SIZES: UK: 5 - 12



3D-dry

VISO SF2250 SB

UPPER: Genuine grain barton leather for long lasting performance.

LINING: Single origin spacer lining enhances air circulation and minimizes any odor from the shoe.

TOECAP: 200 J steel wide EN 12568


FOOTBED: Hi-density foams footbed with thickness up to 8mm customizable.

SOLE: PU lite dual density sole.

Sizes: UK: 5 - 12



3D-dry



Memory Foam

SOLID SF2878 S1

UPPER: Genuine grain barton leather for long lasting performance.

LINING: Anti-bacterial certified fabric with breathable properties.

TOECAP: 200 J steel wide EN 12568

FOOTBED: Hi-density foams footbed with thickness up to 8mm customizable.

SOLE: PU lite dual density sole.

Sizes: UK: 5 - 12

SAFETY FEATURES




BASIC BOOTS

VISO-HI SF2251 SB



3D-dry



Memory Foam

UPPER: Genuine grain barton leather for long lasting performance with PU.

LINING: Single origin spacer lining enhances air circulation and minimizes any odor from the shoe.

TOECAP: 200 J steel wide EN 12568

FOOTBED: Hi-density foams footbed which are customizable with options of memory and PU for extra comfort and enhanced performance.

SOLE: PU lite dual density sole.

Sizes: UK: 5 - 12

ANKLER SF2252 SB



UPPER: Genuine grain barton leather for long lasting performance with PU.

LINING: Anti-bacterial certified fabric with breathable properties.

TOECAP: 200 J steel wide EN 12568

FOOTBED: Hi-density foams footbed which are customizable with options of memory and PU for extra comfort and enhanced performance.

SOLE: PU lite single density sole.

Sizes: UK: 5 - 12

SAFETY FEATURES



SECURITY SERIES



SECURA LINED SB SCB002

UPPER: Genuine grain barton leather for long lasting performance.

LINING: Anti-bacterial certified fabric with breathable properties

TOECAP: 200/100 J steel wide EN 12568

FOOTBED: Hi-density foams footbed with thickness up to 8mm customizable.

SOLE: PU lite single density sole.

Sizes: UK: 5 - 12



CHELSEA SB PFCB22

UPPER: Genuine crazy horse leather for long lasting performance and premium looks.

LINING: Single origin spacer lining enhances air circulation and minimizes any odor from the shoe.

TOECAP: 200/100 J steel wide EN 12568

FOOTBED: Hi-density foams footbed with thickness up to 8mm customizable.

SOLE: PU lite single density sole.

Sizes: UK: 5 - 12

3D-dry



SECURA SB SCB1

UPPER: Genuine grain barton leather for long lasting performance.

LINING: Anti-bacterial certified fabric with breathable properties.

FOOTBED: Hi-density foams footbed with thickness up to 8mm customizable.

SOLE: PU lite single density sole.

Sizes: UK: 5 - 12


SAFETY FEATURES



KLEAN SF2276 S1



3D-dry



Memory Foam

UPPER: Genuine CG grain leather for long lasting performance.

LINING: Anti-bacterial certified fabric with breathable properties

FOOTBED: Hi-density foams footbed which are customizable with options of memory and PU for extra comfort and enhanced performance.

SOLE: PU lite single density sole.

Sizes: UK: 5 - 12

META SF2275 S1



3D-dry



Memory Foam

UPPER: Genuine grain barton leather for long lasting performance with PU.

LINING: Single origin spacer lining enhances air circulation and minimizes any odor from the shoe.

FOOTBED: Hi-density foams footbed which are customizable with options of memory and PU for extra comfort and enhanced performance.

SOLE: PU lite dual density sole.

Sizes: UK: 5 - 12

SAFETY FEATURES



ANATOMY

HOW PROTEKTO PROVIDES FOOT PROTECTION



STANDARD GUIDE

EN ISO 20345:2022
ISI 15298:2022 PART II

CATEGORY CHARACTERISTICS

SB — BASIC SAFETY REQUIREMENTS

S1 — SB + CLOSED HEEL ZONE, ANTI-STATIC PROPERTIES, ENERGY ABSORPTION IN THE HEEL FO RESISTANCE OF THE SOLE TO HYDROCARBONS

S2 — S1 + RESISTANCE OF THE UPPER TO WATER PENETRATION AND ABSORPTION

S3 — S2 + RESISTANCE OF THE OUTSOLE TO PERFORATION PLEATED SOLES



STANDARD GUIDE

EN ISO 20345:2022 ISI 15298:2022 PART II

PROTECTION SYMBOL	REQUIREMENT CHARACTERISTIC	SB	S1	S2	S3
P	Resistance of the outsole to perforation	0	0	-	X
C	Conductive properties	0	-	-	-
A	Anti-static properties	0	X	X	X
	Insulation against electricity	0	-	-	-
HI	Insulation against heat	0	0	0	0
CI	Insulation against cold	0	0	0	0
E	Heel energy absorption	0	X	X	X
WR	Water resistance	0	0	0	0
M	Toe protection	0	0	0	0
AN	Ankle protection	0	0	0	0
WRU	Water penetration and absorption of the upper	0	-	X	X
CR	Resistance of the upper to cutting	-	-	-	X
HRO	Resistance to heat for sole contact	0	0	0	0
FO	Resistance of the sole hydrocarbons	0	X	X	X
SRA (Ceramic + detergent)	Slip resistance	X	X	X	X
SRB (steel + glycerine)	Slip resistance	X	X	X	X
SRC (SRA+SRB)	Slip resistance	0	0	0	0

PROTEKTO[®]

Safety you can trust

MARKETED BY OPULENT INDUSTRIES

IIMTLBF First Floor Plot No. 19
Knowledge Park III Greater Noida
201310 U.P.

info@opulentindustries.in
+91-9899008181, 9773588181

MANUFACTURING FACILITY

1293/4, Tiwaripur Jajmau
Kanpur 208010 U.P.

info@opulentindustries.in
+91-9899008181, 9773588181



EN ISO 20345:2022

IS-15298 PART II



CM/L-9300093510



MADE IN INDIA

www.protekto.com

